

---

## Contents

---

<b>Introduction</b>	ix
Laurent BÉCHOU, Mitsuo FUKUDA, Giovanna MURA and Massimo VANZI	
<b>Chapter 1. Laser Diode Reliability</b>	1
Mitsuo FUKUDA and Giovanna MURA	
1.1. Laser diodes and application fields . . . . .	1
1.2. Basic degradation mechanisms in laser diodes . . . . .	3
1.2.1. Device structure . . . . .	3
1.2.2. Main degradation mechanisms . . . . .	4
1.3. Degradation and reliability . . . . .	15
1.3.1. Reliability in terrestrial and submarine systems . . . . .	15
1.3.2. Reliability in space application fields . . . . .	17
1.3.3. Display, lighting and storage . . . . .	22
1.4. Physical analysis of degraded lasers . . . . .	25
1.4.1. Catastrophic optical damage . . . . .	26
1.4.2. Electrostatic discharge . . . . .	36
1.5. References . . . . .	42
<b>Chapter 2. Multi-Component Model for Semiconductor Laser Degradation</b>	51
Samuel K.K. LAM and Daniel T. CASSIDY	
2.1. Introduction . . . . .	51
2.2. The physical explanation for saturable degradation . . . . .	52
2.3. Rate equation for saturable defect population . . . . .	54
2.4. Saturable laser degradation by single defect population . . . . .	58
2.5. Multicomponent model for degradation dynamics . . . . .	61
2.6. Annealing effect . . . . .	63

---

2.7. Guide to MCM applications . . . . .	69
2.8. Summary . . . . .	74
2.9. References . . . . .	75
<b>Chapter 3. Reliability of Laser Diodes for High-rate Optical Communications – A Monte Carlo-based Method to Predict Lifetime Distributions and Failure Rates in Operating Conditions . . . . .</b>	<b>79</b>
Laurent MENDIZABAL, Frédéric VERDIER, Yannick DESHAYES, Yves OUSTEN, Yves DANTO and Laurent BÉCHOU	
3.1. Introduction . . . . .	79
3.2. Methodology description . . . . .	83
3.2.1. Application context . . . . .	83
3.2.2. Monte Carlo random sampling . . . . .	86
3.2.3. Brief review on random and pseudo-random numbers . . . . .	87
3.2.4. Direct Monte Carlo method: non-rectangular distribution . . . . .	88
3.3. Description of the experimental approach . . . . .	89
3.3.1. Choice of the correlation law . . . . .	89
3.3.2. Calculation of failure times and failure rates . . . . .	91
3.3.3. Application to DFB laser diodes emitting at 1550 nm . . . . .	92
3.4. Robustness analysis of the proposed method . . . . .	96
3.4.1. Validation of the method: analytical approach . . . . .	96
3.4.2. Robustness analysis of the statistical random draws . . . . .	103
3.5. Experimental investigations . . . . .	117
3.5.1. Single parameter estimation: drift of the bias current during aging tests . . . . .	117
3.5.2. Multiple parameters estimation: drifts of threshold current and optical efficiency . . . . .	118
3.5.3. Summary . . . . .	125
3.6. Toward multi-components physical models . . . . .	126
3.6.1. Chuang's model: relationship between $I_{th}$ and intrinsic density of defects . . . . .	127
3.6.2. Lam's model: growth of defects . . . . .	130
3.7. Conclusion . . . . .	132
3.8. References . . . . .	134
<b>Chapter 4. Laser Diode Characteristics . . . . .</b>	<b>139</b>
Massimo VANZI	
4.1. Introduction . . . . .	139
4.2. Energies and densities . . . . .	143

---

---

4.3. Rates and balances . . . . .	148
4.3.1. Equilibrium . . . . .	148
4.3.2. Quasi-equilibrium: the rate equation . . . . .	150
4.4. Photon density . . . . .	154
4.5. Spectral gain . . . . .	158
4.6. Integral quantities: current $I_{ph}$ and total power $P_{OUT}$ . . . . .	164
4.7. Non-radiative current $I_{nr}$ , threshold current $I_{th}$ and the light-current curve . . . . .	167
4.7.1. Non-radiative current $I_{nr}$ and the total current I . . . . .	168
4.7.2. Gain-current relationship . . . . .	171
4.7.3. Measured optical power $P_{OUT}$ . . . . .	171
4.8. Resistive effects . . . . .	173
4.8.1. Series resistance $R_S$ . . . . .	173
4.8.2. Side ohmic paths: current confinement . . . . .	174
4.8.3. Leakage paths . . . . .	175
4.8.4. Total current and its components. . . . .	175
4.9. Non-idealities . . . . .	176
4.10. Appendix A: the anomaly $\varepsilon$ . . . . .	181
4.11. Appendix B: optical losses . . . . .	185
4.12. Appendix C: a continuity equation for photons . . . . .	187
4.13. Appendix D: the integral of the spectral function. . . . .	191
4.14. Appendix E: the lateral current $I_W$ . . . . .	194
4.15. Appendix F: the gain-current relationship and its comparison with the literature. . . . .	198
4.15.1. Gain equations in the literature . . . . .	198
4.15.2. Comparison . . . . .	201
4.16. References . . . . .	204
<b>Chapter 5. Laser Diode DC Measurement Protocols . . . . .</b>	<b>207</b>
Massimo VANZI, Giovanna MURA, Laurent BÉCHOU, Giulia MARCELLO and Valerio Sanna VALLE	
5.1. The standard LIV curve: voltage or current driving . . . . .	207
5.2. Voltage driving: the logLIV plot . . . . .	208
5.3. Removing bad data: current compliance and ambient photocurrent. . . . .	208
5.4. Calculating internal threshold voltage $V_{th}$ and series resistance $R_S$ : the logLIV curves with respect to the internal voltage $V$ . . . . .	209
5.5. Canonical logLIV: upscaling $P_{OUT}$ to $I_{ph}$ . . . . .	211
5.5.1. Calculating $I_{th}$ and reconstructing $P_{TOT}$ and $I_{ph}$ from $P_{OUT}$ : quantum efficiency $\eta_q$ . . . . .	211

5.6. Subthreshold Shockley parameters for $I_{ph}$ : saturation current $I_{ph0}$ , ideality factor $n$ and quantum efficiency $\eta_q$ . . . . .	213
5.7. Lateral current $I_W$ : current confinement . . . . .	214
5.8. Transparency voltage $V_{tr}$ for peak emission and zero-loss threshold current $I_{th0}$ . . . . .	215
5.8.1. The loss-absorption ratio $\alpha_l/g_m$ . . . . .	215
5.8.2. Application to diagnostics . . . . .	216
5.9. Graphical interpretation of changes in DC characteristics . . . . .	221
5.10. Gain measurements . . . . .	225
5.10.1. Non-resonating optical cavities . . . . .	225
5.10.2. Fabry–Perot and DFB cavities . . . . .	228
5.11. Appendix: a quick recall of the least squares method for simple cases . . . . .	231
5.12. References . . . . .	233
<b>Introduction to Appendix</b> . . . . .	235
Massimo VANZI	
<b>Appendix. The Rules of the Rue Morgue</b> . . . . .	237
Massimo VANZI	
<b>List of Authors</b> . . . . .	255
<b>Index</b> . . . . .	257