

## TABLE OF CONTENTS

<b>Section I: Physical Mechanisms of Multiple Damage</b> . . . . .	1
Multiple hierarchical scale-dependency on physical mechanisms of material damage: macromechanical, microstructural and nanochemical – G.C. Sih . . . . .	3
Surface layers and inner interfaces as functional subsystems of solid – V.E. Panin, S.V. Panin and A.V. Panin . . . . .	37
Microstructural evolution in dual-phase steels at high strain-rates M.N. Bassim and A.G. Odeshi . . . . .	45
Plastic deformation in single crystal Ni <sub>3</sub> Fe (thin and thick plates) S.V. Starenchenko, V.A. Starenchenko and I.P. Radchenko . . . . .	55
Mechanisms of physical aging in polypropylene – G. Guero and T. Vu-Khan. . . . .	63
<b>Section II: Physical, Mesoscopical and Multiscale Models</b> . . . . .	73
Finite element homogenization for the determination of the RVE size for elastoviscoplastic Polycrystalline Materials – H. Haddadi and A. Salahouelhadj . . . . .	75
An incremental energy based fatigue life calculations method for metallic structures under multiaxial amplitude loadings – J. Benabes, N. Saintier, T. Palin-Luc and F. Cochetoux . . . . .	83
Meso/micro fatigue crack growth involving crystal structure and crack geometry C.A. Rodopoulos and G. Chliveros . . . . .	91

Development of a nonlinear homogenization method: evaluation and application to a rubber-reinforced material – V. Bouchart, M. Brieu, D. Kondo and M. Naït-Abdelaziz. . . . .	105
Cavitation of rubber toughened polymer: numerical and experimental investigation N. Belayachi, N. Benseddiq and M. Naït-Abdelaziz. . . . .	113
Ductile damage by interface decohesion – N. Bonfoh, S. Tiem and P. Lipinski . . . . .	123
A multiscale discussion of fatigue and shakedown for notched structures G. Bertolino, A. Constantinescu, M. Ferjani and P. Treiber . . . . .	131
Two scale approach for the defect tolerance fatigue design of automotive components – H. Gadouini and Y. Nadot . . . . .	145
<b>Section III: Film, Layer and Interface . . . . .</b>	<b>153</b>
Plastic deformation and fracture of thin metallic films on annealing in terms of the multilevel model of a deformed solid – A.V. Panin and A.R. Shugurov . . . . .	155
Mesoscopic model for electroactive Composite Films and its applications D. Roy Mahapatra and R.V.N. Melnik . . . . .	163
Interfaces of one-way glass/epoxy composite in inflexion – A. Djebbar and L. Vincent. . . . .	171
Point defects of the elastic properties of layered structured nano-materials T.E. Karakasis, C.A. Charitidis and D. Skarakis. . . . .	183
DFT study of interactions of water on Kaolinite and Goethite surfaces D. Tunega . . . . .	191
Nanolayered MAX phases from <i>ab initio</i> calculations – R. Ahuja. . . . .	199
<b>Section IV: Crack Models and Solutions. . . . .</b>	<b>205</b>
Fracture initiation at re-entrant corners: experiments and finite fracture mechanics predictions – A. Carpinteri, P. Cornetti, N. Pugno, A. Sapora and D. Taylor . . . . .	207
Buckling analysis of cracked columns subjected to lateral loads – L. Nobile . . . . .	217

Micro-cavity effect on the plastic zone size ahead of the crack tip in confined plasticity – M. El Meguenni, B. Bachir Bouiadjra, M. Benguediab, A. Ziadi, M. Naït-Abdelaziz and F. Zaïri . . . . .	229
Effect of microcrack on plastic zone size ahead of main crack in small-scale plasticity – B. Bachir Bouiadjra, M. Benguediab, M. El Meguenni, M. Belhouari, B. Serier and M. Naït-Abdelaziz . . . . .	237
Stress intensity factor of surface and interface cracks in coating/substrate system Y. Bao, G. Chai, X. Lou and W. Hao . . . . .	245
T-stress by stress difference method (SDM) – M. Hadj Meliani, H. Moustabchir and Z. Azari . . . . .	253
Elasto-inelastic self-consistent model of ellipsoidal inclusion M. Radi and A. Abdul-Latif. . . . .	261
Crack propagation in solid oxide fuel cells – N. Joulaee, A. Makradi, S. Ahzi and M.A. Khaleel . . . . .	271
Elastoplastic solution for an eccentric crack loaded by two pairs of point tensile forces – X. Zhou and H. Yang . . . . .	279
J-integral and CMOD for cracked cylinders – M. Kiric . . . . .	289
Oscillating contact of isotropic elastic half-spaces – H.Y. Yu . . . . .	297
<b>Section V: Nanomaterials . . . . .</b>	<b>305</b>
Mechanical properties of thin pulsed laser deposited amorphous carbons and amorphous carbon/silver nanocomposites – C.A. Charitidis, P. Patsalas, F. Chouliaras, C. Kosmidis and G.A. Evangelakis . . . . .	307
Extension of the Hertz model for accounting to surface tension in nano-indentation tests of soft materials – C. Fond, O. Noël and M. Brogly . . . . .	315
Multi-scale modeling of tensile behavior of carbon nanotube-reinforced composites – K.I. Tserpes, P. Papanikos, G.N. Labeas and S. G. Pantelakis. . . . .	323
Mechanical, thermal and electronic properties of nanoscale materials K. Masuda-Jindo, V. Van Hung and M. Menon . . . . .	331
SWNT reinforced Ni-Cu nanocomposites – B. Lim, B. Kim, B. Sung, J. Choi, U. Shim, S. Oh, C. Kim and S. Baik . . . . .	341

<b>Section VI: Electronic and Composite Materials</b> . . . . .	349
A general piezoelectric interface model: coordinate-free asymptotic derivation and application to the homogenization of piezoelectric composites – S.-T. Gu, Q.-C. He and V. Pensée . . . . .	351
Effect of non-homogeneous strain on the band structure of semi-conductors due to the end friction under compression tests – X.X. Wei and K.T. Chau . . . . .	359
Composite based polypropylene – D. Pessey, N. Bahlouli, S. Ahzi and J.M. Hiver . . . . .	369
Deformation of reinforcement on size effects in metal/metal composite S. Ataya, M. Korthäuer and E. El-Magd . . . . .	375
Deformation behavior of coal as a composite material and its impacts on permeability in coalbed gas reservoir – G.X. Wang, Z.T. Wang, V. Rudolph and P. Massarotto . . . . .	385
Characterization of a multi-cracked composite material using ESPI and phase shifting – L. Farge, Z. Ayadi, J. Varna and M. Nivoit . . . . .	395
<b>Section VII: Brittle Fracture</b> . . . . .	403
Mechanism of cleavage fracture of HSLA steels and TiAl alloys – C. Jianhong . . . . .	405
Strength of brittle materials based on mixture of two Weibull distributions L. Guerra Rosa and I. Figueiredo . . . . .	415
Assessment of brittle failure processes in polyolefins – J.P. Dear and N.S. Mason . . . . .	429
Computational modelling of damage in glass loaded with a spherical indenter J. Ismail, F. Zaïri, M. Naït-Abdelaziz and Z. Azari. . . . .	439
<b>Section VIII: Failure, Creep and Fracture.</b> . . . . .	451
New approach to predicting crack path and instability – D.A. Zacharopoulos. . . . .	453
A fracture analysis of short glass fibre reinforced SGFR-PA66 B. Mouhmid, A. Imad and N. Benseddiq. . . . .	461

Elastic and plastic creep mechanism in thin metal films using FEM method Y.-X. Zheng, L.-S. Niu, T.-T. Dai et H.-J. Shi . . . . .	473
A new fracture criterion under multiaxial monotonic loading for rubbers A. Hamdi, M. Naït-Abdelaziz and N. Aït-Hocine . . . . .	481
<b>Section IX: Thermal, Mechanical and Environmental Effects . . . . .</b>	<b>489</b>
Simulation of chemo-mechanical degradations of underground concrete structures – E. Stora, B. Bary, Q.-C. He, E. Deville and P. Montarnal. . . . .	491
The geometry influence on integrity thresholds for a cracked cylinder M. Kiric and A. Sedmak . . . . .	501
Progressive fracture of laminated fiber-reinforced composite stiffened plate under thermo-mechanical loads – P.K. Gotsis, C.C. Chamis, K. David, D. Xie and F. Abdi . . . . .	509
Thermal residual stresses related to the sintering process of metal matrix diamond tools – P.M. Amaral, C. Anjinho, B. Li, L. Reis, M. de Freias and L. Guerra Rosa . . . . .	519
Mechanical and chemical effects of solvent swelling on butyl rubber C. Nohilé, P.I. Dolez and T. Vu-Khanh. . . . .	527
<b>Section X: Processing and Fabrication . . . . .</b>	<b>535</b>
Microstructure-based formability characterisation of multi phase steels using damage mechanics – V. Uthaisangsuk, U. Prahl and W. Bleck . . . . .	537
Advanced materials and processes at the nano/micro scale in covering materials of greenhouses for energy savings – C.A. Charitidis, S. Pantelakis, V. Bontozoglou, L. Kontonasios, A. Kavga and P. Charitidis . . . . .	545
Effect of PPS matrix evolution during processing of carbon fiber reinforced PPS on the mechanical behaviour of the composite material – C.V. Katsiropoulos, P. Lefebure and S.G. Pantelakis . . . . .	553
Coupling of hydration and fracture models: failure mechanisms in hydrating cement particle systems – L. Tan, G. Ye, E. Schlangen and K. van Breugel. . .	563
Micro-strain measurement in copper sheets by X-rays diffraction N. Hfaiedh, M. François, A. Baczmanski and K. Saanouni . . . . .	573

Steady plastic flow of a polymer during ECAE process: experiments and modelling – F. Zaïri, B. Aour, M. Naït-Abdelaziz, J. M. Gloaguen and J.M. Lefebvre. . . . .	581
Microscopic transformations explain the modification of the mechanical properties of TRIP steels after galvanization – E.J. Petit, I. Sriti, M. Gilles, J. Gilgert and Z. Azari . . . . .	593
<b>Section XI: Fatigue and Crack Growth . . . . .</b>	<b>603</b>
Fatigue performance of 2139 aluminium alloy laser beam welds following exposure to salt spray environment – S.G. Pantelakis, A.T. Kermanidis, G.A. Papadimitriou, G.N. Haidemenopoulos and A.D. Zervaki . . . . .	605
A comparison of the fatigue behaviour of FSW and MIG weldments of two aluminium alloys – P.M.G.P. Moreira, R.A.M. da Silva, M.A.V. de Figueiredo, F.M.F. de Oliveira and P.M.S.T. de Castro. . . . .	613
Useful life prediction of rubber materials for refrigerator component C.S. Woo and H.S. Park. . . . .	623
Damage by cyclic loading of composite dental materials – L. Smata, S. Bouzid and Z. Azari. . . . .	631
High temperature oxidation and fatigue of P122 alloy – S.Y. Bae, H. G. Kang, D.B. Lee, C.W. Kim and B.S. Lim . . . . .	641
Fatigue crack growth rate under constant amplitude loading and under tensile overloads in sheet and plate 2024 aluminium alloy – A.T. Kermanidis, V.K. Spiliadis and S.G. Pantelakis . . . . .	649
Residual fatigue damage on the fracture toughness properties – P. Cadenas, X. Decoopman, A. Amrouche and G. Mesmacque . . . . .	657
Role of stress gradient in fatigue emanating from notch roots using volumetric method – G. Pluinage . . . . .	665
<b>Section XII: Vibration, Ultrasonic and Impact . . . . .</b>	<b>679</b>
Lateral vibration of a cracked free-free beam – T.G. Chondros . . . . .	681
Ultrasonic impact related to toughness of cast aluminium alloy E.S. Statnikov and V.N. Vityazev . . . . .	691

Physics and mechanics of ultrasonic impact – E.Statnikov . . . . .	701
Application of ultrasound to accelerate fatigue – E.S. Statnikov and V.Y. Korostel . . . . .	711
A comparative study of the fatigue resistance of aluminide coatings on P91 steel substrate under cyclic impact loading – C. David, K. Anthymidis and D.N. Tsipas . . . . .	721
Dynamic behavior of TiNi cantilever beams with phase transformation Z. Tang, J. Lu, X. Zhang . . . . .	729
<b>Section XIII: Heat Transfer and Fluid Mechanics . . . . .</b>	<b>739</b>
Magnetic field on stress intensification in soft ferromagnetic materials Y. Shindo, I. Shindo and F. Narita . . . . .	741
Pattern formation in the Taylor-Dean flow – A. Ait Aider, S. Skali, J.P. Brancher and A. Chahine . . . . .	749
Flow field and heat transfer in chaotic-advecter fins – Q. Dong, K. Wang, S. Kong and Y. Wang . . . . .	761
Heat conduction properties of PTFE/graphite-based composites M. Liu, Q. Dong, X. Gu and A. Sun . . . . .	769
<b>Section XIV: Micromechanical Damage and Effects . . . . .</b>	<b>777</b>
A “morphological” approach for modelling the anisotropic damage behaviour of highly-filled particulate composites – C. Nadot, S. Dartois, D. Halm, A. Dragon and A. Fanget . . . . .	779
Determination of the macroscopic plastic yield behaviour of microcracked materials – V. Monchiet, E. Charkaluk and D. Kondo . . . . .	789
A non-local anisotropic micromechanics based damage model applied to concrete – Q. Zhu and J.-F. Shao. . . . .	797
Mechanical and hydraulic effective properties of an anisotropic fractured medium – J.-F. Barthélémy . . . . .	805
<b>Index of authors . . . . .</b>	<b>813</b>