

---

# Contents

---

<b>Foreword</b> . . . . .	ix
<b>Preface</b> . . . . .	xi
<b>Introduction</b> . . . . .	xiii
<b>Chapter 1. Presentation of an Aeronautical Unidirectional Composite</b> . . . . .	1
1.1. Introduction . . . . .	1
1.2. Carbon/epoxy composite T300/914 . . . . .	2
1.3. Polymers . . . . .	5
<b>Chapter 2. Characteristics of UD Ply</b> . . . . .	15
2.1. State of stress of UD ply . . . . .	15
2.2. Tensile test in the <i>l</i> -direction . . . . .	16
2.3. Tensile test along the <i>t</i> -direction . . . . .	17
2.4. Shear test . . . . .	19
2.5. General case . . . . .	20
<b>Chapter 3. Characteristics of a UD Ply in a Given Direction</b> . . . . .	27
3.1. Off-axis tensile test . . . . .	27
<b>Chapter 4. Fracture of a Laminated Composite</b> . . . . .	37
4.1. Fracture of a UD ply. . . . .	37
4.1.1. Longitudinal tension . . . . .	37
4.1.2. Longitudinal compression . . . . .	40

---

4.1.3. Transverse tension . . . . .	42
4.1.4. Transverse compression . . . . .	43
4.1.5. In-plane shear . . . . .	44
4.2. Fracture of a laminate . . . . .	46
<b>Chapter 5. Fracture Criteria of a UD Ply . . . . .</b>	<b>49</b>
5.1. Maximum stress fracture criterion . . . . .	50
5.2. Maximum strain fracture criterion . . . . .	54
5.3. Hill's criterion . . . . .	58
5.4. Tsai–Wu criterion . . . . .	65
5.5. Yamada–Sun criterion . . . . .	70
5.6. Conclusion . . . . .	71
<b>Chapter 6. Membrane Behavior of a Laminated Composite Plate . . . . .</b>	<b>73</b>
6.1. Generalities and notations . . . . .	73
6.2. Membrane behavior, bending behavior and mirror symmetry . . . . .	75
6.3. Resultant forces . . . . .	78
6.4. Displacement field, stress field and strain field . . . . .	80
6.5. Tension / shear coupling . . . . .	83
<b>Chapter 7. Bending Behavior of a Laminated Composite Plate . . . . .</b>	<b>97</b>
7.1. Notations . . . . .	97
7.2. Resultant moments . . . . .	97
7.3. Displacement field, stress field and strain field . . . . .	99
7.4. Bending/twisting coupling . . . . .	105
<b>Chapter 8. The Fracture Criterion of a Laminate . . . . .</b>	<b>115</b>
8.1. The sizing criterion . . . . .	115
8.2. Test on a composite structure . . . . .	117
8.3. Sizing principle . . . . .	119
8.4. Sizing a given structure for a given loading . . . . .	119
8.5. Optimal structure for a given load . . . . .	131
<b>Chapter 9. Damage Tolerance . . . . .</b>	<b>139</b>
9.1. The principle of damage tolerance . . . . .	139
9.2. Damage during impact and compression after impact . . . . .	144
9.3. Sizing for impact damage tolerance . . . . .	148

<b>Chapter 10. Interlaminar and Out-of-Plane Shear Stress</b> . . . . .	151
10.1. Tension of a cross-ply laminate $[0,90]_S$ . . . . .	151
10.2. Tension of a cross-ply laminate $[45,-45]_S$ . . . . .	153
10.3. Out-of-plane shear stress . . . . .	154
<b>Chapter 11. Holed and Bolted Plates</b> . . . . .	157
11.1. Calculating holed composite plates . . . . .	157
11.2. Calculating the multi-bolt composite joints . . . . .	167
<b>Chapter 12. Buckling</b> . . . . .	179
12.1. Reminder surrounding beam buckling . . . . .	179
12.2. Buckling of plates under compression . . . . .	180
12.3. Plate buckling under shear loading . . . . .	186
<b>Chapter 13. Miscellaneous Rules for Stacking</b> . . . . .	189
<b>Chapter 14. Exercises</b> . . . . .	191
14.1. Experimental determination of the characteristics of a UD material . . . . .	191
14.2. Fracture of a laminate . . . . .	193
14.3. Shear modulus . . . . .	194
14.4. Optimization of stacking sequence . . . . .	195
14.5. Composite tube . . . . .	195
14.6. Laminate calculation without calculation . . . . .	196
14.7. Sandwich beam under bending . . . . .	197
14.8. Laminate plate under compression . . . . .	200
14.9. Tube under torsion/internal pressure . . . . .	203
14.10. Optimization of a fabric with a strain fracture criterion . . . . .	204
14.10.1. Part 1: preamble . . . . .	204
14.10.2. Part 2: quasi-isotropic stacking sequence . . . . .	205
14.10.3. Part 3: stacking sequence optimization. . . . .	206
14.10.4. Part 4: stacking sequence optimization under bending . . . . .	206
14.11. Open hole tensile test . . . . .	206
14.12. Multi-bolt composite joint . . . . .	209

<b>Chapter 15. Solutions to the Exercises</b> . . . . .	211
15.1. Experimental determination of the characteristics of a UD material . . . . .	211
15.2. Fracture of a laminate . . . . .	219
15.3. Shear modulus . . . . .	225
15.4. Optimization of stacking sequence . . . . .	229
15.5. Composite tube . . . . .	233
15.6. Laminate calculation without calculation . . . . .	240
15.7. Sandwich beam under bending . . . . .	242
15.8. Laminate plate under compression . . . . .	253
15.9. Tube under torsion/internal pressure . . . . .	263
15.10. Optimization of a fabric with a strain fracture criterion . . . . .	266
15.11. Open hole tensile test . . . . .	276
15.12. Multi-bolt composite joint . . . . .	280
<b>Bibliography</b> . . . . .	289
<b>Index</b> . . . . .	293