
Contents

PREFACE	ix
INTRODUCTION	xi
CHAPTER 1. INTRODUCTION TO HAPTIC OPTICAL TWEEZERS	1
1.1. Introduction	1
1.2. A dexterous experimental platform	3
1.2.1. A dexterous micromanipulation technique	3
1.2.2. A dexterous user interaction for micromanipulation	5
1.2.3. Pioneering works	8
1.3. Interactive optical tweezers	10
1.3.1. Displacement techniques	10
1.3.2. Impact of the laser deflection	14
1.3.3. Measurement techniques	16
1.4. Specific designs for haptic interactions	21
1.4.1. Temporal sharing	22
1.4.2. Spatial sharing	24
1.5. Discussion	26
1.6. Conclusion	29
1.7. Bibliography	30

CHAPTER 2. HIGH-SPEED VISION: FROM FRAME-BASED TO EVENT-BASED	45
2.1. High-speed cameras	45
2.1.1. Image data acquisition	46
2.1.2. Image data transmission	48
2.1.3. Image data processing	51
2.2. Silicon retinas	52
2.2.1. Neuromorphic engineering	52
2.2.2. Dynamic vision sensor (DVS)	54
2.2.3. Asynchronous time-based image sensor	57
2.3. The advantages of asynchronous event-based vision	59
2.3.1. Frame-based methodology	59
2.3.2. Event-based acquisition	60
2.3.3. Event-based processing	62
2.4. The fundamentals of event-based computation	64
2.5. State of the art of silicon retina applications . . .	67
2.6. High-speed vision in robotics	70
2.6.1. Examples	71
2.6.2. Difficulties	74
2.7. Necessity of high-speed vision in microrobotics	76
2.7.1. Automatic control of a microrobot	76
2.7.2. Teleoperated micromanipulation	77
2.7.3. Two concrete applications	80
2.8. Bibliography	85
CHAPTER 3. ASYNCHRONOUS EVENT-BASED 2D MICROSPHERE TRACKING	93
3.1. Reliable haptic optical tweezers	93
3.2. State of the art of high-speed microparticle tracking	95
3.2.1. Position detection devices	96
3.2.2. Candidate algorithms	98

3.3. Microsphere tracking using DVS	101
3.3.1. Event-based continuous Hough transform	101
3.3.2. Multiple microsphere tracking	103
3.3.3. Brownian motion detection	108
3.4. 2D haptic feedback micromanipulation with optical tweezers	112
3.4.1. Strategy of haptic coupling with optical tweezer	113
3.4.2. Haptic feedback optical tweezer system setup	114
3.4.3. First experiments on force sensing in the microworld	117
3.4.4. A comparison of frame-based and event-based vision in micromanipulation	121
3.5. Conclusions	124
3.6. Bibliography	125
CHAPTER 4. ASYNCHRONOUS EVENT-BASED 3D MICROSPHERE TRACKING	129
4.1. 3D sphere tracking methods	130
4.1.1. Defocus	131
4.1.2. Intensity average on frame-based images	133
4.1.3. Polarity integration	135
4.1.4. Extension of continuous Hough transform	137
4.1.5. Robust circle fitting	139
4.1.6. Summary of different methods	143
4.2. 3D haptic feedback teleoperation of optical tweezers	144
4.2.1. Configuration and method	144
4.2.2. Z-axis force feedback	147
4.3. Haptic feedback on multitrapping optical tweezers	149
4.3.1. Time multiplexing multitrapping by galvanometer	149

4.3.2. Events-trap correspondence	152
4.3.3. Multitrap experimental results	154
4.3.4. Marketability	158
4.4. Piezoelectric microgripper tracking for stable haptic feedback	160
4.4.1. System setup	161
4.4.2. Vision system	164
4.4.3. Haptic coupling strategy	167
4.4.4. Experimental results	170
4.4.5. Interest to industry	177
4.5. Conclusions	177
4.6. Bibliography	178
CONCLUSIONS AND PERSPECTIVES	181
INDEX	187