
Contents

Foreword	ix
Preface	xi
Chapter 1. Generalities on Diatomic Molecules	1
1.1. Generalities on detecting diatomic molecules.	2
1.1.1. Radiation–matter interaction for detection	2
1.1.2. Diatomic molecules: observation, analysis and interpretation.	5
1.2. Hamiltonian of a diatomic molecule	9
1.3. Symmetry properties of a diatomic molecule	14
1.3.1. Group of symmetry.	14
1.3.2. Symmetry of the electronic states	19
1.3.3. Symmetry of the total wave functions.	22
1.4. Example of the diatomic molecule with two electrons H_2 , HD , D_2	29
1.4.1. Hamiltonian of the isotopologues	29
1.4.2. BO approximation	32
1.4.3. Adiabatic representation.	35
1.4.4. Diabatic representation	35
1.5. Conclusion	36
1.6. Appendix	37
Chapter 2. Energy Levels of a Diatomic Molecule in Gaseous Phase	41
2.1. Introduction.	42
2.2. Pure vibration movement of a diatomic molecule	43
2.2.1. Harmonic oscillator: classical processing.	44
2.2.2. Harmonic oscillator: quantum aspect	47

2.2.3. Transitions between two vibrational levels: selection rules	51
2.2.4. “Creation” and “annihilation” operators	54
2.2.5. Anharmonic oscillator	56
2.2.6. Contact transformation method.	60
2.3. Rotation movement of a rigid diatomic molecule	67
2.3.1. Free rigid rotor: classical processing	67
2.3.2. Free rigid rotor: quantum aspect	68
2.3.3. Transitions between rotational levels: selection rules.	72
2.4. Vibration–rotation coupling of a free diatomic molecule	73
2.4.1. Non-rigid rotor	73
2.4.2. Rovibrational transitions: selection rules	74
2.5. Appendix	76
2.5.1. The commutators	76
2.5.2. Expressions of p^n and q^n in terms of the operators a and a^\dagger	76
2.5.3. Matrix elements of p^n and q^n	77
2.5.4. Matrix of rotation and rotational transitions	80
Chapter 3. Profile and Shape of Spectral Lines	83
3.1. Introduction.	84
3.2. Semiclassical model of calculating the broadening parameters of spectral lines	85
3.2.1. General description of the interacting physical system	85
3.2.2. General expression of the profile of a spectral line	86
3.2.3. Consequences of the invariance of the Zwanzig relaxation operator under rotation	91
3.2.4. Semiclassical context for calculating the relaxation matrix	93
3.2.5. Broadening parameter according to the diffusion operator	97
3.2.6. Calculation of the differential cross-section $S(b, v)$	98
3.2.7. Interaction potential energy	102
3.2.8. Relative trajectory of the molecules	107
3.2.9. Expression of $S(b, v)$ in terms of resonance functions.	112
3.3. True shape, profile and intensity of an absorption line	115
3.4. Line profile	116
3.4.1. Lorentz profile	117
3.4.2. Gauss profile.	118
3.4.3. Voigt profile	119
3.4.4. Galatry, Nelkin–Ghatak and Rautian–Sobelmann profiles.	120
3.5. Conclusion	121
3.6. Appendix	122
3.6.1. Liouville formalism	122
3.6.2. The Clebsch–Gordan coefficients and the Wigner $3j$ symbols	123
3.6.3. The terms of the differential cross-section expansion $S(b, v)$	124

Chapter 4. Energy Levels and Spectral Profile of a Diatomic Molecule in Condensed Phase	127
4.1. Introduction.	127
4.2. Inclusion model	129
4.2.1. Binary interaction energy	130
4.2.2. Lakhlifi–Dahoo inclusion model	137
4.3. Rare gas nanocage.	138
4.3.1. The rare gases in the solid state.	138
4.3.2. Dynamics of the perfect fcc lattice (Bravais lattice)	141
4.3.3. Green function of the perfect monoatomic crystal	144
4.4. Inclusion of a molecule in a rare gas matrix.	145
4.4.1. Deformation method	145
4.4.2. Equilibrium of the doped crystal	148
4.5. General Hamiltonian and separation of the movements.	150
4.5.1. Hamiltonian of the system.	150
4.5.2. Separation of the optical system’s movements and the bath in the rigid matrix approximation	152
4.5.3. Vibrational mode	153
4.5.4. Orientational modes	155
4.5.5. Active optical system	163
4.5.6. Translational modes	163
4.5.7. Optical modes – bath coupling	166
4.6. Infrared absorption coefficient	167
4.6.1. General expression	167
4.6.2. Heisenberg representation.	168
4.6.3. Averages and correlation functions	172
4.6.4. Bar spectrum or Dirac spectrum	174
4.6.5. Spectral profile	175
4.7. Conclusion	176
4.8. Appendix	177
4.8.1. Expression of the dispersion–repulsion contribution of the energy of truncated binary interaction in the fourth order	177
4.8.2. Rotation matrix	178
4.8.3. Eigenvalues correction of the orientation Hamiltonian.	178
4.8.4. Eigenvalues correction of the orientation Hamiltonian.	178
Chapter 5. Applications to HCl, CO, O₂ and N₂	179
5.1. The HCl heteronuclear molecule isolated and trapped in a matrix	179
5.1.1. Molecule in the gaseous phase	179
5.1.2. Molecule trapped in rare gas matrix	181
5.2. Lidar probing of terrestrial homonuclear molecules N ₂ and O ₂	183

5.3. The heteronuclear molecule CO trapped in a matrix and absorbed on graphite substrate (1000) at a low temperature.	187
5.3.1. Molecule trapped in a rare gas matrix	187
5.3.2. Molecule adsorbed on the graphite substrate.	189
5.3.3. Molecule-graphite interaction energy.	191
5.3.4. Adsorption observables at a low temperature	192
5.4. Conclusion	196
Bibliography	197
Index	207