
Contents

List of Abbreviations	xi
Introduction	xxix
Chapter 1. MBB Service – Network Architecture	1
1.1. Initial architecture	1
1.1.1. Functional architecture	1
1.1.2. Protocol architecture	6
1.2. CUPS architecture	13
1.3. Heterogeneous networks	15
1.3.1. HeNB station	16
1.3.2. Relay node.	19
1.3.3. RRH module	23
1.3.4. Dual connectivity	25
Chapter 2. MBB Service – Spatial Multiplexing	29
2.1. Multiplexing techniques.	29
2.1.1. MIMO mechanism	29
2.1.2. Beamforming	31
2.1.3. Antenna configurations.	31
2.2. Antenna ports	33
2.2.1. Downlink	33
2.2.2. Uplink	35
2.3. UCI	36

2.4. Transmission modes	38
2.4.1. Downlink	38
2.4.2. Uplink	41
2.5. FD-MIMO mechanism	41
2.6. eFD-MIMO mechanism	46
Chapter 3. MBB Service – Carrier Aggregation	49
3.1. Functional architecture	49
3.2. LTE aggregation	50
3.2.1. Radio channels	50
3.2.2. PDCCH physical channel	52
3.2.3. MAC layer	54
3.2.4. Mobile categories	54
3.3. LAA aggregation	57
3.3.1. Frame structure	57
3.3.2. Access to the radio channel	60
3.3.3. Discovery reference signal (DRS)	61
3.4. LWA aggregation	62
3.4.1. Protocol architecture	62
3.4.2. Procedures	63
3.5. LWIP aggregation	67
3.5.1. Protocol architecture	67
3.5.2. Tunnel establishment	69
Chapter 4. Wi-Fi Integration – Network Architecture	71
4.1. Functional architecture	71
4.1.1. Architecture based on the S2a interface	71
4.1.2. Architecture based on the S2b interface	74
4.1.3. Architecture based on the S2c interface	76
4.2. Tunnel establishment	78
4.2.1. Architecture based on the S2a interface	78
4.2.2. Architecture based on the S2b interface	82
4.2.3. Architecture based on the S2c interface	83
4.3. DIAMETER protocol	84
4.3.1. AAA server interfaces	85
4.3.2. PCRF interfaces	89
Chapter 5. Wi-Fi Integration – Procedures	91
5.1. Mutual authentication	91
5.1.1. EAP-AKA method	91
5.1.2. Mutual authentication procedure	92

5.1.3. Procedure for rapid renewal of authentication	95
5.1.4. Application to the MIPv4 FA mechanism	96
5.2. SWu tunnel establishment	97
5.2.1. IPSec mechanism	97
5.2.2. SWu tunnel establishment procedure	98
5.2.3. Procedure for rapid renewal of authentication	101
5.3. S2a/S2b tunnel establishment.	102
5.3.1. PMIPv6 mechanism	102
5.3.2. GTPv2 mechanism	107
5.3.3. MIPv4 FA mechanism	109
5.4. S2c tunnel establishment	113
5.4.1. Trusted Wi-Fi access	114
5.4.2. Untrusted Wi-Fi access.	115
Chapter 6. Wi-Fi Integration – Network Discovery and Selection.	117
6.1. Mechanisms defined by 3GPP organization.	117
6.1.1. ANDSF function	117
6.1.2. RAN assistance	125
6.2. Mechanisms defined by IEEE and WFA organizations	125
6.2.1. Information elements provided by the beacon	127
6.2.2. Information elements provided by the ANQP server	128
Chapter 7. LLC Service – Proximity Communications.	133
7.1. Introduction	133
7.2. Functional architecture	135
7.2.1. D2D communication	135
7.2.2. V2X communication	139
7.3. Direct discovery	141
7.4. Radio interface.	142
7.4.1. Radio interface structure	142
7.4.2. Physical resources	145
Chapter 8. LLC Service – Group Communications.	151
8.1. Introduction	151
8.2. Transport architecture	152
8.2.1. Functional architecture	152
8.2.2. Protocol architecture	154
8.3. Service architecture	155
8.3.1. Functional architecture	155
8.3.2. Protocol architecture	158

8.4. Radio interface	159
8.4.1. MBSFN-RS	160
8.4.2. PMCH	162
8.4.3. RRC messages	166
8.5. Procedures	170
8.5.1. Mutual authentication.	170
8.5.2. Mobile registration	171
8.5.3. Multicast bearer establishment.	172
Chapter 9. LLC Service – GCSE and MCPTT Functions	175
9.1. Introduction	175
9.2. GCSE function	176
9.2.1. Functional architecture	176
9.2.2. Protocol architecture	177
9.3. MCPTT function.	178
9.3.1. Functional architecture	178
9.3.2. Protocol architecture	182
9.4. Procedures	186
9.4.1. Group creation	186
9.4.2. Group affiliation	187
9.4.3. Session pre-establishment	188
9.4.4. Group call	190
9.4.5. Private call.	191
9.4.6. Floor	194
Chapter 10. MTC Service – Network Architecture	197
10.1. Functional architecture.	197
10.1.1. MTC-IWF entity.	198
10.1.2. MTC-AAA entity	199
10.1.3. SCEF entity	199
10.1.4. IWF-SCEF entity	200
10.2. Network optimization	200
10.2.1. RRC state Suspend	202
10.2.2. RRC state Resume.	203
10.3. Congestion control	204
10.4. Procedures	206
10.4.1. Triggering procedure	206
10.4.2. Group message delivery	207
10.4.3. Event monitoring configuration	209
10.4.4. NIDD transfer	213

Chapter 11. MTC Service – Radio Interfaces	219
11.1. Introduction	219
11.2. Special features	220
11.2.1. PSM feature	220
11.2.2. eDRX feature	221
11.2.3. Coverage extension	221
11.3. LTE-M interface	221
11.3.1. Radio channel	221
11.3.2. Guard time	222
11.3.3. Physical channels	223
11.4. NB-IoT interface	226
11.4.1. Radio channel	226
11.4.2. Resource block	227
11.4.3. Physical signals and channels	228
Chapter 12. MBB Service – 5G Integration	237
12.1. Deployment options	237
12.2. Functional architecture	239
12.3. Protocol architecture	240
12.3.1. Radio interface	240
12.3.2. F1 interface	243
12.4. Procedures	245
12.4.1. Adding a secondary node	245
12.4.2. Changing a secondary node	247
12.4.3. Removing a secondary node	249
12.5. Transmission chain	250
12.5.1. Frequency bands	250
12.5.2. Waveform	251
12.5.3. Time frame	253
12.5.4. Error correction codes	254
12.5.5. Reference signals	254
12.5.6. PSS, SSS and PBCH	254
References	259
Index	265