

## Table of Contents

<b>Preamble</b> . . . . .	xiii
<b>Preface</b> . . . . .	xv
<b>Notations</b> . . . . .	xix
<b>Chapter 1</b> . . . . .	1
<b>PART 1: STRESS FIELD ANALYSIS CLOSE TO THE CRACK TIP</b> . . . . .	5
<b>Chapter 2. Review of Continuum Mechanics and the Behavior Laws</b> . . . . .	7
2.1. Kinematic equations . . . . .	9
2.2. Equilibrium equations in a volume element . . . . .	16
2.3. Behavior laws . . . . .	20
2.3.1. Modeling the linear elastic constitutive law . . . . .	22
2.3.2. Definitions . . . . .	24
2.3.3. Modeling of the elastic-plastic constitutive law . . . . .	35
2.3.4. Modeling the law of perfect plastic behavior in plane stress medium . . . . .	45
2.4. Energy formalism . . . . .	50
2.4.1. Principle of virtual power . . . . .	51
2.4.2. Potential energy and complementary energy . . . . .	54
2.4.3. Stationary energy and duality . . . . .	59
2.4.4. Virtual work principle – two-dimensional application . . . . .	60

2.5. Solution of systems of equations of continuum mechanics and constitutive behavior law . . . . .	63
2.5.1. Direct solution method. . . . .	63
2.5.2. Solution methods using stationary energies . . . . .	64
2.5.3. Solution with other formulation devices (Airy function). . . . .	68
2.6. Review of the finite element solution . . . . .	72
2.6.1. The displacements . . . . .	74
2.6.2. The strains . . . . .	75
2.6.3. The stresses . . . . .	76
2.6.4. Minimum potential energy principle . . . . .	76
2.6.5. Assembly. . . . .	78
<b>Chapter 3. Overview of Fracture Mechanics . . . . .</b>	<b>81</b>
3.1. Fracture process . . . . .	83
3.2. Basic modes of fracture. . . . .	84
<b>Chapter 4. Fracture Mechanics. . . . .</b>	<b>87</b>
4.1. Determination of stress, strain and displacement fields around a crack in a homogeneous, isotropic and linearly elastic medium . . . . .	90
4.1.1. Westergaard Solution . . . . .	90
4.1.2. William expansion solution . . . . .	101
4.1.3. Solution via the Mushkelishvili analysis . . . . .	106
4.1.4. Solution of a three-dimensional fracture problem in mode I. . . . .	110
4.1.5. Solution using energy approaches . . . . .	115
4.1.6. Plastic zone shape around a crack . . . . .	137
4.2. Plastic analysis around a crack in an isotropic homogeneous medium . . . . .	144
4.2.1. Irwin's approach . . . . .	145
4.2.2. Dugdale's (COD) solution . . . . .	146
4.2.3. Direct local approach of the stress state in a cracked elastic-plastic medium . . . . .	151
4.2.4. Determination of the J-integral in an elastic-plastic medium. . . . .	161
4.2.5. Asymptotic stress fields in an elastic-plastic medium: the Hutchinson, Rice and Rosengren solution . . . . .	162
4.3. Case of a heterogeneous medium: elastic multimaterials . . . . .	164
4.4. New modeling approach to singular fracture fields . . . . .	165
4.4.1. The fracture Hamiltonian approach . . . . .	165
4.4.2. Integral equations approach. . . . .	174
4.4.3. Case of V-notches . . . . .	179

<b>Chapter 5. Introduction to the Finite Element Analysis of Cracked Structures</b> . . . . .	187
5.1. Modeling of a singular field close to the crack tip . . . . .	188
5.1.1. Local method from a “core” element . . . . .	192
5.1.2. Local methods from enhanced elements . . . . .	198
5.2. Energetic methods . . . . .	200
5.2.1. Finite variation methods . . . . .	201
5.2.2. Contour integrals . . . . .	203
5.2.3. Other integral/decoupling modes . . . . .	205
5.3. Nonlinear behavior . . . . .	208
5.3.1. Case of a power law . . . . .	209
5.3.2. Case of a multilinear law . . . . .	209
5.3.3. Relationship between COD and the J-integral . . . . .	212
5.4. Specific finite elements for the calculation of cracked structures . . . . .	213
5.4.1. Barsoum elements and Pu and Hussain . . . . .	213
5.4.2. Verification of the strain field form . . . . .	214
5.5. Study of a finite elements program in a 2D linear elastic medium. . . . .	216
5.5.1. Definition and formulation of the conventional QUAD-12 element . . . . .	217
5.5.2. Definition and formulation of the conventional TRI-9 element. . . . .	220
5.5.3. Definition of the singular element or core around the crack front. . . . .	221
5.5.4. Formulation and resolution by the core element method. . . . .	222
5.5.5. The evaluation of stress intensity factor (K) as a function of the radius (r) . . . . .	223
5.6. Application to the calculation of the J-integral in mixed mode . . . . .	224
5.6.1. Partitioning of J in $J_I$ and $J_{II}$ . . . . .	227
5.7. Different meshing fracture monitoring techniques by finite elements . . . . .	229
5.7.1. The eXtended finite element modeling method . . . . .	231
5.7.2. Crack box technique (CBT). . . . .	232
<b>PART 2: CRACK GROWTH CRITERIA</b> . . . . .	235
<b>Chapter 6. Crack Propagation</b> . . . . .	237
6.1. Brittle fracture . . . . .	239
6.1.1. Stress intensity factor criteria . . . . .	240
6.1.2. Criterion of energy release rate, G . . . . .	242
6.1.3. Crack opening displacement (COD) criterion . . . . .	242

6.1.4. J-integral criterion . . . . .	243
6.1.5. R-curve criterion . . . . .	244
6.1.6. Feddersen's concept . . . . .	246
6.1.7. Two criteria approach . . . . .	248
6.1.8. Electro Power Research Institute Method . . . . .	250
6.1.9. Leguillon's criterion . . . . .	250
6.1.10. Tensile/shear transition criterion . . . . .	255
6.2. Crack extension . . . . .	265
6.2.1. Maximum circumferential stress criterion . . . . .	266
6.2.2. Minimum local strain energy density criterion. . . . .	268
6.2.3. Maximum energy release rate criterion . . . . .	269
6.2.4. Discussion of criteria. . . . .	271
6.3. Crack extension criterion in an elastic plastic medium . . . . .	272
6.3.1. Crack extension criterion for tensile fractures . . . . .	273
6.3.2. Crack-extension criterion for shear fracture . . . . .	273
6.4. Crack-extension criterion from V-notches . . . . .	275
6.5. Fracture following crack growth under high-cycle number fatigue. . . . .	277
6.6. Crack propagation laws. . . . .	279
6.6.1. Closure of the crack lips. . . . .	284
6.6.2. Crack propagation laws in mixed mode. . . . .	285
6.7. Approaches used for the calculation of fatigue lifetime . . . . .	286
6.7.1. Standard approach by means of (S-N) curves . . . . .	286
6.7.2. Approach by means of linear fracture mechanics . . . . .	288
6.7.3. Quick calculation of the stress intensity factor in mode I . . . . .	291
6.8. Case of the variable amplitude loading . . . . .	296
6.8.1. Physical definitions of the damage law giving the fatigue resistance. . . . .	296
6.8.2. Physical definitions of the cumulative damage law . . . . .	298
6.8.3. Considered definitions of the damage and cumulative damage laws. . . . .	298
6.8.4. Several types of associations of damage laws to cumulative damage laws. . . . .	299
6.8.5. Fatigue dimensioning methodology of a mechanical component subjected to variable loading. . . . .	301
6.8.6. Cycle-counting methods. . . . .	302
6.8.7. Principle of the cumulative damage theories. . . . .	305
6.8.8. Miner's rule . . . . .	306
6.8.9. Drawbacks of Miner's rule . . . . .	308
6.8.10. Mean lifetime . . . . .	308
6.8.11. Other more complex theories . . . . .	309

6.9. Crack retardation effect due to overloading . . . . .	312
6.9.1. Phenomenon of crack closure. . . . .	314
6.9.2. Cyclic strain hardening of the material at the crack tip. . . . .	315
6.9.3. Phenomenon of residual compressive stresses at the crack tip . . . . .	315
6.10. “Reliability–failure” in the presence of random variables. . . . .	318
6.10.1. Reliability elements. . . . .	320
6.10.2. Damage indicating integral . . . . .	322
6.10.3. Case of random variable loading . . . . .	324
6.10.4. Damaging cycles . . . . .	325
6.10.5. Effect of the application sequence of solicitation . . . . .	329
<b>Chapter 7. Crack Growth Prediction in Elements of Steel Structures Submitted to Fatigue . . . . .</b>	<b>331</b>
7.1. Significance and analysis by calculation of stresses around the local effect . . . . .	333
7.1.1. Tubular joints, geometry and position of the problem . . . . .	335
7.1.2. First numerical local effect (the intersection of finite elements). . . . .	337
7.1.3. Second and third local effects: inertia of the weld bead and weld toe . . . . .	338
7.1.4. Fourth local effect (defects at the weld toe) . . . . .	342
7.2. Crack initiation under fatigue . . . . .	343
7.2.1. Crack initiation fatigue. . . . .	344
7.2.2. Initial crack size in angle welds . . . . .	356
7.3. Localization and sensitivity to rupture of cracks . . . . .	367
7.3.1. Definitions and position of the problem in cruciform welded joints . . . . .	368
7.3.2. First approach . . . . .	369
7.3.3. Count data and compare with the experimental results. . . . .	371
7.3.4. Load-carrying cruciform welded joint submitted to bending . . . . .	372
7.3.5. Conclusions relative to localization and sensitivity to rupture of cracks . . . . .	375
7.4. Extension of the initiated crack under fatigue. . . . .	375
7.4.1. Preliminary test campaign. . . . .	376
7.4.2. Crack monitoring in an elastic–plastic medium . . . . .	384
7.4.3. Simulation of crack propagation in mixed-mode test configurations . . . . .	386

<b>Chapter 8. Potential Use of Crack Propagation Laws in Fatigue Life Design . . . . .</b>	<b>395</b>
8.1. Calculation of the crack propagation fatigue life of a welded-joint . . . . .	395
8.1.1. Case of a welded cruciform joint. . . . .	396
8.2. Study of the influence of different parameters on fatigue life . . . . .	402
8.3. Statistical characterization of the initial crack size according to the welding procedure. . . . .	404
8.3.1. Crack propagation and a proposed relationship between $n$ and $C$ . . . . .	406
8.3.2. Statistical approach and calculation of the initial crack depth, $a_0$ . . . . .	408
8.4. Initiation/propagation coupled models: two phase models . . . . .	410
8.4.1. Propagation period . . . . .	411
8.4.2. Initiation period . . . . .	414
8.4.3. S-N curve analysis from the coupled model . . . . .	415
8.4.4. Coupled model application in the case of variable amplitude loading . . . . .	417
8.5. Development of a damage model taking into account the crack growth phenomenon . . . . .	419
8.5.1. Numerical determination of the number of cycles according to crack length or vice versa . . . . .	422
8.6. Taking into account the presence of residual welding stresses on crack propagation . . . . .	423
8.6.1. Distribution of residual stresses . . . . .	423
8.6.2. Method for calculating the energy release rate, $G$ . . . . .	425
8.6.3. Numerical simulation . . . . .	426
8.6.4. The influence of welded residual stresses on crack growth rate. . . . .	428
8.7. Consideration of initial crack length under variable amplitude loading. . . . .	430
8.7.1. Method description . . . . .	431
8.8. Propagation of short cracks in the presence of a stress gradient . . . . .	433
8.8.1. Parametric study of a sample in mode I opening of a notch . . . . .	436
8.8.2. Application in the case of a welded joint . . . . .	438
8.8.3. Conclusion and future extensions . . . . .	439
8.9. Probabilistic approach to crack propagation fatigue life: reliability–failure . . . . .	440
8.9.1. Modeling of crack retardation effect due to overloading. . . . .	445
8.9.2. Evolution of the probability of failure. . . . .	446

8.9.3. Study of sensitivity in terms of reliability . . . . .	447
8.9.4. Inspection and reliability/failure . . . . .	448
<b>Conclusion</b> . . . . .	451
<b>Bibliography</b> . . . . .	455
<b>Index</b> . . . . .	477