
Contents

| | |
|---|----|
| INTRODUCTION | ix |
| ACKNOWLEDGEMENTS | xi |
| CHAPTER 1. NANOSIZED ALUMINUM AS METAL FUEL | 1 |
| 1.1. Al nanoparticles manufacturing | 2 |
| 1.1.1. Vapor-phase condensation methods | 2 |
| 1.1.2. Wet chemistry | 6 |
| 1.1.3. Mechanical methods | 7 |
| 1.2. Example of Al nanoparticles passivation technique | 8 |
| 1.2.1. Metallic coating | 9 |
| 1.2.2. Organic coating | 9 |
| 1.3. Characterization of Al nanoparticles properties | 11 |
| 1.3.1. Light scattering methods | 12 |
| 1.3.2. Gas adsorption method: specific surface measurement, BET diameter | 13 |
| 1.3.3. Thermal analysis: purity or aluminum content percentage and oxide thickness | 13 |
| 1.3.4. Chemical analysis | 15 |
| 1.4. Oxidation of aluminum: basic chemistry and models | 16 |
| 1.4.1. Initial stage of aluminum oxidation from first principles calculations | 16 |
| 1.4.2. Thermodynamic modeling of Al oxidation under low heating rate | 18 |
| 1.5. Why incorporate Al nanoparticles into propellant and rocket technology? | 23 |
| 1.5.1. Reduction of the melting point | 24 |

| | |
|--|-----------|
| 1.5.2. Increase in the reactivity | 25 |
| CHAPTER 2. APPLICATIONS: AL NANOPARTICLES IN GELLED PROPELLANTS AND SOLID FUELS | 27 |
| 2.1. Gelled propellants | 27 |
| 2.2. Solid propellants | 29 |
| 2.3. Solid fuel. | 31 |
| CHAPTER 3. APPLICATIONS OF AL NANOPARTICLES: NANOTHERMITES. | 33 |
| 3.1. Method of preparation | 35 |
| 3.1.1. Ultrasonic nanopowder mixing | 36 |
| 3.1.2. Rapid expansion of a supercritical dispersion. | 38 |
| 3.1.3. Molecular self-assembly of nanoparticles | 39 |
| 3.2. Key parameters | 42 |
| 3.2.1. The bulk density, theoretical density and compaction. | 42 |
| 3.2.2. The stoichiometry | 44 |
| 3.2.3. The size of Al and oxidizer particles | 46 |
| 3.2.4. The passivation layer | 49 |
| 3.3. Pressure generation tests | 50 |
| 3.4. Combustion tests | 52 |
| 3.4.1. Open tray experiments | 52 |
| 3.4.2. Optical temperature measurement: spectroscopy. | 53 |
| 3.4.3. Photodiodes. | 54 |
| 3.4.4. Confined combustion tests | 54 |
| 3.5. Ignition tests. | 56 |
| 3.5.1. Impact ignition. | 56 |
| 3.5.2. High-rate heating (10^6 – 10^7 °C/s). | 57 |
| 3.5.3. Low and uniform heating (10–100°/s). | 57 |
| 3.6. Electrostatic discharge (ESD) sensitivity tests. | 58 |
| CHAPTER 4. OTHER REACTIVE NANOMATERIALS AND NANOTHERMITE SYSTEMS. | 63 |
| 4.1. Sol–gel materials | 63 |
| 4.2. Reactive multilayered foils | 66 |
| 4.2.1. Bimetallic multilayered foils. | 67 |
| 4.2.2. Thermite multilayered foils | 72 |
| 4.2.3. Summary | 77 |
| 4.3. Dense reactive materials. | 77 |

| | |
|---|------------|
| 4.3.1. Arrested reactive milling | 78 |
| 4.3.2. Cold-spray consolidation | 81 |
| 4.4. Core-shell structures | 83 |
| 4.5. Reactive porous silicon | 86 |
| 4.6. Other energetic systems | 88 |
| CHAPTER 5. COMBUSTION AND PRESSURE | |
| GENERATION MECHANISMS. | 91 |
| 5.1. General views of Al particle combustion: micro <i>versus</i> nano, diffusion-based kinetics | 93 |
| 5.2. Stress in the oxide layer and shrinking core model | 95 |
| 5.3. Aluminum oxidation through diffusion-reaction mechanisms | 97 |
| 5.4. Melt-dispersion mechanism | 99 |
| 5.5. Gas and pressure generation in nanothermites | 100 |
| 5.5.1. Thermodynamic models | 100 |
| 5.5.2. Application to Al/CuO | 103 |
| CHAPTER 6. APPLICATIONS | 107 |
| 6.1. Reactive bonding | 108 |
| 6.2. Microignition chips | 110 |
| 6.3. Microactuation/propulsion | 113 |
| 6.3.1. High energetic actuators | 113 |
| 6.3.2. Fast impulse nanothermite thrusters | 113 |
| 6.3.3. Smooth actuators | 116 |
| 6.4. Material processing and others | 119 |
| CONCLUSIONS | 121 |
| BIBLIOGRAPHY | 125 |
| INDEX | 149 |