

Preface

Services designed over the Internet evolved depending on the needs identified from person-to-person interaction, such as email or phone services to meet other interactions, such as person-to-machine, machine-to-person and, lately, machine-to-machine where no human interaction is needed; thus building ubiquitous and pervasive computing. Such a computing system started a long time ago with the ambition of offering all-pervading computing to automate tasks and build a smart world. Introducing radio-frequency identification (RFID) technology in building new services over the network has pushed what is called the “Internet of Things” (IoT) as a meeting point between the real world and the virtual world, especially when combined with other technologies, such as sensor technology or mobile communication.

IoT appears to be one step further on the path to ubiquitous computing. This is possible with the introduction of RFID or sensor technologies, but also other technologies such as robotics, nanotechnology and others. These technologies make the Internet of things services an interdisciplinary field where most of the human senses are somehow reproduced and replaced in the virtual world.

So, what is meant by the Internet of things? From the economical point of view, it is about designing new services and generating new revenue streams in the communication value chain. This is not straightforward however, as lots of technical issues have been raised that need to be solved before an effective deployment of the new

envisioned services. From the technical point of view, it is about connecting new devices, called objects or things, and investigating the issues related to connecting these objects with the network in order to develop exploitable applications. To tackle these issues, it is important to understand what the Internet and things mean in the IoT, knowing that, depending on the research community, the meaning and the related issues might be different.

A thing or an object in the IoT is described as any item from our daily life that is enhanced with some computing and/or communication capabilities. For instance, items or objects with RFID or sensor technologies will become connected objects. These objects, depending on the application, might range from a size as small as an atom or as large as a building; they might be fixed or mobile, such as a car; they might be inanimate or animate, such as animals or humans. These objects joining an IoT service will have an electronic identification, such as an RFID. Objects or things are also new electronic devices interacting with the real-world environment, such as sensors.

Conventional communicating devices, such as laptops, computers and phones might be considered to be objects. In our book, we exclude these classical devices from the object list since they do not directly enable interaction with the real-world environment. Other objects, such as consumer electronic products like a TV or a fridge have already been introduced in the communication chain via other technologies, such as power line communication technology. IoT will clearly have to allow the connectivity of a large number and different types of objects. This means that it has to face the heterogeneity and scalability of the communication framework in order to build the envisioned applications. These applications will orchestrate the real environment-related new functionalities of identifying, locating, sensing and acting, thus building the task automation and environmental task monitoring expected by the IoT.

Currently RFID technology and sensor technology are promising, very close-to-market applications, since they offer the new functionalities of identifying and sensing, respectively. Sensor

technology and sensor networks for phenomenon monitoring have interested the telecommunication research community earlier than RFID technology, which evolved in the retail product chain for product tracking and only recently joined the telecommunication value chain. Some recent examples show the development of RFID-based systems to help vision-impaired people to be guided on buses and enhance museum visits with smart phones and RFID. Combining RFID, sensor, and mobile communications appears to be very promising and will enable more applications to contribute in building the IoT. Although already used, these technologies need to be improved from security, privacy, performance and scalability points of view.

On the other hand, the Internet in the IoT might also have different interpretations. The obvious interpretation, which is more direct, refers to the current Internet adapted to these new objects' connectivity needs. Current Internet is that of connected nodes using a TCP/IP (the internet protocol suite) protocol stack with IP addressing and routing capabilities. Usually, the Internet model runs a TCP/IP stack in the connected device or offers the possibility of designing corresponding gateways to specific nodes or networks.

Connecting objects to the current Internet involves adapting the TCP/IP stack to the resources of the objects. This is what is proposed by the Internet Engineering Task Force with the 6LoWPLAN protocol stack for sensor networks. It also means designing gateways connecting the objects to the Internet, as might be done with connecting RFID objects to the Internet via gateways.

Another view of the IoT involves designing a new communication model, different from TCP/IP. This would be a new Internet, also called future Internet, where it is possible to adapt the communication model to the context, traffic constraints, resource limitations and so on. Note that designing the network of the future (or future Internet) is one of the major research goals of the current networking research community, where better network adaptation than the current Internet is expected.

In the long run, the IoT appears to be one of the leading paths to this goal since it challenges the current Internet model with new needs of object connectivity: such as identification, naming and addressing, scalability, heterogeneity, resource limitation, new traffic modeling, etc.

While waiting for the future Internet, the current Internet operators show a great interest in the concretization of unlimited IoT services. They are welcoming any new and attractive internet services generating new traffic to be transported by the Internet or all-IP network that already offers one network model for multiservice support, such as voice, data and multimedia services.

Designing services involving real-world things' and objects' interaction and communication through the Internet is therefore highly encouraged under the condition of solving all the related issues of security and privacy and of connecting billions of objects to the Internet directly or through gateways. These gateways can be simple or intelligent gateways, capable of interpreting the traffic needs at the entrance of the network.

The current objects' resources such as memory, processing and battery in tiny objects are very limited and cannot run the current Internet communication model which means that these objects will use an adapted version of the Internet model, a proprietary communication system that will be seen as a heterogeneous one from the Internet, and thus needs a gateway to benefit from the forwarding of traffic.

Of course, the traffic that will be generated by these object-based applications will have different expectations from the network. In fact, until now voice was considered the most difficult object to transport since it was used over a circuit-switched forwarding system designed to match its expectation. Now the traffic generated by these specific IoT applications will have to be modeled and need to be satisfied, probably partially by the current Internet and totally by the future Internet. For instance, if an "*actuate*" is ordered remotely via the network, the traffic priority should match the emergency of this

action. Also the packet size should be adapted to this new type of information. Similarly to the voice application, with the IoT-generated traffic, the packet design and priority of the packets will have to be specified to match the traffic requirement.

It is clear that plenty of technical, research, economic and societal issues are correlated with the IoT. In this book *The Internet of Things*, we have tried to bring together the up-to-date knowledge associated with what a connected object means, what Internet means in the IoT, and what the technical challenges (see Chapter 1) are with a more network-related view.

The book, also describes what the enabling technologies of the IoT are; the closest to the market are described in detail. These are mainly RFID (Chapter 2) for identifying and tracking the objects, and sensors (Chapter 3) for sensing the environment and actuating. Both RFID and sensor technologies use wireless connectivity.

This book additionally describes power line communication technology (Chapter 4) used for home networking. This applies the idea of building smart homes by connecting smart objects at home, such as a fridge and TV. This idea emerged before we started to use the IoT terminology, which was pushed more with RFID-connecting objects. Services developed in home networking are also part of the IoT services, but do not have the same connectivity issues as RFID or sensors, which are tiny devices with limited resources, mainly battery power.

This book, discusses the applications and research issues related to RFID (Chapter 5). It also proposes to look at other RFID technology usage in improving some network-related functionalities, such as location and mobility (Chapter 6). Finally, setting the standards and the governance of the IoT is discussed in Chapters 7 and 8.

We are not ignoring other issues related to the IoT, such as the need for high-performance computing to face scalability, the need for even faster processing and the limits of component physics in increasing the speed of processors, to face the expected billion

connected objects generating traffic in the network. Moreover, research disciplines will have to work and interact with the networking community to build ubiquitous computing and design the IoT services and networking.

Hakima CHAOUCHI

April 2010