
Contents

Preface	ix
Introduction	xiii
Chapter 1. Literature Survey	1
1.1. Random heterogeneous material	1
1.2. Two-point probability functions.	2
1.3. Two-point cluster functions	4
1.4. Lineal-path function.	4
1.5. Reconstruction	4
1.5.1. X-ray computed tomography (experimental)	4
1.5.2. X-ray computed tomography (applications to nanocomposites)	6
1.5.3. FIB/SEM (experimental)	6
1.5.4. Reconstruction using statistical descriptor (numerical)	10
1.6. Homogenization methods for effective properties	11
1.7. Assumption of statistical continuum mechanics	12
1.8. Representative volume element	13
Chapter 2. Calculation of Two-Point Correlation Functions	15
2.1. Introduction.	15
2.2. Monte Carlo calculation of TPCF.	17

2.3. Two-point correlation functions of eigen microstructure	19
2.4. Calculation of two-point correlation functions using SAXS or SANS data	21
2.4.1. Case study for structural characterization using SAXS data	24
2.5. Necessary conditions for two-point correlation functions	28
2.6. Approximation of two-point correlation functions	30
2.6.1. Examination of the necessary conditions for the proposed estimation	34
2.6.2. Case study for the approximation of a TPCF	39
2.7. Conclusion	42
Chapter 3. Approximate Solution for N-Point Correlation Functions for Heterogeneous Materials	43
3.1. Introduction.	43
3.2. Approximation of three-point correlation functions	45
3.2.1. Decomposition of higher order statistics	45
3.2.2. Decomposition of two-point correlation functions	46
3.2.3. Decomposition of three-point correlation functions.	47
3.3. Approximation of four-point correlation functions	51
3.4. Approximation of N-point correlation functions	56
3.5. Results.	60
3.5.1. Computational verification	60
3.5.2. Experimental validation	62
3.6. Conclusions.	66
Chapter 4. Reconstruction of Heterogeneous Materials Using Two-Point Correlation Functions	67
4.1. Introduction.	67
4.2. Monte Carlo reconstruction methodology	69
4.2.1. 3D cell generation	72
4.2.2. Cell distribution	75
4.2.3. Cell growth	77
4.2.4. Optimization of the statistical correlation functions	79
4.2.5. Percolation	79
4.2.6. Three-phase solid oxide fuel cell anode microstructure.	81
4.2.7. Reconstruction of multiphase heterogeneous materials	82

4.3. Reconstruction procedure using the simulated annealing (SA) algorithm	86
4.4. Phase recovery algorithm.	91
4.5. 3D reconstruction of non-eigen microstructure using correlation functions	96
4.5.1. Microstructure reconstruction using Monte Carlo methodology	96
4.5.2. Sample production	97
4.5.3. Monte Carlo calculation of a two-point correlation function	98
4.5.4. Microstructure optimization.	99
4.5.5. Results and discussion	99
4.6. Conclusion	101
Chapter 5. Homogenization of Mechanical and Thermal Behavior of Nanocomposites Using Statistical Correlation Functions: Application to Nanoclay-based Polymer Nanocomposites	103
5.1. Introduction.	103
5.2. Modified strong-contrast approach for anisotropic stiffness tensor of multiphase heterogeneous materials	104
5.3. Strong-contrast approach to effective thermal conductivity of multiphase heterogeneous materials	112
5.4. Simulation and experimental verification	117
5.4.1. Computer-generated model	118
5.4.2. Thermal conductivity	120
5.4.3. Mechanical model	122
5.4.4. Experimental part	125
5.5. Results and discussion	127
5.5.1. Thermal conductivity	127
5.5.2. Thermo-mechanical properties	128
5.6. Conclusion	130
Chapter 6. Homogenization of Reconstructed RVE.	133
6.1. Introduction.	133
6.2. Finite element homogenization of the reconstructed RVEs.	134
6.2.1. Reconstruction of FIB-SEM RVEs	134
6.2.2. Finite element analysis of RVEs	138
6.3. Finite element homogenization of the statistical reconstructed RVEs	141

6.3.1. FEM analysis of reconstruction RVE using statistical correlation functions	141
6.3.2. Finite element analysis of RVEs	143
6.4. FEM analysis of debonding-induced damage model for polymer composites	149
6.4.1. Representative volume element (RVE)	150
6.4.2. Cohesive zone model.	152
6.4.3. Material behavior and FE simulation	157
6.4.4. The effect of the GNP's volume fraction and aspect ratio in perfectly bonded nanocomposite	158
6.4.5. Comparing the effect of the GNP's volume fraction and aspect ratio in perfectly bonded and cohesively bonded nanocomposites	160
6.4.6. The effect of the GNP's aspect ratio and volume fraction in weakly bonded nanocomposite	163
6.5. Conclusion and future work	166
Appendices	169
Appendix A	171
Appendix B	175
Bibliography	179
Index	185