

## Contents

<b>Foreword</b> . . . . .	xiii
Dominique SAUTER	
<b>Introduction and Problem Statement</b> . . . . .	1
Christophe AUBRUN, Daniel SIMON and Ye-Qiong SONG	
I.1. Networked control systems and control design challenges . . . . .	2
I.2. Control design: from continuous time to networked implementation . .	4
I.3. Timing parameter assignment . . . . .	6
I.4. Control and task/message scheduling . . . . .	8
I.5. Diagnosis and fault tolerance in NCS . . . . .	10
I.6. Co-design approaches . . . . .	11
I.7. Outline of the book . . . . .	12
I.8. Bibliography . . . . .	15
<b>Chapter 1. Preliminary Notions and State of the Art</b> . . . . .	19
Christophe AUBRUN, Daniel SIMON and Ye-Qiong SONG	
1.1. Overview . . . . .	19
1.2. Preliminary notions on real-time scheduling . . . . .	20
1.2.1. Some basic results on classic task model scheduling . . . . .	21
1.2.1.1. Fixed priority scheduling . . . . .	22
1.2.1.2. EDF scheduling . . . . .	23
1.2.1.3. Discussion . . . . .	23
1.2.2. (m,k)-firm model . . . . .	24
1.3. Control aware computing . . . . .	26
1.3.1. Off-line approaches . . . . .	27
1.3.2. Quality of Service and flexible scheduling . . . . .	28
1.4. Feedback-scheduling basics . . . . .	30
1.4.1. Control of the computing resource . . . . .	32

1.4.1.1. Control structure . . . . .	32
1.4.1.2. Sensors and actuators . . . . .	32
1.4.1.3. Control design and implementation . . . . .	33
1.4.2. Examples . . . . .	35
1.4.2.1. Feedback scheduling a web server . . . . .	35
1.4.2.2. Optimal control-based feedback scheduling . . . . .	36
1.4.2.3. Feasibility: feedback-scheduler implementation for robot control . . . . .	39
1.5. Fault diagnosis of NCS with network-induced effects . . . . .	43
1.5.1. Fault diagnosis of NCS with network-induced time delays . . . . .	44
1.5.1.1. Low-pass post-filtering . . . . .	44
1.5.1.2. Structure matrix of network-induced time delay . . . . .	46
1.5.1.3. Robust deadbeat fault filter . . . . .	47
1.5.1.4. Other work . . . . .	49
1.5.2. Fault diagnosis of NCS with packet losses . . . . .	50
1.5.2.1. Deterministic packet losses . . . . .	50
1.5.2.2. Stochastic packet losses . . . . .	50
1.5.3. Fault diagnosis of NCS with limited communication . . . . .	51
1.5.4. Fault-tolerant control of NCS . . . . .	52
1.6. Summary . . . . .	53
1.7. Bibliography . . . . .	53
<b>Chapter 2. Computing-aware Control . . . . .</b>	<b>63</b>
Mongi BEN GAID, David ROBERT, Olivier SENAME, Alexandre SEURET and Daniel SIMON	
2.1. Overview . . . . .	63
2.2. Robust control w.r.t. computing and networking-induced latencies . . . . .	65
2.2.1. Introduction . . . . .	65
2.2.2. What happens when delays appear? . . . . .	67
2.2.2.1. Initial conditions . . . . .	67
2.2.2.2. Infinite dimensional systems . . . . .	68
2.2.3. Delay models . . . . .	70
2.2.4. Stability analysis of TDS using Lyapunov theory . . . . .	71
2.2.4.1. The second method . . . . .	71
2.2.4.2. The Lyapunov–Razumikhin approach . . . . .	72
2.2.4.3. The Lyapunov–Krasovskii approach . . . . .	73
2.2.5. Summary: time-delay systems and networking . . . . .	75
2.3. Weakly hard constraints . . . . .	76
2.3.1. Problem definition . . . . .	77
2.3.2. Notion of accelerable control . . . . .	79
2.3.3. Design of accelerable controllers . . . . .	79
2.3.4. Accelerable LQR design for LTI systems . . . . .	80
2.3.5. Kalman filtering and accelerability . . . . .	82

2.3.6. Robustifying feedback scheduling using weakly hard scheduling concepts . . . . .	83
2.3.7. Application to the attitude control of a quadrotor . . . . .	85
2.4. LPV adaptive variable sampling . . . . .	89
2.4.1. A polytopic discrete-plant model . . . . .	90
2.4.2. Performance specification . . . . .	92
2.4.3. LPV/ $H_\infty$ control design . . . . .	93
2.4.4. Experimental assessment . . . . .	94
2.5. Summary . . . . .	98
2.6. Bibliography . . . . .	99

### **Chapter 3. QoS-aware Dynamic Network QoS Adaptation . . . . . 105**

Christophe AUBRUN, Belynda BRAHIMI, Jean-Philippe GEORGES, Guy JUANOLE, Gérard MOUNEY, Xuan Hung NGUYEN and Eric RONDEAU

3.1. Overview . . . . .	105
3.2. Dynamic CAN message priority allocation according to the control application needs . . . . .	107
3.2.1. Context of the study . . . . .	107
3.2.1.1. The considered process control application . . . . .	107
3.2.1.2. Control performance evaluation . . . . .	108
3.2.1.3. The implementation through a network . . . . .	108
3.2.1.4. Evaluation of the influence of the network on the behavior of the process control application . . . . .	110
3.2.1.5. Idea of hybrid priority schemes: general considerations . . . . .	111
3.2.2. Three hybrid priority schemes . . . . .	114
3.2.2.1. hp scheme . . . . .	114
3.2.2.2. (hp+sts) scheme . . . . .	115
3.2.2.3. (hp+dts) scheme . . . . .	116
3.2.3. Study of the three schemes based on hybrid priorities . . . . .	119
3.2.3.1. Study conditions . . . . .	119
3.2.3.2. hp scheme . . . . .	120
3.2.3.3. (hp+sts) scheme . . . . .	125
3.2.3.4. (hp+dts) scheme . . . . .	128
3.2.4. QoS visualization . . . . .	128
3.2.5. Comment . . . . .	129
3.3. Bandwidth allocation control for switched Ethernet networks . . . . .	132
3.3.1. NCS performance analysis . . . . .	134
3.3.2. NCS modeling . . . . .	134
3.3.2.1. Introduction . . . . .	134
3.3.2.2. Network modeling . . . . .	135
3.3.2.3. System modeling . . . . .	138
3.3.2.4. Controller modeling . . . . .	139
3.3.3. Network adaptation mechanism . . . . .	141

3.3.4. Example . . . . .	141
3.3.4.1. Maximum delay computation . . . . .	141
3.3.4.2. Results . . . . .	142
3.4. Conclusion . . . . .	144
3.5. Bibliography . . . . .	145
<b>Chapter 4. Plant-state-based Feedback Scheduling . . . . .</b>	<b>149</b>
Mongi BEN GAID, David ROBERT, Olivier SENAME and Daniel SIMON	
4.1. Overview . . . . .	149
4.2. Adaptive scheduling and varying sampling robust control . . . . .	151
4.2.1. Extended elastic tasks controller . . . . .	152
4.2.2. Case study . . . . .	153
4.3. MPC-based integrated control and scheduling . . . . .	156
4.3.1. Resource constrained systems . . . . .	157
4.3.2. Optimal integrated control and scheduling of resource constrained systems . . . . .	160
4.4. A convex optimization approach to feedback scheduling . . . . .	162
4.4.1. Problem formulation . . . . .	162
4.4.2. Cost function definition and approximation . . . . .	164
4.4.2.1. Cost function definition . . . . .	164
4.4.2.2. Introductory example: quadrotor attitude control . . . . .	165
4.4.3. Optimal sampling period selection . . . . .	166
4.4.3.1. Problem formulation . . . . .	166
4.4.3.2. Problem solving . . . . .	167
4.4.3.3. Feedback-scheduling algorithm deployment . . . . .	167
4.4.4. Application to the attitude control of a quadrotor . . . . .	168
4.5. Control and real-time scheduling co-design via a LPV approach . . . . .	170
4.5.1. A LPV feedback scheduler sensible to the plant's closed-loop performances . . . . .	171
4.5.2. Application to a robot-arm control . . . . .	174
4.5.2.1. Performance evaluation of the control tasks in view of optimal resource distribution . . . . .	174
4.5.2.2. Simulation with TrueTime . . . . .	175
4.5.2.3. Feasibility and possible extensions . . . . .	177
4.6. Summary . . . . .	177
4.7. Bibliography . . . . .	181
<b>Chapter 5. Overload Management Through Selective Data Dropping . . . . .</b>	<b>185</b>
Flavia FELICIONI, Ning JIA, Françoise SIMONOT-LION and Ye-Qiong SONG	
5.1. Introduction . . . . .	185
5.1.1. System architecture . . . . .	186
5.1.2. Problem statement . . . . .	188
5.2. Scheduling under $(m, k)$ -firm constraint . . . . .	188

5.2.1. Dynamic scheduling policy under (m,k)-firm constraints . . . . .	189
5.2.2. Static scheduling policy under (m,k)-firm constraints and scheduling issue . . . . .	189
5.2.3. Static scheduling under $(m, k)$ -constraints and mechanical words . . . . .	190
5.2.4. Sufficient condition for schedulability assessment under (m,k)-pattern defined by a mechanical word . . . . .	191
5.2.5. Systematic dropping policy in control applications . . . . .	192
5.3. Stability analysis of a multidimensional system . . . . .	193
5.3.1. Generic model . . . . .	193
5.3.2. Example of multidimensional system . . . . .	194
5.3.2.1. Sampling period definition . . . . .	195
5.3.2.2. Controller parameters . . . . .	195
5.3.3. Stability condition . . . . .	195
5.4. Optimized control and scheduling co-design . . . . .	197
5.4.1. Optimal control and individual cost function . . . . .	198
5.4.2. Global optimization . . . . .	200
5.4.3. Case study . . . . .	201
5.4.3.1. Plants and controllers . . . . .	203
5.4.3.2. Scheduling parameters . . . . .	203
5.4.3.3. Optimal controller . . . . .	203
5.4.3.4. Simulation scenario . . . . .	204
5.4.3.5. Simulation results for hard real-time constraints . . . . .	204
5.4.3.6. Simulation results for $(m, k)$ -firm constraints . . . . .	205
5.5. Plant-state-triggered control and scheduling adaptation and optimization . . . . .	209
5.5.1. Closed-loop stability of switching systems . . . . .	210
5.5.2. On-line plant state detection . . . . .	210
5.5.3. Global optimization of control tasks taking into account the plant state . . . . .	211
5.5.4. Case study . . . . .	213
5.5.4.1. Simulation scenario . . . . .	214
5.5.4.2. Observed performance . . . . .	217
5.5.4.3. Summary . . . . .	218
5.6. Conclusions . . . . .	218
5.7. Bibliography . . . . .	220
<b>Chapter 6. Fault Detection and Isolation, Fault Tolerant Control . . . . .</b>	<b>223</b>
Christophe AUBRUN, Cédric BERBRA, Sylviane GENTIL, Suzanne LESECQ and Dominique SAUTER	
6.1. Introduction . . . . .	223
6.2. FDI and FTC . . . . .	224
6.2.1. Introduction to diagnosis . . . . .	224

6.2.2. Quantitative model-based residuals . . . . .	226
6.2.2.1. Parity relations . . . . .	228
6.2.2.2. Observers bank . . . . .	229
6.2.3. Example . . . . .	231
6.2.3.1. The system-residual generation . . . . .	231
6.2.3.2. Observer-based residuals . . . . .	233
6.2.4. Diagnostic summary . . . . .	235
6.2.5. Introduction to FTC . . . . .	236
6.3. Networked-induced effects . . . . .	238
6.3.1. Example of network-induced drawbacks . . . . .	239
6.3.2. Modeling data dropouts . . . . .	240
6.3.3. Modeling network delays . . . . .	242
6.4. Pragmatic solutions . . . . .	243
6.4.1. Data synchronization . . . . .	244
6.4.1.1. Clock synchronization . . . . .	244
6.4.1.2. Data reconstruction . . . . .	245
6.4.1.3. Example . . . . .	246
6.4.2. Data loss and diagnostic blocking . . . . .	247
6.5. Advanced techniques . . . . .	248
6.5.1. Residual generation with transmission delay . . . . .	248
6.5.2. Adaptive thresholding . . . . .	249
6.5.2.1. Optimization-based approach for threshold selection . . . . .	250
6.5.2.2. Network calculus-based thresholding . . . . .	251
6.5.3. Fault isolation filter design in the presence of packet dropouts . . . . .	256
6.5.4. Estimation and diagnosis with data loss . . . . .	259
6.5.4.1. Problem formulation . . . . .	259
6.5.4.2. Kalman filter with partial data loss . . . . .	260
6.6. Conclusion and perspectives . . . . .	262
6.7. Bibliography . . . . .	262

**Chapter 7. Implementation: Control and Diagnosis for an Unmanned Aerial Vehicle . . . . . 267**  
 Cédric BERBRA, Sylviane GENTIL, Suzanne LESECQ and Daniel SIMON

7.1. Introduction . . . . .	267
7.2. The quadrotor model, control and diagnosis . . . . .	269
7.2.1. The system . . . . .	269
7.2.2. The physical system model . . . . .	270
7.2.2.1. Introduction to quaternions . . . . .	270
7.2.2.2. The quadrotor model . . . . .	271
7.2.2.3. The inertial measurement unit (IMU) model . . . . .	273
7.2.3. The attitude control . . . . .	274
7.2.3.1. Nonlinear control . . . . .	274
7.2.3.2. Linear quadratic control . . . . .	274

7.2.4. The attitude observer . . . . .	276
7.2.4.1. Nonlinear observer . . . . .	276
7.2.4.2. Extended Kalman filter . . . . .	277
7.2.4.3. Simulation results . . . . .	279
7.2.5. The quadrotor diagnosis . . . . .	279
7.2.5.1. Sensor diagnosis . . . . .	279
7.2.5.2. Actuator diagnosis . . . . .	282
7.3. Simulation of the network . . . . .	282
7.3.1. Architecture of the networked control system . . . . .	282
7.3.2. Network design . . . . .	284
7.3.3. Tool implemented in the network simulation . . . . .	285
7.4. Hardware in the loop architecture . . . . .	285
7.4.1. The <i>ORCCAD</i> approach . . . . .	286
7.4.2. Quadrotor simulation setup . . . . .	288
7.5. Experiments and results . . . . .	290
7.5.1. Basic attitude control . . . . .	290
7.5.2. Packet loss . . . . .	291
7.5.2.1. Pragmatic solution . . . . .	291
7.5.2.2. $(m, k)$ -firm solutions . . . . .	292
7.5.2.3. Dynamic priorities . . . . .	295
7.5.2.4. Extended Kalman filter . . . . .	297
7.5.3. Hardware-in-the loop experiment . . . . .	298
7.5.3.1. Basic scenario . . . . .	298
7.5.3.2. Packet loss . . . . .	299
7.5.3.3. Sensor failure . . . . .	299
7.6. Summary . . . . .	302
7.7. Bibliography . . . . .	303
<b>Glossary and Acronyms . . . . .</b>	<b>305</b>
<b>List of Authors . . . . .</b>	<b>309</b>
<b>Index . . . . .</b>	<b>313</b>