
Contents

| | |
|--|------|
| Preface | xiii |
| Chapter 1. The Emergence of the Principle of Virtual Velocities | 1 |
| 1.1. In brief | 1 |
| 1.2. Setting the principle as a cornerstone | 1 |
| 1.3. The “simple machines” | 2 |
| 1.4. Leonardo, Stevin, Galileo | 5 |
| 1.5. Descartes and Bernoulli | 9 |
| 1.5.1. René Descartes (1596–1650) | 9 |
| 1.5.2. Johann Bernoulli (1667–1748) | 11 |
| 1.6. Lagrange (1736–1813) | 12 |
| 1.6.1. Lagrange’s statement of the principle | 12 |
| 1.6.2. Lagrange’s proof of the principle | 13 |
| 1.6.3. Lagrange’s multipliers | 15 |
| Chapter 2. Dualization of Newton’s Laws | 19 |
| 2.1. In brief | 19 |
| 2.2. Newton’s statements. | 19 |
| 2.2.1. First law | 19 |
| 2.2.2. Second law | 20 |
| 2.2.3. Third law | 20 |
| 2.2.4. Material points | 21 |
| 2.3. System of material points | 21 |
| 2.3.1. System of material points | 21 |
| 2.3.2. Subsystem | 23 |
| 2.3.3. Law of mutual actions | 24 |
| 2.3.4. Summing up... | 25 |

| | |
|---|-----------|
| 2.4. Dualization and virtual work for a system of material points | 25 |
| 2.4.1. System comprising a single material point | 25 |
| 2.4.2. System comprising several material points | 26 |
| 2.4.3. Virtual velocity, virtual motion and virtual work. | 29 |
| 2.4.4. Statement of the principle of virtual work (P.V.W.) | 31 |
| 2.4.5. Virtual motions in relation to the modeling of forces. | 32 |
| 2.5. Virtual work method for a system of material points | 33 |
| 2.5.1. Presentation of the virtual work method | 33 |
| 2.5.2. Example of an application | 34 |
| 2.5.3. Comments | 40 |
| 2.6. Practicing | 41 |
| 2.6.1. Law of mutual actions | 41 |
| Chapter 3. Principle and Method of Virtual Work | 43 |
| 3.1. Why and what for? | 43 |
| 3.2. General presentation of the virtual work method | 44 |
| 3.2.1. Geometrical modeling | 44 |
| 3.2.2. Virtual motions | 45 |
| 3.2.3. Virtual (rates of) work | 45 |
| 3.2.4. Principle of virtual (rates of) work | 46 |
| 3.2.5. Implementing the principle of virtual work. | 48 |
| 3.2.6. Comments | 49 |
| 3.3. General results | 50 |
| 3.3.1. System, subsystems, actual and virtual motions | 50 |
| 3.3.2. Virtual (rates of) work in rigid body virtual motions | 50 |
| 3.3.3. Fundamental law of dynamics | 51 |
| 3.3.4. Wrench of internal forces | 51 |
| 3.3.5. Law of mutual actions | 52 |
| 3.3.6. Remarks | 52 |
| 3.4. Particular results | 53 |
| 3.4.1. System, subsystems, actual and virtual motions | 53 |
| 3.4.2. Momentum theorem | 54 |
| 3.4.3. Center of mass theorem | 55 |
| 3.4.4. Kinetic energy theorem. | 57 |
| 3.4.5. Comments | 58 |
| 3.5. About equilibrium | 58 |
| 3.5.1. Equilibrium | 58 |
| 3.5.2. Self-equilibrating fields of internal forces | 60 |

| | |
|---|----|
| Chapter 4. Geometrical Modeling of the Three-dimensional Continuum | 61 |
| 4.1. The concept of a continuum | 61 |
| 4.1.1. Geometrical modeling | 61 |
| 4.1.2. Experiments | 61 |
| 4.1.3. Comments | 64 |
| 4.2. System and subsystems | 64 |
| 4.2.1. Particles and system | 64 |
| 4.2.2. Actual motions. Eulerian and Lagrangian descriptions | 64 |
| 4.3. Continuity hypotheses | 67 |
| 4.3.1. Lagrangian description | 67 |
| 4.3.2. Eulerian description | 69 |
| 4.3.3. Conservation of mass. Equation of continuity | 70 |
| 4.4. Validation of the model | 70 |
| 4.4.1. Weakening of continuity hypotheses | 70 |
| 4.4.2. Physical validation | 73 |
| 4.5. Practicing | 74 |
| 4.5.1. Homogeneous transformation | 74 |
| 4.5.2. Simple shear | 75 |
| 4.5.3. “Lagrangian” double shear | 76 |
| 4.5.4. Rigid body motion | 76 |
| | |
| Chapter 5. Kinematics of the Three-dimensional Continuum | 79 |
| 5.1. Kinematics | 79 |
| 5.1.1. The issues | 79 |
| 5.1.2. Material time derivative of a vector | 79 |
| 5.1.3. Strain rate | 81 |
| 5.1.4. Extension rate | 82 |
| 5.1.5. Distortion rate | 82 |
| 5.1.6. Principal axes of the strain rate tensor | 83 |
| 5.1.7. Volume dilatation rate | 84 |
| 5.1.8. Spin tensor | 85 |
| 5.1.9. Rigid body motion | 87 |
| 5.1.10. Geometrical compatibility of a strain rate field | 87 |
| 5.2. Convective derivatives | 90 |
| 5.2.1. General comments | 90 |
| 5.2.2. Convective derivative of a “point function” | 91 |
| 5.2.3. Equation of continuity | 91 |
| 5.2.4. Acceleration field | 92 |

| | |
|---|------------|
| 5.2.5. Convective derivative of a volume integral. | 93 |
| 5.2.6. Euler's theorem | 95 |
| 5.2.7. Kinetic energy theorem. | 97 |
| 5.3. Piecewise continuity and continuous differentiability | 98 |
| 5.3.1. Convective derivative of a volume integral. | 98 |
| 5.3.2. Equation of continuity | 99 |
| 5.3.3. Momentum theorem | 101 |
| 5.3.4. Euler's theorem | 102 |
| 5.3.5. Kinetic energy theorem. | 103 |
| 5.4. Comments | 104 |
| 5.5. Explicit formulas in standard coordinate systems. | 104 |
| 5.5.1. Orthonormal Cartesian coordinates | 104 |
| 5.5.2. Cylindrical coordinates | 105 |
| 5.5.3. Spherical coordinates | 105 |
| 5.6. Practicing | 106 |
| 5.6.1. Rigid body motion | 106 |
| 5.6.2. Simple shear. | 107 |
| 5.6.3. "Lagrangian" Double shear | 108 |
| 5.6.4. "Eulerian" Double shear | 109 |
| 5.6.5. Irrotational and isochoric motions. | 109 |
| 5.6.6. Point vortex | 110 |
| 5.6.7. Fluid sink (or source). | 111 |
| 5.6.8. Geometrical compatibility of a thermal strain rate field | 112 |
| Chapter 6. Classical Force Modeling for the Three-dimensional Continuum. | 115 |
| 6.1. Virtual motions | 115 |
| 6.2. Virtual rates of work. | 116 |
| 6.2.1. Virtual rate of work by quantities of acceleration | 116 |
| 6.2.2. Virtual rate of work by external forces for the system. | 117 |
| 6.2.3. Virtual rate of work by external forces for subsystems | 118 |
| 6.2.4. Virtual rate of work by internal forces | 120 |
| 6.3. Implementation of the principle of virtual work | 120 |
| 6.3.1. Specifying the virtual rate of work by internal forces. | 120 |
| 6.3.2. Equations of motion for the system | 122 |
| 6.3.3. Equations of motion for a subsystem | 124 |
| 6.3.4. The model | 125 |
| 6.3.5. Consistency | 127 |

| | |
|--|------------|
| 6.4. Piecewise continuous and continuously differentiable fields | 127 |
| 6.4.1. The issues | 127 |
| 6.4.2. Piecewise continuous and continuously differentiable $\underline{U}(\underline{x},t)$ and $\underline{\underline{\sigma}}(\underline{x},t)$ | 128 |
| 6.4.3. Piecewise continuous and continuously differentiable virtual velocity fields | 131 |
| 6.5. The stress vector approach | 135 |
| 6.5.1. The stress vector | 135 |
| 6.5.2. The stress vector as the historical fundamental concept | 135 |
| 6.6. Local analysis | 141 |
| 6.6.1. Components of the stress vector and stress tensor | 141 |
| 6.6.2. Normal stress, shear or tangential stress | 142 |
| 6.6.3. Principal axes of the stress tensor. Principal stresses | 143 |
| 6.6.4. Isotropic Cauchy stress tensor | 145 |
| 6.7. The hydrostatic pressure force modeling | 145 |
| 6.8. Validation and implementation | 147 |
| 6.8.1. Relevance of the model. | 147 |
| 6.8.2. Implementation | 148 |
| 6.9. Explicit formulas for the equation of motion in standard coordinate systems | 149 |
| 6.9.1. Orthonormal Cartesian coordinates | 149 |
| 6.9.2. Cylindrical coordinates | 149 |
| 6.9.3. Spherical coordinates | 150 |
| 6.10. Practicing | 150 |
| 6.10.1. Spherical and deviatoric parts of the stress tensor | 150 |
| 6.10.2. Extremal values of the normal stress. | 151 |
| 6.10.3. Stress vector acting on the “octahedral” facet. | 152 |
| 6.10.4. Mohr circles | 153 |
| 6.10.5. Self-equilibrating stress fields | 155 |
| 6.10.6. Tresca’s strength condition | 157 |
| 6.10.7. Maximum resisting rate of work for Tresca’s strength condition | 158 |
| 6.10.8. Spherical shell | 161 |
| 6.10.9. Rotating circular ring | 163 |
| 6.10.10. Loading parameters, load vector | 165 |
| Chapter 7. The Curvilinear One-dimensional Continuum | 169 |
| 7.1. The problem of one-dimensional modeling | 169 |
| 7.2. One-dimensional modeling without an oriented microstructure | 170 |
| 7.2.1. Geometrical modeling | 170 |
| 7.2.2. Kinematics: actual and virtual motions | 171 |
| 7.2.3. Virtual rate of work by quantities of acceleration | 172 |

| | |
|---|------------|
| 7.2.4. Virtual rate of work by external forces for the system | 172 |
| 7.2.5. Virtual rate of work by external forces for subsystems | 173 |
| 7.2.6. Virtual rate of work by internal forces | 174 |
| 7.2.7. Implementation of the principle of virtual work | 175 |
| 7.2.8. Piecewise continuous fields | 178 |
| 7.2.9. Consistency and validation of the model | 180 |
| 7.2.10. An example | 183 |
| 7.3. One-dimensional model with an oriented microstructure | 187 |
| 7.3.1. Guiding ideas | 187 |
| 7.3.2. Geometrical modeling | 188 |
| 7.3.3. Kinematics: actual and virtual motions | 189 |
| 7.3.4. Virtual rate of work by quantities of acceleration | 190 |
| 7.3.5. Virtual rate of work by external forces for the system | 191 |
| 7.3.6. Virtual rate of work by external forces for subsystems | 193 |
| 7.3.7. Virtual rate of work by internal forces | 193 |
| 7.3.8. Implementation of the principle of virtual work | 194 |
| 7.3.9. Comments | 198 |
| 7.3.10. Piecewise continuous fields | 198 |
| 7.3.11. Integration of the field equations of motion | 201 |
| 7.4. Relevance of the model | 201 |
| 7.4.1. Physical interpretation | 201 |
| 7.4.2. Matching the one-dimensional model with the Cauchy stress model | 202 |
| 7.4.3. Terminology and notations | 206 |
| 7.5. The Navier–Bernoulli condition | 208 |
| 7.5.1. Virtual rate of angular distortion | 208 |
| 7.5.2. The Navier–Bernoulli condition | 209 |
| 7.5.3. Discontinuity equations | 210 |
| 7.5.4. Virtual rate of work by internal forces | 211 |
| 7.5.5. Comments | 211 |
| 7.6. Analysis of systems | 212 |
| 7.6.1. Static determinacy | 212 |
| 7.6.2. Systems made of one-dimensional members | 212 |
| Chapter 8. Two-dimensional Modeling of Plates and Thin Slabs | 215 |
| 8.1. Modeling plates as two-dimensional continua | 215 |
| 8.1.1. Geometrical modeling | 215 |
| 8.1.2. Kinematics: actual and virtual motions | 216 |
| 8.2. Virtual rates of work | 221 |
| 8.2.1. Virtual rate of work by quantities of acceleration | 221 |
| 8.2.2. Virtual rate of work by external forces for the system | 221 |
| 8.2.3. Virtual rate of work by external forces for subsystems | 224 |

| | |
|---|------------|
| 8.2.4. Virtual rate of work by internal forces | 225 |
| 8.2.5. Tensorial wrench field of internal forces | 226 |
| 8.3. Equations of motion | 227 |
| 8.3.1. Statement of the principle of virtual work | 227 |
| 8.3.2. Boundary equations. | 228 |
| 8.3.3. Specifying the tensorial wrench of internal forces. | 229 |
| 8.3.4. Field equations of motion | 230 |
| 8.3.5. Field equations of motion in terms of reduced elements | 231 |
| 8.3.6. Entailment of the equations of motion | 232 |
| 8.4. Physical interpretation and classical presentation. | 235 |
| 8.4.1. Internal forces. | 235 |
| 8.4.2. Field equations of motion | 236 |
| 8.4.3. Boundary equations. | 240 |
| 8.5. Piecewise continuous fields. | 241 |
| 8.5.1. Piecewise continuous field of internal forces. | 241 |
| 8.5.2. Piecewise continuous virtual motions. | 242 |
| 8.6. Matching the model with the three-dimensional continuum | 244 |
| 8.6.1. The matching procedure | 244 |
| 8.6.2. Three-dimensional virtual velocity field | 245 |
| 8.6.3. Virtual rate of work by quantities of acceleration | 246 |
| 8.6.4. Virtual rate of work by external forces | 247 |
| 8.6.5. Virtual rate of work by internal forces | 247 |
| 8.6.6. Identifying the reduced elements of the internal force wrench field | 248 |
| 8.7. The Kirchhoff–Love condition | 250 |
| 8.7.1. Virtual rate of angular distortion: Kirchhoff–Love condition | 250 |
| 8.7.2. Discontinuity equations | 251 |
| 8.7.3. Virtual rate of work by internal forces | 252 |
| 8.8. An illustrative example: circular plate under a distributed load | 253 |
| 8.8.1. Load carrying capacity | 253 |
| 8.8.2. Resistance of the two-dimensional plate element | 257 |
| 8.8.3. An equilibrated internal force wrench distribution. | 259 |
| Appendix 1. Introduction to Tensor Calculus | 261 |
| Appendix 2. Differential Operators | 287 |
| Appendix 3. Distributors and Wrenches. | 309 |
| Bibliography. | 323 |
| Index. | 331 |