

Contents

| | |
|---|----|
| Preface | xv |
| Nicolas SASPITURRY, Jessica UZEL and Alexandre ORTIZ | |
| | |
| Chapter 1. Structure of the Pyrenees at the Crustal Scale | 1 |
| Antonio TEIXELL and Pierre LABAUME | |
| 1.1. Introduction. | 1 |
| 1.2. Tectonic framework of the Pyrenean belt | 2 |
| 1.3. Crustal investigations by deep seismic reflection surveys | 2 |
| 1.3.1. Results of the ECORS profiles across the Pyrenees. | 3 |
| 1.3.2. Contributions by recent geophysical surveys. | 7 |
| 1.4. Significance of high-density bodies at crustal depths | 10 |
| 1.5. Serial crustal sections for the Pyrenees | 11 |
| 1.5.1. The ECORS-Pyrenees section | 12 |
| 1.5.2. The Nestes-Cinca section | 14 |
| 1.5.3. The Chaînons Béarnais-Jaca section. | 15 |
| 1.5.4. The Basque-Cantabrian Pyrenees section. | 16 |
| 1.5.5. The Eastern Pyrenees section | 18 |
| 1.6. Models for the crustal structure previous to the Pyrenean orogeny. | 20 |
| 1.7. The nature of the rifted continental margins | 22 |
| 1.8. Rift inheritance and orogeny. | 22 |
| 1.9. References | 26 |

| | |
|--|-----|
| Chapter 2. Syncompressive Alluvial Conglomerates: Markers of Exhumation in the Eastern Pyrenees | 35 |
| Thierry NALPAS | |
| 2.1. Introduction. | 35 |
| 2.2. Geological context. | 36 |
| 2.3. Study methodology | 37 |
| 2.4. Conglomerates of the eastern Pyrenees | 38 |
| 2.4.1. The North Pyrenean area of Puivert | 38 |
| 2.4.2. The South Pyrenean sector of Sant Llorenç de Morunys. | 42 |
| 2.4.3. Interpretation. | 45 |
| 2.5. Discussion – clasts as markers of the exhumation of the Pyrenees | 47 |
| 2.6. Conclusion | 49 |
| 2.7. References | 50 |
| | |
| Chapter 3. Tectono-Sedimentary Evolution of the Aquitaine Basin from the Priabonian to the Pliocene | 53 |
| Alexandre ORTIZ, François GUILLOCHEAU, Cécile ROBIN, Éric LASSEUR, Justine BRIAIS, Jessica UZEL and Nicolas SASPITURRY | |
| 3.1. Introduction. | 53 |
| 3.2. Definitions and keywords related to foreland basins. | 56 |
| 3.3. Synthesis of structural, sedimentary, paleogeographic and biostratigraphic data from the Aquitaine Basin | 58 |
| 3.3.1. Main tectonic structures of the Aquitaine Basin | 58 |
| 3.3.2. Deformation timelines | 59 |
| 3.3.3. Paleogene sedimentary infill of the Aquitaine Basin | 60 |
| 3.3.4. Biostratigraphic calibrations | 62 |
| 3.4. Evolution of sedimentary infill from the Priabonian to the Pliocene. | 64 |
| 3.4.1. Paleogeography of the Late Priabonian (35.1–33.8 Ma) | 64 |
| 3.4.2. The Oligocene period (33.9–23.03 Ma). | 70 |
| 3.4.3. The period from the Aquitanian to the Burdigalian (23.03–15.97 Ma). | 78 |
| 3.4.4. Paleogeography of the Langhian and Serravallian. | 91 |
| 3.4.5. Paleogeography of the Tortonian and Messinian | 102 |
| 3.4.6. Paleogeography of the Pliocene | 107 |
| 3.5. Summary of the post-Priabonian tectonic evolution of the Aquitaine Basin | 110 |
| 3.5.1. The Oligocene, final phase of syn-orogenic structuring | 111 |

| | |
|--|------------|
| 3.5.2. The Aquitanian, the transition to a post-orogenic regime | 112 |
| 3.5.3. From the Burdigalian to the Tortonian, the final major deformation phase in the Aquitaine Basin | 114 |
| 3.6. Conclusion | 117 |
| 3.7. References | 117 |
| | |
| Chapter 4. The Source-to-Sink Evolution of the Jaca Basin (Southern Pyrenees) | 131 |
| Marta ROIGÉ, David GÓMEZ-GRAS, Antonio TEIXELL, Xavi COLL and Salvador BOYA | |
| 4.1. Introduction and geological background. | 131 |
| 4.2. Chronostratigraphic framework of the Jaca basin | 134 |
| 4.3. Source area domains during the evolution of the basin | 138 |
| 4.3.1. Source rock bulk petrology | 139 |
| 4.3.2. U-Pb zircon geochronology | 139 |
| 4.3.3. Heavy mineral content | 140 |
| 4.4. Provenance evolution of the Jaca basin | 141 |
| 4.4.1. The Early to Middle Eocene basin: Hecho Group turbidites. | 141 |
| 4.4.2. The Middle Eocene to Early Miocene basin: from transitional to terrestrial environments | 144 |
| 4.5. References | 152 |
| | |
| Chapter 5. The Western Mediterranean Extension and the Dismantling of the Eastern Pyrenees | 161 |
| Antonio TEIXELL and Pierre LABAUME | |
| 5.1. Introduction. | 161 |
| 5.2. Origin and timing of extensional deformation | 162 |
| 5.3. The tectonic dismantling of the eastern Pyrenees mountain chain. | 165 |
| 5.4. References | 168 |
| | |
| Chapter 6. A “Late Pyrenean” Phase at the Burdigalian/ Langhian Transition (Corbières, France)? | 171 |
| Oriane PARIZOT | |
| 6.1. Introduction. | 171 |
| 6.2. The eastern north Pyrenean domain: the Corbières region | 175 |
| 6.2.1. Geological context | 175 |
| 6.2.2. Geodynamic timeline. | 177 |

| | |
|--|------------|
| 6.3. Discovery of a new tectonic event at the Burdigalian/Langhian transition in the Corbières | 179 |
| 6.3.1. U-Pb data | 179 |
| 6.3.2. Structural data | 181 |
| 6.4. A “Late Pyrenean” phase at the scale of the orogen? | 183 |
| 6.5. Origins of the event | 186 |
| 6.5.1. The Kabylies? | 186 |
| 6.5.2. The Gulf of Lion? | 187 |
| 6.5.3. A tectonic event on the scale of the European platform? | 188 |
| 6.6. Conclusion | 188 |
| 6.7. References | 189 |
| | |
| Chapter 7. Planation Surfaces and Post-Compressive Evolution of the Pyrenean Chain | 197 |
| Jessica UZEL, Nicolas SASPITURRY and Alexandre ORTIZ | |
| 7.1. Geological context | 197 |
| 7.1.1. Structural domains of the Pyrenees | 197 |
| 7.1.2. Deep structure of the Pyrenees | 201 |
| 7.1.3. Formation of the Pyrenean relief | 202 |
| 7.1.4. Cenozoic climate history of the Pyrenees | 207 |
| 7.2. Relict planation surfaces and weathering effects in the Pyrenees | 208 |
| 7.2.1. High-elevation relict planation surfaces | 208 |
| 7.2.2. Weathering and relict planation surfaces | 212 |
| 7.3. Origin of the relicts of Pyrenean planation surface(s) | 215 |
| 7.3.1. Age of the relicts of the highest planation surface | 216 |
| 7.3.2. Models for the formation of the Pyrenean planation surfaces | 218 |
| 7.4. Summary and discussion | 225 |
| 7.5. References | 228 |
| | |
| Chapter 8. Dating and Erosion Rates of the Pyrenees: In Situ-Produced Cosmogenic Isotopes | 241 |
| Vincent REGARD, Sébastien CARRETIER and Sandrine CHOY | |
| 8.1. In situ-produced cosmogenic isotopes | 241 |
| 8.1.1. History | 241 |
| 8.1.2. The main in situ-produced cosmogenic isotopes used in Earth sciences | 242 |
| 8.1.3. Differential equation governing the concentration of a cosmogenic isotope at the surface | 243 |

| | |
|--|-----|
| 8.2. Dating the exposure of a rock to cosmic rays | 250 |
| 8.2.1. Dating glacial polished bedrock surfaces and moraines to establish the chronology of deglaciation. | 250 |
| 8.2.2. Dating of exposure of alluvial deposits | 254 |
| 8.2.3. Uncertainty in exposure dating | 257 |
| 8.3. Quantification of the denudation rate in the Pyrenees | 257 |
| 8.3.1. Calculation of denudation rates from cosmogenic isotopes | 257 |
| 8.3.2. Application in the Pyrenees | 258 |
| 8.3.3. Uncertainty in denudation rates. | 260 |
| 8.4. Burial dating of a rock | 260 |
| 8.4.1. Calculation of a burial age from a pair of cosmogenic isotopes | 260 |
| 8.4.2. Application in the Pyrenees | 262 |
| 8.4.3. Uncertainty on burial datings | 262 |
| 8.5. Summary: cosmogenic isotopes in the Pyrenees | 263 |
| 8.6. References | 263 |

Chapter 9. Post-Compressive Incision of the Pyrenean Valleys: Insights from Karst Records

Amandine SARTÉGOU and Didier L. BOURLÈS

| | |
|--|-----|
| 9.1. How can we trace the post-compressive evolution of the Pyrenean chain? | 267 |
| 9.2. Karst in the Pyrenees | 269 |
| 9.2.1. Pyrenean karsts, witnesses of paleoenvironments since the Paleozoic | 270 |
| 9.2.2. The eastern Têt valley and its relation with the Mediterranean domain | 270 |
| 9.2.3. The upper Aude valley and its relation with the Sault plateau. | 273 |
| 9.2.4. The valleys of the Ariège and their large networks | 275 |
| 9.2.5. The karsts of the central Pyrenees and the Basque country | 276 |
| 9.3. How to record valley incision with karsts | 277 |
| 9.3.1. Epiphreatic model and chronology of valley excavation | 277 |
| 9.3.2. Karst: sediment trap and witness of landscape evolution. | 280 |
| 9.4. How to date sediments trapped in karst | 282 |
| 9.4.1. Use of cosmogenic burial durations $^{26}\text{Al}/^{10}\text{Be}$: a validated method for Plio-Quaternary evolution. | 282 |

| | |
|--|-----|
| 9.4.2. Use of the ^{10}Be - ^{21}Ne pair: a major analytical development for reconstructing the Miocene evolution of valleys | 283 |
| 9.4.3. Relationship between cosmogenic burial durations and the position of the base level at a given instant | 284 |
| 9.5. Main results from the study of karsts | 285 |
| 9.5.1. Incision rates of the upper Têt valley since the Burdigalian | 285 |
| 9.5.2. Aude valley: between tectonic influence and Mediterranean influence | 287 |
| 9.5.3. Ariège valley: impact of tectonics and glaciations | 288 |
| 9.5.4. The valleys of the central and western Pyrenees: a promising outline | 289 |
| 9.6. Drivers of incision of the Pyrenean valleys from the Miocene to the present | 290 |
| 9.6.1. The valleys of the eastern Pyrenees connected to the Mediterranean | 290 |
| 9.6.2. The valleys of the western Pyrenees connected to the Atlantic and subject to glaciations | 292 |
| 9.6.3. Lessons from the karsts | 293 |
| 9.7. Conclusion and prospects | 294 |
| 9.8. References | 295 |

Chapter 10. Evolution of the Geothermal Gradient from Cretaceous Rifting to Pyrenean Compression (Western Pyrenees) 301

Nicolas SASPITURRY, Thierry BAUDIN, Abdeltif LAHFID, Laurent GUILLOU-FROTTIER, Benoit ISSAUTIER, Philippe RAZIN, Alexandre ORTIZ and Jessica UZEL

| | |
|---|-----|
| 10.1. Introduction | 301 |
| 10.2. Tectono-sedimentary evolution of the Mauléon Basin from the Mesozoic to the Cenozoic | 304 |
| 10.2.1. The Cretaceous rifting phase: formation of the hyper-extended Mauléon Basin | 304 |
| 10.2.2. The Pyrenean compression phase: inversion of the Cretaceous rift basin and building of the orogenic prism | 307 |
| 10.3. RSCM thermometry, an overview of the method and its use in the Pyrenees | 309 |
| 10.3.1. Methodology and analysis tool | 311 |
| 10.3.2. History of the application of the RSCM method in Pyrenees | 312 |

| | |
|--|------------|
| 10.4. The geothermal gradient: definition | 314 |
| 10.4.1. The rifting context | 315 |
| 10.4.2. The orogenic context | 317 |
| 10.4.3. The erosional context | 318 |
| 10.5. Mesozoic to Cenozoic evolution of the geothermal gradient of the Mauléon Basin: application of RSCM thermometry | 320 |
| 10.5.1. Thermal peak age in the Mauléon Basin | 322 |
| 10.5.2. Cretaceous paleogeothermal gradients estimated from RSCM thermometry | 322 |
| 10.5.3. Distribution of the geothermal gradient from the proximal to distal domain of the Mauléon Basin during the Cretaceous | 326 |
| 10.5.4. Evolution of the geothermal gradient during Pyrenean compression | 328 |
| 10.6. Numerical thermal modeling of the Mauléon Basin | 330 |
| 10.6.1. Opening of the Mauléon Basin | 331 |
| 10.6.2. Stage of synorogenic sedimentation | 332 |
| 10.6.3. Stage of continental collision and erosion | 333 |
| 10.6.4. Postcollisional quiescence | 334 |
| 10.7. References | 335 |
| | |
| Chapter 11. Pleistocene and Holocene Glacial Fluctuations in the Pyrenees | 343 |
| Magali DELMAS | |
| 11.1. Introduction | 343 |
| 11.2. From the first cartographies to a relative chronostratigraphy of Pyrenean glacial margin deposits | 345 |
| 11.2.1. A long sequence of moraine deposits into three sedimentary units | 345 |
| 11.2.2. Confrontation between polyglacialists and monoglacialists (1950s–1960s) | 347 |
| 11.2.3. Rehabilitation of polyglacialism and repositioning of the fronts contemporary with the maximum ice extent of the last glaciation | 350 |
| 11.3. Radiocarbon dating contribution | 353 |
| 11.3.1. Chronological model established on the north-facing slope . . . | 354 |
| 11.3.2. A chronological model confirmed on the southern slope? | 361 |

| | |
|--|------------|
| 11.4. Recent diversification of dating methods | 368 |
| 11.4.1. The contribution of OSL ages | 368 |
| 11.4.2. The contribution of in situ-produced cosmogenic isotopes | 370 |
| 11.5. Conclusion | 392 |
| 11.6. References. | 394 |
| | |
| Chapter 12. Digital Geological Map of the Northern Slope of the Pyrenees at 1:250,000 Scale | 407 |
| Bernard MONOD | |
| 12.1. Construction of the digital geological map of the northern slope of the Pyrenees | 407 |
| 12.1.1. Work of the RGF | 408 |
| 12.1.2. Map legend, structures and contour smoothing. | 408 |
| 12.2. Presentation, organization and dissemination of the map data | 409 |
| 12.2.1. Presentation of the main cartographic features of the Pyrenees | 409 |
| 12.2.2. Organization of the data composing the digital map. | 410 |
| 12.3. Dissemination and availability of the digital geological map data at the 1:250,000 scale. | 415 |
| 12.4. References. | 415 |
| | |
| Chapter 13. The Corundums of the Albitites Related to the Urdach Lherzolites: Lapidary Enhancement | 417 |
| Jean-Éric ROSE, Pierre MONCHOUX, Philippe DE PARSEVAL, Christian PIN, Thierry AIGOUY, Didier BÉZIAT and Guillaume ESTRADÉ | |
| 13.1. The magmatic albitites related to the lherzolites | 417 |
| 13.1.1. Structural characteristics | 419 |
| 13.1.2. Mineralogical characteristics | 419 |
| 13.1.3. Geochemical characteristics | 422 |
| 13.1.4. Genetic hypothesis for the Urdach albitites | 423 |
| 13.1.5. Possible origin of corundum xenocrysts and polycrystalline inclusions in alkaline basaltic provinces | 424 |
| 13.1.6. A unique example of emplacement related to the Pyrenean orogeny. | 424 |
| 13.2. Corundum | 425 |
| 13.2.1. “Primary” corundum crystals | 425 |
| 13.2.2. “Secondary” corundum crystals. | 426 |

| | |
|--|-----|
| 13.3. The value of the “amateur” perspective in science | 427 |
| 13.3.1. Field research and sample selection | 428 |
| 13.3.2. Value of lapidary work prior to scientific analysis. | 428 |
| 13.4. References. | 430 |
| | |
| List of Authors | 433 |
| | |
| Index | 437 |