
Contents

| | |
|---|------|
| Foreword | xi |
| Louis MARCHILDON | |
| Preface | xiii |
| Chapter 1. Thermal Radiation | 1 |
| 1.1. Radiation | 2 |
| 1.1.1. Definition | 2 |
| 1.1.2. Origin of radiation | 2 |
| 1.1.3. Classification of objects | 4 |
| 1.2. Radiant flux. | 4 |
| 1.2.1. Definition of radiant flux, coefficient of absorption | 4 |
| 1.2.2. Black body and gray body. | 5 |
| 1.3. Black body emission spectrum | 6 |
| 1.3.1. Isotherms of a black body: experimental facts | 6 |
| 1.3.2. Solid angle | 7 |
| 1.3.3. Lambert's law, radiance | 9 |
| 1.3.4. Kirchhoff's laws | 10 |
| 1.3.5. Stefan–Boltzmann law, total energy exitance | 11 |
| 1.3.6. Wien's laws, useful spectrum. | 12 |
| 1.3.7. The Rayleigh–Jeans law, “ultraviolet catastrophe” | 15 |
| 1.3.8. Planck's law, monochromatic radiant exitance | 16 |
| 1.4. Exercises | 18 |
| 1.4.1. Exercise 1 – Calculation of the Stefan–Boltzmann constant. | 18 |
| 1.4.2. Exercise 2 – Calculation of the Sun's surface temperature | 18 |
| 1.4.3. Exercise 3 – Average energy of a quantum oscillator, Planck's formula | 19 |
| 1.4.4. Exercise 4 – Deduction of Wien's first law from Planck's formula | 20 |

| | |
|---|-----------|
| 1.4.5. Exercise 5 – Total electromagnetic energy radiated by the black body. | 20 |
| 1.5. Solutions | 21 |
| 1.5.1. Solution 1 – Calculation of the Stefan–Boltzmann constant. | 21 |
| 1.5.2. Solution 2 – Calculation of the Sun’s surface temperature. | 23 |
| 1.5.3. Solution 3 – Average energy of a quantum oscillator, Planck’s formula | 24 |
| 1.5.4. Solution 4 – Deduction of Wien’s law from Planck’s law | 27 |
| 1.5.5. Solution 5 – Total electromagnetic energy radiated by the black body. | 29 |
| Chapter 2. Wave and Particle Aspects of Light. | 33 |
| 2.1. Light interferences. | 34 |
| 2.1.1. Elongation of a light wave | 34 |
| 2.1.2. Total elongation of synchronous light sources. | 35 |
| 2.1.3. Young’s experimental setup | 36 |
| 2.1.4. Interference field, fringes of interference. | 37 |
| 2.1.5. Interpretation, interference as concept. | 37 |
| 2.1.6. Path difference | 39 |
| 2.1.7. Fringe spacing, order of interference | 41 |
| 2.2. Photoelectric effect | 44 |
| 2.2.1. Experimental setup, definition | 44 |
| 2.2.2. Interpretation, photon energy | 44 |
| 2.2.3. Einstein relation, energy function | 45 |
| 2.2.4. Photoelectric threshold. | 46 |
| 2.2.5. Stopping potential, saturation current | 48 |
| 2.2.6. Quantum efficiency of a photoelectric cell | 51 |
| 2.2.7. Sensitivity of a photoelectric cell | 51 |
| 2.3. Compton effect. | 53 |
| 2.3.1. Experimental setup, definition | 53 |
| 2.3.2. Energy and linear momentum of a relativistic particle | 55 |
| 2.3.3. Interpretation, photon linear momentum, and Compton shift | 56 |
| 2.4. Combining the particle- and wave-like aspects of light | 59 |
| 2.4.1. Particle- and wave-like properties of the photon | 59 |
| 2.4.2. Planck–Einstein relation. | 60 |
| 2.5. Exercises | 61 |
| 2.5.1. Exercise 1 – Single-slit diffraction, interferences | 61 |
| 2.5.2. Exercise 2 – Order of interference fringes | 62 |
| 2.5.3. Exercise 3 – Experimental measurement of Planck constant and of the work function of an emissive photocathode. | 63 |
| 2.5.4. Exercise 4 – Experimental study of the behavior of a photoelectric cell, quantum efficiency and sensitivity | 64 |

| | |
|--|-----------|
| 2.5.5. Exercise 5 – Compton backscattering | 65 |
| 2.5.6. Exercise 6 – Energy and linear momentum of scattered photons and of the electron ejected by Compton effect | 65 |
| 2.5.7. Exercise 7 – Inverse Compton effect | 66 |
| 2.6. Solutions | 66 |
| 2.6.1. Solution 1 – Single-slit diffraction, interferences | 66 |
| 2.6.2. Solution 2 – Order of interference fringes | 68 |
| 2.6.3. Solution 3 – Experimental measurement of Planck constant and of the work function of an emissive photocathode. | 70 |
| 2.6.4. Solution 4 – Experimental study of the behavior of a photoelectric cell, quantum efficiency and sensitivity | 74 |
| 2.6.5. Solution 5 – Compton backscattering | 76 |
| 2.6.6. Solution 6 – Energy and linear momentum of the scattered photons and of the electron ejected by Compton effect | 78 |
| 2.6.7. Solution 7 – Inverse Compton effect | 79 |
| Chapter 3. Quantum Numbers of the Electron | 83 |
| 3.1. Experimental facts. | 85 |
| 3.1.1. Spectrometer. | 85 |
| 3.1.2. First lines of the hydrogen atom identified by Ångström | 88 |
| 3.1.3. Balmer’s formula | 89 |
| 3.1.4. Rydberg constant for hydrogen. | 90 |
| 3.1.5. Ritz combination principle | 92 |
| 3.2. Rutherford’s planetary model of the atom. | 92 |
| 3.2.1. Rutherford’s scattering, atomic nucleus. | 92 |
| 3.2.2. Limitations of the planetary model | 94 |
| 3.3. Bohr’s quantized model of the atom | 95 |
| 3.3.1. Shell model of electron configurations | 95 |
| 3.3.2. Bohr’s postulates, principal quantum number | 95 |
| 3.3.3. Absorption spectrum, emission spectrum. | 98 |
| 3.3.4. Principle of angular momentum quantization | 99 |
| 3.3.5. Quantized expression of the energy of the hydrogen atom. | 100 |
| 3.3.6. Interpretation of spectral series. | 104 |
| 3.3.7. Energy diagram of the hydrogen atom, ionization energy | 107 |
| 3.3.8. Advantages and limitations of Bohr’s model. | 109 |
| 3.3.9. Reduced Rydberg constant | 110 |
| 3.4. Sommerfeld’s atomic model. | 111 |
| 3.4.1. Experimental facts: normal Zeeman effect. | 111 |
| 3.4.2. Bohr–Sommerfeld model, angular momentum quantum number. | 113 |
| 3.4.3. Atomic orbital, electron configuration | 114 |
| 3.4.4. Interpretation of normal Zeeman effect, angular momentum quantum number | 117 |

| | |
|---|-----|
| 3.4.5. Advantages and limitations of the Bohr–Sommerfeld model | 120 |
| 3.5. Electron spin | 120 |
| 3.5.1. The Stern–Gerlach experiment | 120 |
| 3.5.2. The Uhlenbeck and Goudsmit hypothesis, electron spin | 121 |
| 3.5.3. Degree of degeneracy of energy levels | 124 |
| 3.5.4. Total quantum number, selection rules | 125 |
| 3.6. Electron magnetic moments | 127 |
| 3.6.1. Orbital and spin magnetic moments | 127 |
| 3.6.2. Magnetic potential energy. | 130 |
| 3.6.3. Spin–orbit interaction, spectroscopic notation of states | 131 |
| 3.6.4. Fine structure of the levels of energy of the hydrogen atom. | 132 |
| 3.7. Exercises | 135 |
| 3.7.1. Exercise 1 – Spectrum of hydrogen-like ions | 136 |
| 3.7.2. Exercise 2 – Using the energy diagram of the lithium atom. | 136 |
| 3.7.3. Exercise 3 – Spectra of the hydrogen atom, application to astrophysics | 137 |
| 3.7.4. Exercise 4 – Atomic resonance. | 139 |
| 3.7.5. Exercise 5 – X-ray spectrum | 141 |
| 3.7.6. Exercise 6 – Lifetime of the hydrogen atom according to the planetary model | 143 |
| 3.7.7. Exercise 7 – Correspondence principle, quantization of the angular momentum. | 144 |
| 3.7.8. Exercise 8 – Franck–Hertz experiment: experimental confirmation of Bohr’s atomic model. | 145 |
| 3.7.9. Exercise 9 – Identification of a hydrogen-like system | 148 |
| 3.7.10. Exercise 10 – Nucleus drag effect: discovery of deuteron | 149 |
| 3.7.11. Exercise 11 – Normal Zeeman effect on the Lyman alpha line of the hydrogen atom | 150 |
| 3.7.12. Exercise 12 – Zeeman–Lorentz triplet, Larmor precession. | 150 |
| 3.7.13. Exercise 13 – The Stern–Gerlach experiment, magnetic force | 152 |
| 3.7.14. Exercise 14 – Intensities of the spots in the Stern–Gerlach experiment | 153 |
| 3.7.15. Exercise 15 – Normal Zeeman effect on the 2p level of hydrogen-like systems | 155 |
| 3.7.16. Exercise 16 – Anomalous Zeeman effect on the ground state of hydrogen-like systems | 156 |
| 3.7.17. Exercise 17 – Anomalous Zeeman effect on the 2p level of hydrogen-like systems | 156 |
| 3.7.18. Exercise 18 – Fine structure of the resonance line of the hydrogen atom | 157 |
| 3.7.19. Exercise 19 – Fine structure of $n = 2$ level of the hydrogen atom. | 157 |
| 3.7.20. Exercise 20 – Illustration of complex Zeeman effect on the yellow sodium line, selection rules | 159 |

| | |
|---|------------|
| 3.7.21. Exercise 21 – Linear oscillator in the phase space, Bohr’s principle for angular momentum quantization | 159 |
| 3.8. Solutions | 161 |
| 3.8.1. Solution 1 – Spectrum of hydrogen-like ions | 161 |
| 3.8.2. Solution 2 – Using the energy diagram of the lithium atom | 164 |
| 3.8.3. Solution 3 – Spectra of the hydrogen atom, application to astrophysics | 166 |
| 3.8.4. Solution 4 – Atomic resonance phenomenon | 168 |
| 3.8.5. Solution 5 – X-ray spectrum | 170 |
| 3.8.6. Solution 6 – Lifetime of the hydrogen atom according to the planetary model | 172 |
| 3.8.7. Solution 7 – Correspondence principle, angular momentum quantization principle | 175 |
| 3.8.8. Solution 8 – Experimental confirmation of Bohr’s model: Franck–Hertz experiment | 179 |
| 3.8.9. Solution 9 – Identification of a hydrogen-like system | 184 |
| 3.8.10. Solution 10 – Nucleus drag effect: discovery of the deuteron | 186 |
| 3.8.11. Solution 11 – Normal Zeeman effect on the Lyman alpha line of the hydrogen atom | 188 |
| 3.8.12. Solution 12 – Zeeman–Lorentz triplet, Larmor precession. | 189 |
| 3.8.13. Solution 13 – Theoretical interpretation of the Stern–Gerlach experiment, magnetic force. | 195 |
| 3.8.14. Solution 14 – Intensities of the spots in the Stern–Gerlach experiment | 198 |
| 3.8.15. Solution 15 – Normal Zeeman effect on the 2p level of hydrogen-like systems | 202 |
| 3.8.16. Solution 16 – Anomalous Zeeman effect on the ground level of hydrogen-like systems | 204 |
| 3.8.17. Solution 17 – Anomalous Zeeman effect on the 2p level of hydrogen-like systems | 205 |
| 3.8.18. Solution 18 – Fine structure of the resonance line of the hydrogen atom | 206 |
| 3.8.19. Solution 19 – Fine structure of $n = 2$ level of the hydrogen atom | 209 |
| 3.8.20. Solution 20 – Illustration of complex Zeeman effect on the yellow line of sodium, selection rules | 211 |
| 3.8.21. Solution 21 – Linear oscillator in the phase space, Bohr’s angular momentum quantization principle | 212 |
| Chapter 4. Matter Waves – Uncertainty Relations | 217 |
| 4.1. De Broglie’s matter waves | 218 |
| 4.1.1. From light wave to matter wave | 218 |
| 4.1.2. De Broglie’s relation | 219 |

| | |
|---|-----|
| 4.1.3. Law of dispersion of matter waves | 221 |
| 4.1.4. Phase velocity and group velocity | 222 |
| 4.1.5. Bohr's quantization principle and de Broglie hypothesis | 226 |
| 4.1.6. Experimental confirmation, experiment of Davisson and Germer | 228 |
| 4.2. Heisenberg's uncertainty relations | 236 |
| 4.2.1. Uncertainty principle | 236 |
| 4.2.2. Probabilistic interpretation of the wave function | 237 |
| 4.2.3. Root mean square deviation | 238 |
| 4.2.4. Spatial uncertainty relations, complementary variables | 239 |
| 4.2.5. Time–energy uncertainty relation, width of lines | 241 |
| 4.2.6. Heisenberg's microscope | 242 |
| 4.3. Exercises | 244 |
| 4.3.1. Group velocity of de Broglie waves in the relativistic case | 244 |
| 4.3.2. Observing an atom with an electron microscope | 245 |
| 4.4. Solutions | 246 |
| 4.4.1. Group velocity of de Broglie waves in the relativistic case | 246 |
| 4.4.2. Observing an atom with an electron microscope | 248 |
| Appendices | 251 |
| Appendix 1 | 253 |
| Appendix 2 | 267 |
| Appendix 3 | 275 |
| Appendix 4 | 287 |
| Appendix 5 | 293 |
| References | 309 |
| Index | 313 |