

## Table of Contents

|   |      |
|---|------|
| <b>Preface</b> . . . . .  | xiii |
| Emmanuel DEFAÏ  |      |
| <b>General Introduction</b> . . . . .   | xvii |
| <b>Chapter 1. Dielectricity, Piezoelectricity, Pyroelectricity<br/>and Ferroelectricity</b> . . . . . | 1    |
| Emmanuel DEFAÏ  |      |
| 1.1. Crystal structure . . . . .  | 1    |
| 1.1.1. Crystal = lattice + pattern . . . . .  | 1    |
| 1.1.2. Seven primitive lattices – 14 Bravais lattices . . . . .                                       | 4    |
| 1.1.3. Two-hundred and thirty space groups . . . . .  | 5    |
| 1.1.4. Thirty-two point groups (or crystal classes) . . . . .   | 5    |
| 1.1.5. Reticular planes . . . . .   | 7    |
| 1.1.6. X-rays “see” crystals . . . . .  | 8    |
| 1.2. Piezoelectricity, pyroelectricity and ferroelectricity definitions . . . . .                     | 9    |
| 1.3. Simplified examples. . . . .   | 10   |
| 1.3.1. Dielectric effect . . . . .  | 10   |
| 1.3.2. Piezoelectric effect . . . . .   | 12   |
| 1.3.3. Pyroelectric effect . . . . .  | 13   |
| 1.3.4. Ferroelectric effect . . . . .   | 14   |
| 1.3.5. Electrostrictive effect . . . . .  | 15   |
| 1.4. Three typical structures: wurtzite, ilmenite and perovskite . . . . .                            | 16   |
| 1.4.1. Wurtzite structure. . . . .  | 16   |
| 1.4.2. Ilmenite structure . . . . .   | 17   |
| 1.4.3. Perovskite structure. . . . .  | 18   |
| 1.5. Bibliography . . . . .   | 23   |

|  |    |
|--|----|
| <b>Chapter 2. Thermodynamic Study: a Structural Approach</b> . . . . .     | 25 |
| Emmanuel DEFAÏ   |    |
| 2.1. History . . . . .   | 25 |
| 2.2. Revisiting statistical thermodynamics . . . . .                       | 26 |
| 2.2.1. Introduction . . . . .  | 26 |
| 2.2.2. Notion of equilibrium, statistical postulate . . . . .              | 27 |
| 2.2.3. Numbers of accessible states of a system . . . . .                  | 28 |
| 2.2.4. Energy variation – work and heat . . . . .                          | 31 |
| 2.2.5. Heat transfer: entropy and absolute temperature . . . . .           | 33 |
| 2.2.6. Thermal energy: heat transfer . . . . .                             | 35 |
| 2.2.7. Quasistatic transformation with work and heat transfer . . . . .    | 37 |
| 2.2.8. Example of a constant pressure and temperature experiment . . . . . | 39 |
| 2.3. State functions . . . . .   | 41 |
| 2.4. Linear equations – piezoelectricity . . . . .                         | 44 |
| 2.5. Non linear equations – electrostriction . . . . .                     | 47 |
| 2.6. Bibliography . . . . .  | 48 |
| <br>   |    |
| <b>Chapter 3. Ferroelectric-paraelectric Phase Transition</b>              |    |
| <b>Thermodynamic Modeling</b> . . . . .                                    | 49 |
| Emmanuel DEFAÏ   |    |
| 3.1. Hypothesis on Gibbs’ elastic energy . . . . .                         | 49 |
| 3.2. Second-order transition . . . . .                                     | 52 |
| 3.3. Effects of stresses . . . . .   | 58 |
| 3.4. First-order transition . . . . .                                      | 60 |
| 3.5. Conclusion . . . . .  | 65 |
| 3.6. Bibliography . . . . .  | 65 |
| <br>   |    |
| <b>Chapter 4. Mechanical Formalism.</b> . . . . .                          | 67 |
| Emmanuel DEFAÏ   |    |
| 4.1. Introduction . . . . .  | 67 |
| 4.2. Hooke’s law . . . . .   | 67 |
| 4.3. Definitions of local strains . . . . .                                | 69 |
| 4.3.1. Local strains in small strains hypothesis . . . . .                 | 69 |
| 4.3.2. Meaning of matrix $\bar{S}$ . . . . .                               | 75 |
| 4.4. Definition of local strains . . . . .                                 | 77 |
| 4.4.1. The strain tensor . . . . .   | 77 |
| 4.4.2. Physical meaning of $T_{ij}$ . . . . .                              | 81 |
| 4.4.3. Equations of motion in a deformable solid . . . . .                 | 82 |
| 4.5. Stress-strain relation . . . . .                                      | 83 |
| 4.5.1. Hooke’s generalized law . . . . .                                   | 83 |
| 4.5.2. Dynamic relation . . . . .  | 84 |
| 4.6. Elastic energy density . . . . .                                      | 86 |

|   |     |
|---|-----|
| 4.6.1. Expression of elastic energy density . . . . .                                       | 86  |
| 4.6.2. Symmetry of the elasticity tensor . . . . .  | 88  |
| 4.7. Expression of the elasticity tensor as a function of elements<br>of symmetry . . . . . | 89  |
| 4.8. Bibliography . . . . .   | 93  |
| <b>Chapter 5. Dielectric Formalism</b> . . . . .  | 95  |
| Emmanuel DEFAÏ  |     |
| 5.1. Introduction. . . . .  | 95  |
| 5.2. The dielectric effect seen by Faraday. . . . .   | 95  |
| 5.3. Electric polarization and displacement. . . . .  | 99  |
| 5.4. The dielectric constant . . . . .  | 104 |
| 5.5. The local field in dielectrics: polarization catastrophe. . . . .                      | 105 |
| 5.6. Dielectric relaxation. . . . .   | 109 |
| 5.6.1. The various relaxations . . . . .  | 109 |
| 5.6.2. Kramers-Kronig relations . . . . .   | 112 |
| 5.7. Electric energy density . . . . .  | 115 |
| 5.8. Bibliography . . . . .   | 117 |
| <b>Chapter 6. Piezoelectric Formalism</b> . . . . .   | 119 |
| Emmanuel DEFAÏ and Mathieu PIJOLAT  |     |
| 6.1. Thermodynamic equations . . . . .  | 119 |
| 6.2. Reducing coefficients using crystal symmetry . . . . .                                 | 121 |
| 6.2.1. Example of a calculation: point group $3m$ . . . . .                                 | 122 |
| 6.3. One-dimensional microscopic model. . . . .   | 126 |
| 6.4. Electromechanical coupling coefficient . . . . .                                       | 130 |
| 6.5. Piezoelectric coefficients of key materials. . . . .                                   | 134 |
| 6.6. Calculating coupling as a function of crystal orientation . . . . .                    | 136 |
| 6.7. Piezoelectric coefficients in the case of ferroelectric materials . . . . .            | 138 |
| 6.8. Relation between piezoelectric formalism and matter . . . . .                          | 139 |
| 6.9. Bibliography . . . . .   | 141 |
| <b>Chapter 7. Acoustic Formalism.</b> . . . . .   | 143 |
| Alexandre REINHARDT   |     |
| 7.1. Propagation of bulk waves . . . . .  | 143 |
| 7.1.1. Propagation of bulk waves in an elastic medium . . . . .                             | 143 |
| 7.1.2. Elastic wave propagation in a piezoelectric medium . . . . .                         | 153 |
| 7.2. Bulk wave resonator . . . . .  | 163 |
| 7.2.1. Piezoelectric plate vibrations . . . . .   | 163 |
| 7.2.2. Plate delimited by arbitrary acoustic impedance media . . . . .                      | 171 |
| 7.2.3. Bimorph plate . . . . .  | 173 |

|   |     |
|---|-----|
| 7.2.4. Piezoelectric plate between two electrodes . . . . .                       | 176 |
| 7.2.5. Equivalent electric circuit . . . . .                                      | 181 |
| 7.3. Bulk acoustic waves filter . . . . .   | 185 |
| 7.4. Bibliography . . . . .   | 190 |
| <b>Chapter 8. Electrostrictive Formalism</b> . . . . .                            | 191 |
| Emmanuel DEFAY  |     |
| 8.1. Foundations of electrostriction . . . . .                                    | 191 |
| 8.2. Thermodynamic model of electrostriction – case of the resonator . . . . .    | 192 |
| 8.3. The electrostriction tensor . . . . .  | 195 |
| 8.4. Microscopic model of electrostriction . . . . .                              | 197 |
| 8.4.1. One-dimensional model . . . . .  | 197 |
| 8.4.2. Origin of spontaneous polarization in perovskite crystals . . . . .        | 199 |
| 8.5. Electrostrictive resonator . . . . .   | 202 |
| 8.6. Bibliography . . . . .   | 206 |
| <b>Chapter 9. Electric Characterization</b> . . . . .                             | 207 |
| Emmanuel DEFAY, Gwenaël LE RHUN and Emilien BOUYSSOU                              |     |
| 9.1. Static piezoelectric characterization of thin films . . . . .                | 207 |
| 9.1.1. Notion of effective coefficients. . . . .                                  | 207 |
| 9.1.2. Piezoelectric characterization of coefficient $e_{31\text{eff}}$ . . . . . | 208 |
| 9.1.3. Model. . . . .   | 210 |
| 9.1.4. Example of characterization: PZT films . . . . .                           | 213 |
| 9.2. Piezoelectric and atomic force microscopy . . . . .                          | 215 |
| 9.2.1. Atomic force microscope . . . . .  | 215 |
| 9.2.2. Piezoresponse force microscope . . . . .                                   | 218 |
| 9.3. Ferroelectric measurement . . . . .  | 225 |
| 9.3.1. Sawyer-Tower circuit . . . . .   | 227 |
| 9.3.2. Virtual ground circuit . . . . .   | 229 |
| 9.4. Dielectric measurement. . . . .  | 232 |
| 9.5. Leakage current in metal/insulator/metal structures . . . . .                | 236 |
| 9.5.1. Metal/insulator contact: definitions . . . . .                             | 236 |
| 9.5.2. Conduction mechanisms limited by the interfaces . . . . .                  | 240 |
| 9.5.3. Bulk-limited conduction mechanisms . . . . .                               | 243 |
| 9.6. Bibliography . . . . .   | 245 |
| <b>Chapter 10. Piezoelectric Resonators and Filters</b> . . . . .                 | 249 |
| Alexandre REINHARDT and Christophe BILLARD  |     |
| 10.1. Acoustic resonators: principle and history . . . . .                        | 249 |
| 10.1.1. Quartz resonators . . . . .   | 249 |
| 10.1.2. High-frequency operation of resonators . . . . .                          | 251 |

|  |     |
|--|-----|
| 10.1.3. Perfecting FBAR and SMR resonators . . . . .                                       | 256 |
| 10.2. BAW technology . . . . .   | 269 |
| 10.2.1. Introduction . . . . .   | 269 |
| 10.2.2. BAW filter topology . . . . .  | 270 |
| 10.2.3. Parameters of the BAW resonator and their impact on filter<br>response . . . . .   | 272 |
| 10.2.4. Examples of realizations . . . . .   | 280 |
| 10.3. CRF technology . . . . .   | 283 |
| 10.3.1. Introduction . . . . .   | 283 |
| 10.3.2. Operating principles of CRF filters . . . . .                                      | 283 |
| 10.3.3. Example of implementations . . . . .   | 287 |
| 10.4. Bibliography . . . . .   | 291 |
| <b>Chapter 11. High Overtone Bulk Acoustic Resonator (HBAR)</b> . . . . .                  | 297 |
| Mathieu PIJOLAT, Chrystel DEGUET and Sylvain BALLANDRAS                                    |     |
| 11.1. About HBAR . . . . .   | 297 |
| 11.1.1. Generalities . . . . .   | 298 |
| 11.1.2. Principle . . . . .  | 298 |
| 11.1.3. Description of the spectrum . . . . .  | 299 |
| 11.2. Technology . . . . .   | 302 |
| 11.2.1. Technological constraints . . . . .  | 302 |
| 11.2.2. Choice of materials . . . . .  | 303 |
| 11.2.3. Geometry of resonators . . . . .   | 304 |
| 11.3. Examples of implementations . . . . .  | 305 |
| 11.3.1. LNO on LNO . . . . .   | 305 |
| 11.3.2. Validation of parameter extractions: LNO on<br>HBAR/FBAR Si . . . . .              | 309 |
| 11.4. Conclusions about HBAR . . . . .   | 312 |
| 11.5. Bibliography . . . . .   | 313 |
| <b>Chapter 12. Electrostrictive Resonators</b> . . . . .                                   | 315 |
| Alexandre VOLATIER, Brice IVIRA, Christophe ZINCK, Nizar BEN HASSINE<br>and Emmanuel DEFAÏ |     |
| 12.1. Introduction . . . . .   | 315 |
| 12.2. State of the art . . . . .   | 316 |
| 12.2.1. Introduction . . . . .   | 316 |
| 12.2.2. Formalism of the electrostrictive resonator . . . . .                              | 317 |
| 12.3. Experimental implementations . . . . .   | 326 |
| 12.3.1. 70/30 BST resonator without acoustic insulation . . . . .                          | 326 |
| 12.3.2. STO resonator on Bragg mirror . . . . .  | 333 |
| 12.3.3. BST resonator on an acoustic Bragg mirror . . . . .                                | 338 |
| 12.3.4. BST resonator on a membrane . . . . .  | 340 |

|   |            |
|---|------------|
| 12.4. Simulation of a filter with electrostrictive resonators . . . . .                         | 341        |
| 12.5. Status of perovskite electrostrictive resonators . . . . .                                | 342        |
| 12.6. PZT-based tunable frequency ferroelectric acoustic resonator . . . . .                    | 344        |
| 12.6.1. Introduction . . . . .  | 344        |
| 12.6.2. Technology. . . . .   | 345        |
| 12.6.3. RF characterization and discussion. . . . .   | 346        |
| 12.7. Nonlinear effect in piezoelectric AlN. . . . .  | 348        |
| 12.7.1. Introduction . . . . .  | 348        |
| 12.7.2. Piezoelectric-electrostrictive phenomenological model. . . . .                          | 349        |
| 12.7.3. Application: AlN resonator on a Bragg mirror . . . . .                                  | 351        |
| 12.7.4. Conclusion with nonlinear AlN. . . . .  | 354        |
| 12.8. Conclusion with electrostriction . . . . .  | 354        |
| 12.9. Bibliography . . . . .  | 355        |
| <b>Chapter 13. Thin Film Piezoelectric Transducers . . . . .</b>                                | <b>357</b> |
| Matthieu CUEFF, Patrice REY, Fabien FILHOL and Emmanuel DEFAY                                   |            |
| 13.1. Introduction . . . . .  | 357        |
| 13.2. State of the art . . . . .  | 358        |
| 13.3. Resonant membranes . . . . .  | 361        |
| 13.3.1. Technology of PZT resonant membranes . . . . .  | 361        |
| 13.3.2. Frequency characterization of membranes . . . . .                                       | 363        |
| 13.3.3. A resonant pressure sensor. . . . .   | 364        |
| 13.3.4. Conclusion on the study of Si/PZT resonant membranes. . . . .                           | 366        |
| 13.4. Resonant micromirror . . . . .  | 366        |
| 13.4.1. Introduction . . . . .  | 366        |
| 13.4.2. Technology and design of the resonant micromirror . . . . .                             | 366        |
| 13.4.3. Characterization of the devices . . . . .   | 369        |
| 13.4.4. Conclusion about micromirrors . . . . .   | 371        |
| 13.5. Piezoelectric micro-switch . . . . .  | 371        |
| 13.5.1. Interest in piezoelectric films for micro-switches . . . . .                            | 371        |
| 13.5.2. General description of the component . . . . .  | 373        |
| 13.5.3. Analytical development of the bimorph beam as actuator of<br>the micro-switch . . . . . | 374        |
| 13.5.4. Stack chosen for the piezoelectric actuator . . . . .                                   | 383        |
| 13.5.5. Multilayer analytical model . . . . .   | 384        |
| 13.5.6. Effect of temperature compensation . . . . .  | 386        |
| 13.5.7. The piezoelectric film . . . . .  | 387        |
| 13.5.8. Releasing the membrane . . . . .  | 387        |
| 13.5.9. Electrical characterizations . . . . .  | 388        |

|  |     |
|--|-----|
| 13.6. Sign of piezoelectric coefficients . . . . . | 391 |
| 13.7. Bibliography . . . . .                       | 394 |
| <b>List of Authors</b> . . . . .                   | 397 |
| <b>Index</b> . . . . .                             | 399 |