

# Contents

<b>Main notations</b> . . . . .	17
<b>Introduction</b> . . . . .	21
<b>PART ONE. UPSCALING METHODS</b> . . . . .	27
<b>Chapter 1. An Introduction to Upscaling Methods</b> . . . . .	29
1.1. Introduction . . . . .	29
1.2. Heat transfer in a periodic bilaminate composite . . . . .	30
1.2.1. Transfer parallel to the layers . . . . .	31
1.2.2. Transfer perpendicular to the layers . . . . .	33
1.2.3. Comments . . . . .	35
1.2.4. Characteristic macroscopic length . . . . .	35
1.3. Bounds on the effective coefficients . . . . .	36
1.3.1. Theorem of virtual powers . . . . .	36
1.3.2. Minima in the complementary power and potential power . . . . .	38
1.3.3. Hill principle . . . . .	39
1.3.4. Voigt and Reuss bounds . . . . .	40
1.3.4.1. Upper bound: Voigt . . . . .	40
1.3.4.2. Lower bound: Reuss . . . . .	42
1.3.5. Comments . . . . .	44
1.3.6. Hashin and Shtrikman's bounds . . . . .	45
1.3.7. Higher-order bounds . . . . .	46
1.4. Self-consistent method . . . . .	46
1.4.1. Boundary-value problem . . . . .	47
1.4.2. Self-consistent hypothesis . . . . .	48
1.4.3. Self-consistent method with simple inclusions . . . . .	49

1.4.3.1.	Determination of $\beta_\alpha$ for a homogenous spherical inclusion	49
1.4.3.2.	Self-consistent estimate . . . . .	51
1.4.3.3.	Implicit morphological constraints . . . . .	52
1.4.4.	Comments . . . . .	53
<b>Chapter 2. Heterogenous Medium: Is an Equivalent Macroscopic Description Possible?</b>		<b>55</b>
2.1.	Introduction . . . . .	55
2.2.	Comments on techniques for micro-macro upscaling . . . . .	56
2.2.1.	Homogenization techniques for separated length scales . . . . .	57
2.2.2.	The ideal homogenization method . . . . .	59
2.3.	Statistical modeling . . . . .	60
2.4.	Method of multiple scale expansions . . . . .	61
2.4.1.	Formulation of multiple scale problems . . . . .	61
2.4.1.1.	Homogenizability conditions . . . . .	61
2.4.1.2.	Double spatial variable . . . . .	62
2.4.1.3.	Stationarity, asymptotic expansions . . . . .	64
2.4.2.	Methodology . . . . .	65
2.4.3.	Parallels between macroscopic models for materials with periodic and random structures . . . . .	68
2.4.3.1.	Periodic materials . . . . .	68
2.4.3.2.	Random materials with a REV . . . . .	68
2.4.4.	Hill macro-homogeneity and separation of scales . . . . .	69
2.5.	Comments on multiple scale methods and statistical methods . . . . .	69
2.5.1.	On the periodicity, the stationarity and the concept of the REV . . . . .	69
2.5.2.	On the absence of, or need for macroscopic prerequisites . . . . .	70
2.5.3.	On the homogenizability and consistency of the macroscopic description . . . . .	71
2.5.4.	On the treatment of problems with several small parameters . . . . .	72
<b>Chapter 3. Homogenization by Multiple Scale Asymptotic Expansions</b>		<b>75</b>
3.1.	Introduction . . . . .	75
3.2.	Separation of scales: intuitive approach and experimental visualization	75
3.2.1.	Intuitive approach to the separation of scales . . . . .	75
3.2.2.	Experimental visualization of fields with two length scales . . . . .	78
3.2.2.1.	Investigation of a flexible net . . . . .	78
3.2.2.2.	Photoelastic investigation of a perforated plate . . . . .	81
3.3.	One-dimensional example . . . . .	84
3.3.1.	Elasto-statics . . . . .	85

3.3.1.1.	Equivalent macroscopic description . . . . .	86
3.3.1.2.	Comments . . . . .	89
3.3.2.	Elasto-dynamics . . . . .	91
3.3.2.1.	Macroscopic dynamics: $\mathcal{P}_l = \mathcal{O}(\varepsilon^2)$ . . . . .	92
3.3.2.2.	Steady state: $\mathcal{P}_l = \mathcal{O}(\varepsilon^3)$ . . . . .	95
3.3.2.3.	Non-homogenizable description: $\mathcal{P}_l = \mathcal{O}(\varepsilon)$ . . . . .	95
3.3.3.	Comments on the different possible choices for spatial variables . . . . .	97
3.4.	Expressing problems within the formalism of multiple scales . . . . .	100
3.4.1.	How do we select the correct mathematical formulation based on the problem at hand? . . . . .	100
3.4.2.	Need to evaluate the actual scale ratio $\varepsilon_r$ . . . . .	101
3.4.3.	Evaluation of the actual scale ratio $\varepsilon_r$ . . . . .	102
3.4.3.1.	Homogenous treatment of simple compression . . . . .	103
3.4.3.2.	Point force in an elastic object . . . . .	104
3.4.3.3.	Propagation of a harmonic plane wave in elastic composites . . . . .	104
3.4.3.4.	Diffusion wave in heterogenous media . . . . .	105
3.4.3.5.	Conclusions to be drawn from the examples . . . . .	106
<b>PART TWO. HEAT AND MASS TRANSFER . . . . .</b>		<b>107</b>
<b>Chapter 4. Heat Transfer in Composite Materials . . . . .</b>		<b>109</b>
4.1.	Introduction . . . . .	109
4.2.	Heat transfer with perfect contact between constituents . . . . .	109
4.2.1.	Formulation of the problem . . . . .	110
4.2.2.	Thermal conductivities of the same order of magnitude . . . . .	113
4.2.2.1.	Homogenization . . . . .	113
4.2.2.2.	Macroscopic model . . . . .	117
4.2.2.3.	Example: bilaminate composite . . . . .	119
4.2.3.	Weakly conducting phase in a connected matrix: memory effects . . . . .	121
4.2.3.1.	Homogenization . . . . .	122
4.2.3.2.	Macroscopic model . . . . .	124
4.2.3.3.	Example: bilaminate composite . . . . .	125
4.2.4.	Composites with highly conductive inclusions embedded in a matrix . . . . .	126
4.2.4.1.	Homogenization . . . . .	127
4.2.4.2.	Macroscopic model . . . . .	129
4.3.	Heat transfer with contact resistance between constituents . . . . .	130
4.3.1.	Model I – Very weak contact resistance . . . . .	132

8 Homogenization of Coupled Phenomena

4.3.2. Model II – Moderate contact resistance . . . . . 133  
4.3.3. Model III – High contact resistance . . . . . 135  
4.3.4. Model IV – Model with two coupled temperature fields . . . . . 138  
4.3.5. Model V – Model with two decoupled temperature fields . . . . . 140  
4.3.6. Example: bilaminate composite . . . . . 141  
4.3.7. Choice of model . . . . . 142

**Chapter 5. Diffusion/Advection in Porous Media . . . . . 143**

5.1. Introduction . . . . . 143  
5.2. Diffusion-convection on the pore scale and estimates . . . . . 143  
5.3. Diffusion dominates at the macroscopic scale . . . . . 146  
5.3.1. Homogenization . . . . . 146  
5.3.1.1. Boundary value problem for  $c^{*(0)}$  . . . . . 146  
5.3.1.2. Boundary value problem for  $c^{*(1)}$  . . . . . 147  
5.3.1.3. Boundary value problem for  $c^{*(2)}$  . . . . . 148  
5.3.2. Macroscopic diffusion model . . . . . 148  
5.4. Comparable diffusion and advection on the macroscopic scale . . . . . 149  
5.4.1. Homogenization . . . . . 149  
5.4.1.1. Boundary value problems for  $c^{*(0)}$  and  $c^{*(1)}$  . . . . . 149  
5.4.1.2. Boundary value problem for  $c^{*(2)}$  . . . . . 149  
5.4.2. Macroscopic diffusion-advection model . . . . . 150  
5.5. Advection dominant at the macroscopic scale . . . . . 151  
5.5.1. Homogenization . . . . . 151  
5.5.1.1. Boundary value problem for  $c^{*(0)}$  . . . . . 151  
5.5.1.2. Boundary value problem for  $c^{*(1)}$  . . . . . 151  
5.5.1.3. Boundary value problem for  $c^{*(2)}$  . . . . . 153  
5.5.2. Dispersion model . . . . . 154  
5.6. Very strong advection . . . . . 154  
5.7. Example: Porous medium consisting of a periodic lattice of narrow parallel slits . . . . . 155  
5.7.1. Analysis of the flow . . . . . 156  
5.7.2. Determination of the dispersion coefficient . . . . . 157  
5.8. Conclusion . . . . . 159

**Chapter 6. Numerical and Analytical Estimates for the Effective Diffusion Coefficient . . . . . 161**

6.1. Introduction . . . . . 161  
6.2. Effective thermal conductivity for some periodic media . . . . . 162  
6.2.1. Media with spherical inclusions, connected or non-connected . . . . . 162

6.2.1.1.	Microstructures . . . . .	162
6.2.1.2.	Solution to the boundary value problem over the period . . . . .	163
6.2.1.3.	Effective thermal conductivity . . . . .	163
6.2.2.	Fibrous media consisting of parallel fibers . . . . .	168
6.2.2.1.	Microstructures . . . . .	168
6.2.2.2.	Solution to the boundary value problem over the period . . . . .	169
6.2.2.3.	Effective thermal conductivity . . . . .	170
6.3.	Study of various self-consistent schemes . . . . .	175
6.3.1.	Self-consistent scheme for bi-composite inclusions . . . . .	175
6.3.1.1.	Granular or cellular media . . . . .	175
6.3.1.2.	Fibrous media . . . . .	178
6.3.1.3.	General remarks on bi-composite models . . . . .	179
6.3.2.	Self-consistent scheme with multi-composite substructures . . . . .	181
6.3.2.1.	$n$ -composite substructure . . . . .	181
6.3.2.2.	Treatment of a contact resistance . . . . .	183
6.3.3.	Combined self-consistent schemes . . . . .	184
6.3.3.1.	Mixed self-consistent schemes . . . . .	185
6.3.3.2.	Multiple self-consistent schemes . . . . .	185
6.4.	Comparison with experimental results for the thermal conductivity of cellular concrete . . . . .	188
6.4.1.	Dry cellular concrete . . . . .	189
6.4.2.	Damp cellular concrete . . . . .	190

**PART THREE. NEWTONIAN FLUID FLOW THROUGH RIGID POROUS MEDIA . . . . . 195**

**Chapter 7. Incompressible Newtonian Fluid Flow Through a Rigid Porous Medium . . . . . 197**

7.1.	Introduction . . . . .	197
7.2.	Steady-state flow of an incompressible Newtonian fluid in a porous medium: Darcy's law . . . . .	199
7.2.1.	Darcy's law . . . . .	201
7.2.2.	Comments on macroscopic behavior . . . . .	203
7.2.2.1.	Physical meaning of the macroscopic quantities . . . . .	203
7.2.2.2.	Structure of the macroscopic law . . . . .	204
7.2.2.3.	Study of the underlying problem . . . . .	205
7.2.2.4.	Properties of $\mathbf{K}^*$ . . . . .	205
7.2.2.5.	Energetic consistency . . . . .	206
7.2.3.	Non-homogenizable situations . . . . .	206
7.2.3.1.	Case where $Q_L = \mathcal{O}(\varepsilon^{-1})$ . . . . .	207

7.2.3.2. Case where $Q_L = \mathcal{O}(\varepsilon^{-3})$ . . . . .	208
7.3. Dynamics of an incompressible fluid in a rigid porous medium . . . . .	209
7.3.1. Local description and estimates . . . . .	209
7.3.2. Macroscopic behavior: generalized Darcy's law . . . . .	211
7.3.3. Discussion of the macroscopic description . . . . .	213
7.3.3.1. Physical meaning of macroscopic quantities . . . . .	213
7.3.3.2. Energetic consistency . . . . .	213
7.3.3.3. The tensors $\mathbb{H}^*$ and $\Lambda^*$ are symmetric . . . . .	215
7.3.3.4. Low-frequency behavior . . . . .	215
7.3.3.5. Additional mass effect . . . . .	215
7.3.3.6. Transient excitation: Dynamics with memory effects . . . . .	216
7.3.3.7. Quasi-periodicity . . . . .	216
7.3.4. Circular cylindrical pores . . . . .	216
7.4. Appearance of inertial non-linearities . . . . .	220
7.4.1. Macroscopic model . . . . .	221
7.4.2. Macroscopically isotropic and homogenous medium . . . . .	224
7.4.3. Conclusion . . . . .	226
7.5. Summary . . . . .	226
<b>Chapter 8. Compressible Newtonian Fluid Flow Through a Rigid Porous Medium</b> . . . . .	<b>229</b>
8.1. Introduction . . . . .	229
8.2. Slow isothermal flow of a highly compressible fluid . . . . .	229
8.2.1. Estimates . . . . .	230
8.2.2. Steady-state flow . . . . .	231
8.2.3. Transient conservation of mass . . . . .	235
8.3. Wall slip: Klinkenberg's law . . . . .	238
8.3.1. Pore scale description and estimates . . . . .	238
8.3.2. Klinkenberg's law . . . . .	240
8.3.3. Small Knudsen numbers . . . . .	241
8.3.4. Properties of the Klinkenberg tensor $\mathbf{H}^k$ . . . . .	243
8.3.4.1. $\mathbf{H}^k$ is positive . . . . .	243
8.3.4.2. Symmetries . . . . .	244
8.4. Acoustics in a rigid porous medium saturated with a gas . . . . .	245
8.4.1. Harmonic perturbation of a gas in a porous medium . . . . .	246
8.4.2. Analysis of local physics . . . . .	247
8.4.3. Non-dimensionalization and renormalization . . . . .	249
8.4.4. Homogenization . . . . .	251
8.4.4.1. Pressure and temperature . . . . .	251
8.4.4.2. Velocity field . . . . .	252

8.4.4.3. Macroscopic conservation of mass . . . . .	252
8.4.5. Biot-Allard model . . . . .	253
<b>Chapter 9. Numerical Estimation of the Permeability of Some Periodic Porous Media . . . . .</b>	<b>257</b>
9.1. Introduction . . . . .	257
9.2. Permeability tensor: recap of results from periodic homogenization . . . . .	259
9.3. Steady state permeability of fibrous media . . . . .	259
9.3.1. Microstructures . . . . .	259
9.3.2. Transverse permeability . . . . .	260
9.3.2.1. Mesh, velocity fields and microscopic pressure fields . . . . .	261
9.3.2.2. Transverse permeability $\mathcal{K}_T$ . . . . .	262
9.3.3. Longitudinal permeability . . . . .	264
9.3.3.1. Mesh, velocity fields . . . . .	264
9.3.3.2. Longitudinal permeability $\mathcal{K}_L$ . . . . .	264
9.4. Steady state and dynamic permeability of granular media . . . . .	267
9.4.1. Microstructures . . . . .	267
9.4.2. Methodology . . . . .	267
9.4.3. Steady state permeability . . . . .	269
9.4.4. Dynamic permeability . . . . .	269
9.4.4.1. Effect of frequency . . . . .	269
9.4.4.2. Low-frequency approximation . . . . .	270
9.4.4.3. High-frequency approximation . . . . .	272
<b>Chapter 10. Self-consistent Estimates and Bounds for Permeability . . . . .</b>	<b>275</b>
10.1. Introduction . . . . .	275
10.1.1. Notation and glossary . . . . .	277
10.2. Intrinsic (or steady state) permeability of granular and fibrous media . . . . .	278
10.2.1. Summary of results obtained through periodic homogenization . . . . .	279
10.2.1.1. Global and local descriptions – energetic consistency . . . . .	280
10.2.1.2. Connections between the micro- and macroscopic descriptions . . . . .	281
10.2.2. Self-consistent estimate of the permeability of granular media . . . . .	281
10.2.2.1. Formulation of the self-consistent problem . . . . .	281
10.2.2.2. General expression for the fields in the inclusion . . . . .	283
10.2.2.3. Boundary conditions . . . . .	285
10.2.3. Solution and self-consistent estimates . . . . .	288
10.2.3.1. Pressure approach: $\varpi_p$ field . . . . .	288
10.2.3.2. Velocity approach: $\varpi_v$ field . . . . .	289

10.2.3.3. Comparison of estimates . . . . .	289
10.2.4. From spherical substructure to granular materials . . . . .	291
10.2.4.1. Cubic lattices of spheres . . . . .	291
10.2.4.2. Bounds on the permeability of ordered or disordered granular media . . . . .	292
10.2.4.3. Empirical laws . . . . .	296
10.2.5. Intrinsic permeability of fibrous media . . . . .	297
10.2.5.1. Periodic arrangements of identical cylinders . . . . .	298
10.2.5.2. Permeability bounds for ideal ordered and disordered fibrous media . . . . .	298
10.3. Dynamic permeability . . . . .	299
10.3.1. Summary of homogenization results . . . . .	300
10.3.1.1. Global and local description – Energetic consistency . . .	300
10.3.1.2. Frequency characteristics of dynamic permeability . . . .	302
10.3.2. Self-consistent estimates of dynamic permeability . . . . .	304
10.3.3. Formulation of the problem in the inclusion . . . . .	304
10.3.3.1. Expressions for the fields . . . . .	305
10.3.3.2. Boundary conditions . . . . .	306
10.3.4. Solution and self-consistent estimates . . . . .	307
10.3.4.1. P estimate: $\varpi_p$ field . . . . .	308
10.3.4.2. V estimate: $\varpi_v$ field . . . . .	309
10.3.4.3. Commentary and comparisons with numerical results for periodic lattices . . . . .	310
10.3.4.4. Bounds on the dynamic permeability of granular media .	314
10.3.4.5. Bounds on the real and imaginary parts of $\widehat{K}(\omega)$ . . . . .	315
10.3.4.6. Bounds on the real and imaginary parts of $\widehat{H}(\omega)$ . . . . .	316
10.3.4.7. Low-frequency bounds . . . . .	317
10.3.4.8. High-frequency bounds for tortuosity . . . . .	318
10.4. Klinkenberg correction to intrinsic permeability . . . . .	318
10.4.1. Local and global descriptions obtained through homogenization	318
10.4.2. Self-consistent estimates of Klinkenberg permeability . . . . .	319
10.5. Thermal permeability – compressibility of a gas in a porous medium	322
10.5.1. Dynamic compressibility obtained by homogenization . . . . .	322
10.5.2. Self-consistent estimate of the thermal permeability of granular media . . . . .	323
10.5.3. Properties of thermal permeability . . . . .	324
10.5.4. Significance of connectivity of phases . . . . .	326
10.5.5. Critical thermal and viscous frequencies . . . . .	327
10.6. Analogy between the trapping constant and permeability . . . . .	328
10.6.1. Trapping constant . . . . .	328



10.6.1.1. Comparison between the trapping constant and intrinsic permeability . . . . .	330
10.6.1.2. Self-consistent estimate of the trapping constant for granular media . . . . .	331
10.6.2. Diffusion-trapping in the transient regime . . . . .	332
10.6.3. Steady-state diffusion-trapping regime in media with a finite absorptivity . . . . .	333
10.7. Conclusion . . . . .	334
<b>PART FOUR. SATURATED DEFORMABLE POROUS MEDIA . . . . .</b>	<b>337</b>
<b>Chapter 11. Quasi-statics of Saturated Deformable Porous Media . . . . .</b>	<b>339</b>
11.1. Empty porous matrix . . . . .	340
11.1.1. Local description . . . . .	340
11.1.2. Equivalent macroscopic behavior . . . . .	342
11.1.2.1. Boundary-value problem for $\mathbf{u}^{*(0)}$ . . . . .	342
11.1.2.2. Boundary-value problem for $\mathbf{u}^{*(1)}$ . . . . .	343
11.1.2.3. Boundary-value problem for $\mathbf{u}^{*(2)}$ . . . . .	344
11.1.3. Investigation of the equivalent macroscopic behavior . . . . .	345
11.1.3.1. Physical meaning of quantities involved in macroscopic description . . . . .	345
11.1.3.2. Properties of the effective elastic tensor . . . . .	346
11.1.3.3. Energetic consistency . . . . .	348
11.1.4. Calculation of the effective coefficients . . . . .	348
11.2. Deformable saturated porous medium . . . . .	349
11.2.1. Local description and estimates . . . . .	350
11.2.2. Diphasic macroscopic behavior: Biot model . . . . .	352
11.2.2.1. Boundary-value problem for $\mathbf{u}^{*(0)}$ . . . . .	352
11.2.2.2. Boundary-value problem for $p^{*(0)}$ and $\mathbf{v}^{*(0)}$ . . . . .	352
11.2.2.3. Boundary-value problem for $\mathbf{u}^{*(1)}$ . . . . .	353
11.2.2.4. First compatibility equation . . . . .	354
11.2.2.5. Second compatibility equation . . . . .	355
11.2.2.6. Macroscopic description . . . . .	355
11.2.3. Properties of the macroscopic diphasic description . . . . .	355
11.2.3.1. Properties of macroscopic quantities and effective coefficients . . . . .	355
11.2.3.2. The coupling between (11.31) and (11.32) is symmetric, $\alpha = \gamma$ . . . . .	356
11.2.3.3. The tensor $\alpha^*$ is symmetric . . . . .	356
11.2.3.4. The coefficient $\beta^*$ is positive, $\beta^* > 0$ . . . . .	357
11.2.3.5. Specific cases . . . . .	357

14 Homogenization of Coupled Phenomena

11.2.3.6. Homogenous matrix material . . . . .	357
11.2.3.7. Homogenous and isotropic matrix material and macroscopically isotropic matrix . . . . .	358
11.2.3.8. Diphasic consolidation equations: Biot model . . . . .	359
11.2.3.9. Effective stress . . . . .	361
11.2.3.10. Compressible interstitial fluid . . . . .	361
11.2.4. Monophasic elastic macroscopic behavior: Gassman model . . .	362
11.2.5. Monophasic viscoelastic macroscopic behavior . . . . .	363
11.2.6. Relationships between the three macroscopic models . . . . .	365
<b>Chapter 12. Dynamics of Saturated Deformable Porous Media . . . . .</b>	<b>367</b>
12.1. Introduction . . . . .	367
12.2. Local description and estimates . . . . .	368
12.3. Diphasic macroscopic behavior: Biot model . . . . .	370
12.4. Study of diphasic macroscopic behavior . . . . .	374
12.4.1. Equations for the diphasic dynamics of a saturated deformable porous medium . . . . .	374
12.4.2. Rheology and dynamics . . . . .	375
12.4.3. Additional mass . . . . .	376
12.4.4. Transient motion . . . . .	376
12.4.5. Small pulsation $\omega$ . . . . .	376
12.4.6. Dispersive waves . . . . .	376
12.5. Macroscopic monophasic elastic behavior: Gassman model . . . . .	377
12.6. Monophasic viscoelastic macroscopic behavior . . . . .	378
12.7. Choice of macroscopic behavior associated with a given material and disturbance . . . . .	380
12.7.1. Effects of viscosity . . . . .	382
12.7.1.1. Transition from diphasic behavior to elastic behavior . . .	382
12.7.1.2. Transition from viscoelastic behavior to elastic behavior .	383
12.7.2. Effect of rigidity of the porous skeleton . . . . .	384
12.7.3. Effect of frequency . . . . .	384
12.7.3.1. Low-dispersion $P_1$ and $S$ waves . . . . .	384
12.7.3.2. Dispersive $P_2$ wave . . . . .	385
12.7.4. Effect of pore size . . . . .	385
12.7.5. Application example: bituminous concretes . . . . .	385
<b>Chapter 13. Estimates and Bounds for Effective Poroelastic Coefficients . .</b>	<b>389</b>
13.1. Introduction . . . . .	389
13.2. Recap of the results of periodic homogenization . . . . .	389
13.3. Periodic granular medium . . . . .	391

13.3.1. Microstructure and material . . . . .	391
13.3.2. Effective elastic tensor $\mathbf{c}$ . . . . .	392
13.3.2.1. Methodology . . . . .	392
13.3.2.2. Compressibility and shear moduli . . . . .	394
13.3.2.3. Degree of anisotropy . . . . .	396
13.3.2.4. Young's modulus and Poisson's ratio . . . . .	396
13.3.3. Biot tensor . . . . .	398
13.4. Influence of microstructure: bounds and self-consistent estimates . .	398
13.4.1. Voigt and Reuss bounds . . . . .	399
13.4.2. Hashin and Shtrikman bounds . . . . .	399
13.4.3. Self-consistent estimates . . . . .	400
13.4.4. Comparison: numerical results, bounds and self-consistent estimates . . . . .	401
13.5. Comparison with experimental data . . . . .	403
<b>Chapter 14. Wave Propagation in Isotropic Saturated Poroelastic Media . .</b>	<b>407</b>
14.1. Introduction . . . . .	407
14.2. Basics . . . . .	408
14.2.1. Notation . . . . .	408
14.2.2. Comments on the parameters . . . . .	410
14.2.2.1. Elastic coefficients . . . . .	410
14.2.2.2. Dynamic permeability . . . . .	410
14.2.3. Degrees of freedom and dimensionless parameters . . . . .	411
14.3. Three modes of propagation in a saturated porous medium . . . . .	412
14.3.1. Wave equations . . . . .	413
14.3.2. Elementary wave fields: plane waves . . . . .	416
14.3.2.1. Homogeneous plane waves . . . . .	416
14.3.2.2. Inhomogenous plane waves . . . . .	417
14.3.3. Physical characteristics of the modes . . . . .	419
14.3.3.1. Low frequencies: $f \ll f_c$ . . . . .	419
14.3.3.2. High frequencies: $f \gg f_c$ . . . . .	421
14.3.3.3. Full spectrum . . . . .	423
14.4. Transmission at an elastic-poroelastic interface . . . . .	423
14.4.1. Expression for the conditions at the interface . . . . .	426
14.4.2. Transmission of compression waves . . . . .	428
14.5. Rayleigh waves . . . . .	430
14.6. Green's functions . . . . .	432
14.6.1. Source terms . . . . .	432
14.6.2. Determination of the fundamental solutions . . . . .	433
14.6.3. Fundamental solutions in plane geometry . . . . .	437

16 Homogenization of Coupled Phenomena

14.6.4. Symmetry of the Green's matrix, and reciprocity theorem . . . . .	438
14.6.5. Properties of radiated fields . . . . .	439
14.6.5.1. Far-field – near-field – quasi-static regime . . . . .	441
14.6.5.2. Decomposition into elementary waves . . . . .	442
14.6.6. Energy and moment sources: explosion and injection . . . . .	442
14.7. Integral representation . . . . .	445
14.8. Dislocations in porous media . . . . .	448
<b>Bibliography</b> . . . . .	453
<b>Index</b> . . . . .	473