

Table of Contents

Foreword	xvii
Alain BRAVO	
Acknowledgments	xix
Introduction	xxi
PART 1. COGNITIVE RADIO	1
Chapter 1. Introduction to Cognitive Radio	3
Jacques PALICOT, Christophe MOY and Mérouane DEBBAH	
1.1. Joseph Mitola’s cognitive radio	3
1.1.1. Definitions	4
1.1.2. Joseph Mitola’s vision of cognitive cycle	5
1.2. Positioning	7
1.2.1. Convergence between networks	7
1.2.2. Generalized mobility without service interruption	8
1.2.3. Distribution of intelligence	9
1.3. Spectrum management	9
1.3.1. Current situation	9
1.3.2. Spectrum sharing	10
1.3.2.1. Horizontal and vertical sharing	11
1.3.2.2. Spectrum pooling	11
1.3.2.3. Spectrum underlay technique	13
1.3.2.4. Spectrum overlay technique	16
1.4. A broader vision of CR	17
1.4.1. Taking into account the global environment	18
1.4.2. The sensorial radio bubble for CR	19
1.5. Difficulties of the cognitive cycle	21

Chapter 2. Cognitive Terminals Toward Cognitive Networks	23
Romain COUILLET and Mérouane DEBBAH	
2.1. Introduction	23
2.2. Intelligent terminal	25
2.2.1. Description	26
2.2.2. Advantages	30
2.2.3. Limitations	31
2.3. Intelligent networks	32
2.3.1. Description	32
2.3.2. Advantages	34
2.3.3. Limitations	35
2.4. Toward a compromise	35
2.4.1. Impact of the number of users	38
2.4.2. Impact of spectral dimension	39
2.5. Conclusion	40
Chapter 3. Cognitive Radio Sensors	43
Renaud SÉGUIER, Jacques PALICOT, Christophe MOY, Romain COUILLET and Mérouane DEBBAH	
3.1. Lower layer sensors	43
3.1.1. Hole detection sensor	43
3.1.1.1. Matched filtering	46
3.1.1.2. Detection	47
3.1.1.3. Energy detection	47
3.1.1.4. Collaborative detection	48
3.1.2. Other sensors	53
3.1.2.1. Recognition of channel bandwidth	53
3.1.2.2. Single- and multicarrier detection	55
3.1.2.3. Detection of spread spectrum type	56
3.1.2.4. Other sensors of the lower layer	56
3.2. Intermediate layer sensors	57
3.2.1. Introduction	57
3.2.2. Cognitive pilot channel	58
3.2.3. Localization-based identification	59
3.2.3.1. Geographical location-based systems synthesis	59
3.2.3.2. Rights of database use and update	61
3.2.4. Blind standard recognition sensor	62
3.2.4.1. General description	62
3.2.4.2. Sage 1: band adaptation	63
3.2.4.3. Stage 2: analysis with lower layer sensors	63
3.2.4.4. Stage 3: fusion	64

3.2.5. Comparison of abovementioned three sensors for standard recognition	64
3.3. Higher layer sensors	64
3.3.1. Introduction	64
3.3.2. Potential sensors	65
3.3.3. Video sensor and compression	69
3.3.3.1. Active appearance models	71
3.3.3.2. A real scenario	72
3.3.3.3. Different stages	74
3.4. Conclusion	75
Chapter 4. Decision Making and Learning	77
Romain COUILLET, Mérouane DEBBAH, Hamidou TEMBINE, Wassim JOUINI and Christophe MOY	
4.1. Introduction	77
4.2. CR equipment: decision and/or learning	78
4.2.1. Cognitive agent	78
4.2.2. Conflicting objectives	79
4.2.3. A modeling part in all approaches	79
4.2.4. Decision making and learning: network equipment	80
4.3. Decision design space	81
4.3.1. Decision constraints	81
4.3.1.1. Environmental constraints	81
4.3.1.2. User constraints	81
4.3.1.3. Equipment capacity constraints	82
4.3.2. Cognitive radio design space	82
4.4. Decision making and learning from the equipment's perspective	82
4.4.1. <i>A priori</i> uncertainty measurements	82
4.4.2. Bayesian techniques	84
4.4.3. Reinforcement techniques: general case	86
4.4.3.1. Bellman's equation	87
4.4.3.2. Bellman's equation to reinforcement techniques	88
4.4.3.3. Value update	89
4.4.3.4. Iteration algorithm for policies	90
4.4.3.5. Q-learning	90
4.4.4. Reinforcement techniques: slot machine problem	91
4.4.4.1. An introductory example: analogy with a slot machine	91
4.4.4.2. Mathematical formalism and fundamental results	92
4.4.4.3. Upper confidence bound (UCB) algorithms	92
4.4.4.4. UCB_1 algorithm	93
4.4.4.5. UCB_V algorithm	94
4.4.4.6. Application example: opportunistic spectrum access	94

4.4.5. Artificial intelligence	95
4.5. Decision making and learning from network perspective:	
game theory	96
4.5.1. Active or passive decision	96
4.5.2. Techniques based on game theory	97
4.5.2.1. Cournot's competition and best response	98
4.5.2.2. Fictitious play	98
4.5.2.3. Reinforcement strategy	99
4.5.2.4. Boltzmann–Gibbs and coupled learning	100
4.5.2.5. Imitation	100
4.5.2.6. Learning in stochastic games	101
4.6. Brief state of the art: classification of methods for dynamic configuration adaptation	101
4.6.1. The expert approach	101
4.6.2. Exploration-based decision making: genetic algorithms	102
4.6.3. Learning approaches: joint exploration and exploitation	103
4.7. Conclusion	104
Chapter 5. Cognitive Cycle Management	107
Christophe MOY and Jacques PALICOT	
5.1. Introduction	107
5.2. Cognitive radio equipment	109
5.2.1. Composition of cognitive radio equipment	109
5.2.2. A design proposal for CR equipment: HDCRAM	110
5.2.3. HDCRAM and cognitive cycle	114
5.2.4. HDCRAM levels	116
5.2.4.1. Level L3	116
5.2.4.2. Level L2	117
5.2.4.3. Level L1	118
5.2.5. Deployment on a hardware platform	118
5.2.6. Examples of intelligent decisions	119
5.3. High-level design approach	122
5.3.1. Unified modeling language (UML) design approach	122
5.3.2. Metamodeling	123
5.3.3. An executable metamodel	124
5.3.4. Simulator of cognitive radio architecture	124
5.4. HDCRAM's interfaces (APIs)	127
5.4.1. Organization of classes of HDCRAM's metamodel	127
5.4.1.1. Parent classes	128
5.4.1.2. Child classes	128
5.4.2. ReM APIs	129
5.4.3. CRM's APIs	131
5.4.4. Operators' APIs	134

5.4.5. Example of deployment scenario in CR equipment	135
5.5. Conclusion	139
PART 2. SOFTWARE RADIO AS SUPPORT TECHNOLOGY	141
Chapter 6. Introduction to Software Radio	143
Jacques PALICOT and Christophe MOY	
6.1. Introduction	143
6.2. Generalities	145
6.2.1. Definitions	147
6.2.1.1. Ideal software radio	147
6.2.1.2. Software-defined radio	147
6.2.1.3. Other interesting classifications	148
6.2.2. Interests and aftermath for telecom players	148
6.2.2.1. Designer of terminals and access points	148
6.2.2.2. Operator and service provider	149
6.2.2.3. End user	150
6.3. Major organizations of software radio	150
6.3.1. Forums	150
6.3.1.1. SDR Forum/Wireless Innovation Forum	151
6.3.1.2. OMG	151
6.3.2. Standardization organizations	152
6.3.3. Regulators	152
6.3.4. Some commercial and academic projects	152
6.3.5. Military projects	153
6.4. Hardware architectures	153
6.4.1. Software-defined radio (ideal)	153
6.4.2. Software-defined radio	154
6.4.2.1. Direct conversion	155
6.4.2.2. SR with low IF	155
6.4.2.3. Undersampling	157
6.4.2.4. Other architectures	157
6.5. Conclusion	159
Chapter 7. Transmitter/Receiver Analog Front End	161
Renaud LOISON, Raphaël GILLARD, Yves LOUËT and Gilles TOURNEUR	
7.1. Introduction	161
7.2. Antennas	161
7.2.1. Introduction	161
7.2.2. For base stations	162
7.2.2.1. Constraints on spatial discrimination	162
7.2.2.2. Constraints on the spectral discrimination	164
7.2.2.3. Sample topologies and concepts	165

7.2.3. For mobile terminals	167
7.2.3.1. Constraints	167
7.2.3.2. Sample topologies and concepts	170
7.3. Nonlinear amplification	172
7.3.1. Introduction	172
7.3.2. Characteristics of a power amplifier	172
7.3.2.1. AM/AM and AM/PM characteristics	173
7.3.2.2. The efficiency	174
7.3.2.3. Input and output back-offs	174
7.3.2.4. Memory effect	175
7.3.3. Merit criteria of a power amplifier	175
7.3.3.1. Intermodulation	176
7.3.3.2. The C/I ratio	178
7.3.3.3. Interception point	178
7.3.3.4. Noise power ratio (NPR)	178
7.3.3.5. Adjacent channel power ratio (ACPR)	180
7.3.3.6. Error vector magnitude (EVM)	180
7.3.4. Modeling of a memoryless power amplifier	181
7.3.4.1. Input–output relationship of an amplifier	181
7.3.4.2. The polynomial model	182
7.3.4.3. The Saleh model	182
7.3.4.4. The Rapp model	182
7.3.5. Modeling of a power amplifier with memory	183
7.3.5.1. The Saleh model	183
7.3.5.2. The Volterra model	184
7.3.5.3. The Wiener–Hammerstein model	184
7.3.5.4. The polynomial model with memory	185
7.4. Converters	185
7.4.1. Introduction	185
7.4.1.1. Requirements for the software radio	186
7.4.2. Characteristics of the converters	187
7.4.2.1. Quantization noise	187
7.4.2.2. Thermal noise	189
7.4.2.3. Sampling phase noise	190
7.4.2.4. Measuring spectral purity: the spurious free dynamic range (SFDR)	192
7.4.2.5. SFDR improvement by adding noise: the dither	193
7.4.2.6. Switched capacitor converters: the KT/C noise	194
7.4.2.7. Signal dynamics	194
7.4.2.8. Blockers	194
7.4.2.9. Linearity constraints	195
7.4.2.10. Jammers	195
7.4.2.11. Bandwidth and slew rate	195

7.4.2.12. Consumption constraints: the figure of merit (FOM) . . .	195
7.4.2.13. Constraints on digital ports	196
7.4.3. Digital to analog conversion architectures	196
7.4.3.1. Current source of DAC architectures	196
7.4.3.2. Switched capacitor DAC architecture	197
7.4.3.3. Evolution of the DAC	198
7.4.4. Analog to digital conversion architecture	198
7.4.4.1. Flash structure	199
7.4.4.2. Folding ADC	199
7.4.4.3. Pipeline structure	200
7.4.4.4. Successive approximation architecture	201
7.4.4.5. Sigma-delta architecture	201
7.4.4.6. Evolution of the ADC analog-to-digital converters	204
7.4.5. Summarizing the converters	204
7.5. Conclusion	205
Chapter 8. Transmitter/Receiver Digital Front End	207
Jacques PALICOT, Daniel LE GUENNEC and Christophe MOY	
8.1. Theoretical principles	208
8.1.1. The universal transmitter/receiver	208
8.2. DFE functions	210
8.2.1. I/Q transposition in digital domain	210
8.2.2. Sample rate conversion	212
8.2.2.1. Frequency conversion by decimation filter	213
8.2.3. Channelization	223
8.2.4. DFE from a practical point of view	224
8.2.4.1. Low-pass filtering	225
8.2.4.2. Cheapest solution in terms of computational cost	226
8.2.5. Multichannel DFE	227
8.3. Synchronization	229
8.3.1. Introduction	229
8.3.2. Symbol timing recovery	229
8.3.2.1. Timing phase recovery	230
8.3.2.2. Phase error detector	230
8.3.2.3. Phase-locked loop (PLL)	230
8.3.3. Carrier phase recovery	230
8.3.3.1. DA estimation	232
8.3.3.2. NDA estimation	233
8.3.3.3. Phase recovery	233
8.3.3.4. Direct structures: DA and NDA estimator	233
8.3.3.5. Loop structures	234
8.3.3.6. Phase error detector	234
8.3.3.7. The loop filter	236

8.3.4. Synchronization in the software radio context	237
8.3.4.1. Analysis of the dynamic behavior of the loop with constellation change	239
8.3.4.2. Reliability and detection of constellation	241
8.4. The CORDIC algorithm	243
8.4.1. Principle of the CORDIC algorithm	243
8.4.2. Operation of the CORDIC operator	245
8.4.2.1. Vector mode	245
8.4.2.2. Rotation mode	245
8.5. Conclusion	246
Chapter 9. Processing of Nonlinearities	249
Yves LOUËT and Jacques PALICOT	
9.1. Introduction	249
9.2. Crest factor of the signals to be amplified	250
9.2.1. Characteristic parameters of the crest factor	250
9.2.1.1. Crest factor definition	250
9.2.1.2. Definition of continuous and finite PR: $PR_{c,f}$	250
9.2.1.3. Definition of discrete and finite PR: $PR_{d,f}$	251
9.2.2. Relationship with the literature notations	251
9.2.2.1. PAPR case	251
9.2.2.2. Relationship between $PAPR$ and $PMEPR$	251
9.2.3. Distribution function of PR	252
9.3. Variation of crest factor in different contexts	252
9.3.1. Single-carrier signals' context	252
9.3.1.1. Influence of Nyquist filter	252
9.3.1.2. Influence of square-root Nyquist filter	253
9.3.2. Multicarrier signals' context	255
9.3.3. Software radio signals' context	256
9.3.4. Context of cognitive radio	260
9.3.4.1. Introduction	260
9.3.4.2. Variations in crest factor on spectrum access by using carrier-by-carrier vision	262
9.3.4.3. Influence of spectrum access on PAPR in the CR context	263
9.4. Methods for reducing nonlinearities	264
9.4.1. Introduction	264
9.4.2. PAPR reduction methods	266
9.4.2.1. Methods with modifications of the receiver	266
9.4.2.2. Methods without modifying the receiver	267
9.4.2.3. Synthesis of the PAPR reduction methods	267
9.4.3. Methods working on the linearity of the amplifier	268

9.4.3.1. Methods to change the function of amplification	268
9.4.3.2. Methods without changing the amplification function	268
9.5. Conclusion	269
Chapter 10. Methodology and Tools	271
Pierre LERAY, Christophe MOY and Sufi Tabassum GUL	
10.1. Introduction	271
10.2. Methods to identify common operations	273
10.2.1. Parametrization approaches	273
10.2.2. Pragmatic approach of parametrization to design multistandard SR	274
10.2.2.1. Common functions	274
10.2.2.2. Common operators	274
10.2.3. Theoretical approach to design multistandard SR by common operators	276
10.3. Methods and design tools	280
10.3.1. Co-design methods	280
10.3.1.1. Simulink® based approach	280
10.3.1.2. An example: SynDEx	281
10.3.1.3. GNU radio	287
10.3.2. MDA approaches	288
10.3.2.1. Introduction	288
10.3.2.2. MOPCOM methodology	289
10.3.2.3. GASPARD model	295
10.4. Conclusion	297
Chapter 11. Implementation Platforms	299
Amor NAFKHA, Pierre LERAY and Christophe MOY	
11.1. Introduction	299
11.2. Software radio platform	299
11.3. Hardware architectures	300
11.3.1. Dedicated circuits	300
11.3.2. Processors	301
11.3.2.1. CISC architecture	302
11.3.2.2. RISC architecture	302
11.3.2.3. Superscalar architecture	303
11.3.2.4. VLIW architecture	303
11.3.2.5. Vector architecture	304
11.3.3. Reconfigurable architecture	304
11.3.3.1. Fine-grain architecture	305
11.3.3.2. Coarse-grain architecture	307
11.4. Characterization of the implementation platform	309
11.4.1. Flexibility/reconfiguration	309

11.4.2. Performances	311
11.4.3. Power consumption	312
11.5. Qualitative assessment	312
11.6. Architectures of software layers	313
11.6.1. The SCA software architecture	314
11.6.2. Intermediate software layer: ALOE	314
11.6.3. Software architecture for reconfiguration management: HDRem	315
11.7. Some platform examples	317
11.7.1. The USRP platform	317
11.7.2. OpenAirInterface	318
11.7.3. Kansas University Agile Radio	319
11.7.4. Berkeley Cognitive Radio Platform	320
11.8. Conclusion	320
Chapter 12. General Conclusion and Perspectives	323
12.1. General conclusion	323
12.2. Perspectives	323
12.2.1. CR and sustainable development	323
12.2.1.1. A spontaneous communication protocol	324
12.2.2. Toward a collective intelligence	324
12.2.3. Toward a fully cognitive radio	324
Appendix A. To Learn More	327
A.1. The special issues of journals	327
A.1.1. SR domain in general	327
A.1.2. CR domain	328
A.2. Specialized conferences	330
A.3. Some reference books	330
A.3.1. SR domain in general	330
A.3.2. CR domain in general	331
Appendix B. SR and CR Projects	333
B.1. European projects	333
B.2. French projects	336
Appendix C. International Activity in Standardization and Forums	339
C.1. The IEEE 802.22 Standard	339
C.2. SCC41 standardization (Standards Coordinating Committee 41, dynamic spectrum access networks)	339

C.3. P1900.1 standardization (Working group on terminology and concepts for next-generation radio systems and spectrum management)	340
C.4. P1900.2 standardization (Working group on recommended practice for interference coexistence and analysis)	340
C.5. P1900.3 standardization (Working group on recommended practice for conformance evaluation of Software Defined Radio software modules)	340
C.6. P1900.4 standardization (Working group on architectural building blocks enabling network – device distributed decision making for optimized radio resource usage in heterogeneous wireless access networks)	340
C.7. P1900.5 standardization (Working group on policy language and policy architectures for managing cognitive radio for dynamic spectrum access applications)	341
C.8. P1900.6 standardization (Working group on spectrum sensing interfaces and data structures for dynamic spectrum access and other advanced radio communications systems)	341
C.9. ITU-R standards (Question ITU-R 241-1/5: cognitive radio systems in mobile service)	341
C.10. ETSI technical committee on reconfigurable radio systems (TC-RRS) standardization	342
C.11. Forum: Wireless Innovation Forum (former by SDR forum)	342
C.12. Forum: Wireless World Research Forum	343
Appendix D. Research at European and International Levels	345
D.1. Research centers	345
Acronyms and Abbreviations	347
Bibliography	355
List of Authors	373
Index	375