

Table of Contents

Chapter 1. Bipedal Robots and Walking

1.1. Introduction	1
1.2. Biomechanical approach	2
1.2.1. Biomechanical system: a source of inspiration	2
1.2.2. Skeletal structure and musculature.	9
1.3. Human walking	11
1.3.1. Architecture	11
1.3.2. Walking and running trajectory data.	13
1.3.3. Study cases.	18
1.4. Bipedal walking robots: state of the art	21
1.4.1. A brief history	21
1.4.2. Japanese studies and creations	24
1.4.3. The situation in France.	27
1.4.4. General evolution tendencies	31
1.5. Different applications	32
1.5.1. Service robotics	33
1.5.2. Robotics and dangerous terrains	35
1.5.3. Toy robots and computer animation in cinema	35
1.5.4. Defense robotics	37
1.5.5. Medical prostheses	39
1.5.6. Surveillance robots	40
1.6. Conclusion	40
1.7. Bibliography	41

Chapter 2. Kinematic and Dynamic Models for Walking

2.1. Introduction	47
2.2. The kinematics of walking	48
2.2.1. DoF of the locomotion system	48
2.2.2. Walking patterns	49

2.2.3. Generalized coordinates for a sagittal step	53
2.2.4. Generalized coordinates for three-dimensional walking	57
2.2.5. Transition conditions	66
2.3. The dynamics of walking	70
2.3.1. Lagrangian dynamic model	71
2.3.2. Newton-Euler's dynamic model	87
2.3.3. Impact model	98
2.4. Dynamic constraints	103
2.4.1. CoP and equilibrium constraints	103
2.4.2. Non-sliding constraints	116
2.5. Complementary feasibility constraints	117
2.5.1. Respecting the technological limitations	118
2.5.2. Non-collision constraints	119
2.6. Conclusion	123
2.7. Bibliography	123

Chapter 3. Design Tools for Making Bipedal Robots

3.1. Introduction	127
3.2. Study of influence of robot body masses	128
3.2.1. Case 1: the three-link robot	129
3.2.2. Case 2: the five-link robot	147
3.3. Mechanical design: the architectures carried out	165
3.3.1. The structure of planar robots	165
3.3.2. 3D robot structures	168
3.3.3. Technology of inter-body joints	172
3.3.4. Drive technology	174
3.4. Actuators	181
3.4.1. Actuator types	181
3.4.2. Characteristics of electric actuators	186
3.4.3. Elements of choice for robotic actuators	190
3.4.4. Comparing actuator performances	193
3.4.5. Performances of transmission-actuator associations	202
3.5. Sensors	207
3.5.1. Measuring	207
3.5.2. Frequently used sensors	208
3.5.3. Characteristics and integration	209
3.5.4. Sensors of inertial localization	210
3.6. Conclusion	212
3.7. Appendix	213
3.7.1. Geometric model	213
3.7.2. Dynamic model	213
3.8. Bibliography	215

Chapter 4. Walking Pattern Generators

4.1. Introduction	219
4.2. Passive and quasi-passive dynamic walking	220
4.2.1. Passive walking	220
4.2.2. Quasi-passive dynamic walking	222
4.3. Static balance walking	227
4.4. Dynamic synthesis of walking	228
4.4.1. Performance criteria for walking synthesis	228
4.4.2. Formalizing the problem of dynamic optimization	232
4.5. Walking synthesis via parametric optimization	236
4.5.1. Approximating the control variables	237
4.5.2. Parameterizing the configuration variables	238
4.5.3. Parameterizing the Lagrange multipliers	246
4.5.4. Formulation of the parametric optimization problem	250
4.5.5. A parametric optimization example	255
4.6. Conclusion	261
4.7. Bibliography	262

Chapter 5. Control

5.1. Introduction	267
5.2. Hybrid systems and stability study	269
5.3. Taking into account the unilateralism of the contact constraint	273
5.3.1. Computed torque control	273
5.4. Online modification of references	282
5.4.1. General principle	282
5.4.2. The ZMP's imposed evolution	285
5.4.3. Bounded evolution of the ZMP	292
5.5. Taking an under-actuated phase into account	296
5.6. Taking the double support phase into account	301
5.7. Intuitive and neural network methods	306
5.7.1. Intuitive methods	306
5.7.2. Neural network method	311
5.8. Passive movements	318
5.9. Conclusion	322
5.10. Bibliography	323

Index	327
------------------------	------------