

Table of Contents

Preface	xxi
Acknowledgements	xxxix
PART I - MECHANICAL AND ELECTRONIC INSTRUMENTATION	1
Chapter 1. Guidelines for Choosing the Experimental Set-up	3
Jean Tuong VINH	
1.1. Choice of matrix coefficient to be evaluated and type of wave to be adopted	4
1.1.1. For isotropic materials	4
1.1.2. For anisotropic materials	5
1.2. Influence of frequency range	8
1.2.1. The Williams-Landel-Ferry method	9
1.3. Dimensions and shape of the samples	9
1.3.1. Square section rod for longitudinal wave	10
1.3.2. Rod slenderness	10
1.3.3. Imposed shape and size	10
1.4. Tests at high and low temperature	10
1.5. Sample holder at high temperature	10
1.6. Visual observation inside the ambient room	11
1.7. Complex moduli of viscoelastic materials and damping capacity measurements	11
1.8. Previsional calculation of composite materials	11
1.9. Bibliography	11

Chapter 2. Review of Industrial Analyzers for Material Characterization	13
Jean Tuong VINH	
2.1. Rheovibron and its successive versions	14
2.1.1. Testing of filamentous sample and short rods	14
2.1.2. Improvement of the Rheovibron: the Rheovibron viscoanalyzer DDV II	16
2.1.3. Automated and improved version of Rheovibron by Princeton Applied Research Model 129 A	17
2.2. Dynamic mechanical analyzer DMA 01dB–Metravib and VHF 104 Metravib analyzer	17
2.2.1. Comments	18
2.3. Bruel and Kjaer complex modulus apparatus (Oberst Apparatus)	18
2.3.1. Comments	20
2.4. Dynamic mechanical analyzer DMA – Dupont de Nemours 980	20
2.4.1. Sample holder	21
2.4.2. Measuring the Young’s modulus through resonance frequency f_0	21
2.4.3. Comments	22
2.5. Elasticimeter using progressive wave PPM 5	22
2.6. Bibliography	24
Chapter 3. Mechanical Part of the Vibration Test Bench	25
Jean Tuong VINH	
3.1. Clamping end.	25
3.1.1. Clamping length	26
3.1.2. Applied clamping forces.	26
3.1.3. Influence of external force applied to the sample on compressional stress	26
3.1.4. Sample holder for clamping.	28
3.2. Length correction	29
3.2.1. Simple tests	29
3.3. Supported end	33
3.4. Additional weight or additional torsion lever used as a boundary condition	34
3.5. Free end	34
3.6. Pseudo-clamping sample attachment	35
3.6.1. Mechanical design of a pseudo-clamping system	36
3.7. Sample suspended by taut threads	38
3.7.1. Measurement over a large range of frequencies	39
3.7.2. Nature of the thread	39
3.7.3. Suspension by two parallel threads	39

3.8. Sample on foam rubber plate serving as a mattress	41
3.9. Climatic chamber	41
3.10. Vacuum system.	41
3.11. Bibliography	42
Chapter 4. Exciters and Excitation Signals	43
Jean Tuong VINH	
4.1. Frequency ranges	43
4.2. Power	43
4.3. Nature and performance of various exciters.	44
4.3.1. Electrohydraulic exciters	44
4.3.2. Electro-mechanical exciters.	44
4.3.3. Electro-magnetic exciter.	45
4.3.4. Piezoelectric exciter	46
4.3.5. Capacitive exciter.	46
4.3.6. Impact hammer	46
4.4. Room required for exciter installation	47
4.5. Details for electrodynamic shakers	48
4.5.1. Magnet circuits and the guiding system for the moving coil	48
4.5.2. Magnetization of metallic sample	49
4.5.3. Cooling system to reduce heat	49
4.5.4. Stiffness of elastic suspension	50
4.5.5. Electrical performances	50
4.5.6. Power amplifier for an electrodynamic shaker.	51
4.5.7. Control system for an electrodynamic shaker	52
4.6. Low cost electromagnetic exciters with permanent magnet	54
4.7. Piezoelectric and ferroelectric exciters.	55
4.7.1. Elements of piezoelectricity.	55
4.7.2. A constitutive equation for piezoelectric materials	58
4.7.3 Quartz cutting	61
4.7.4. Ferroelectricity elements	61
4.8. Design of special ferroelectric transducers	67
4.8.1. Choice of ceramic plate	68
4.8.2. Geometrical parameters	68
4.8.3. Influence of connecting electric cable.	69
4.9. Power piezoelectric exciters	69
4.10. Technical details concerning ultrasonic emitters for the measurement of material stiffness coefficients on ultrasonic test benches	70
4.10.1. Nature of the electric signal applied to piezoelectric transducers.	71
4.10.2. Waterproof transducers.	73
4.10.3. Prevention of parasitic signals from the rear side of a transducer	73

4.10.4. Coupling liquid/special grease for direct transducer contact with a sample	73
4.11. Bibliography	74
4.12. Appendix 4A. Example of ferroelectric plates and disks	74
Chapter 5. Transducers	77
Jean Tuong VINH and Michel NUGUES	
5.1. Introduction.	77
5.2. Transducers and their principal performance	78
5.3. The main classes of fixed reference transducers	79
5.4. Condenser-type transducer.	82
5.4.1. Polarization circuit	82
5.4.2. Condenser transducer with a Wheatstone bridge	83
5.4.3. Condenser transducer with a frequency discriminator	86
5.4.4. Sensitivity of capacitive transducers.	87
5.4.5. Advantages of capacitive transducers	88
5.5. Inductance transducers	89
5.5.1. One active and one passive inductance	91
5.5.2. With two active inductances	91
5.6. Mutual inductance transducer	92
5.7. Differential transformer transducer.	93
5.8. Contactless inductance transducer with a permanent magnet	93
5.9. Eddy current transducer	94
5.9.1. Eddy current transducer: loss of energy in metallic targets	94
5.9.2. Sensitivity	95
5.9.3. Influence of frequency.	95
5.9.4. Schematic diagram of an electronic circuit.	95
5.9.5. Usable frequency range	96
5.9.6. Performance of some industrial eddy current transducers	97
5.9.7. Calibration procedure and linearizer circuit	97
5.10. Seismic transducers	97
5.10.1. Functioning principle.	98
5.10.2. Technology of piezoelectric accelerometers	102
5.10.3. Acceleration performances	105
5.10.4. Transverse sensitivity of accelerometers	105
5.10.5. Accelerometer conditioners	106
5.11. Piezoresistive accelerometer	109
5.12. Other transducers.	110
5.13. Force transducers.	111
5.13.1. Piezoelectric-type transducers.	111
5.13.2. Special strain gauge-type force transducers.	112
5.14. Bibliography	113

5.15. Appendix 5A. Condenser with polarization	113
5.16. Appendix 5B. Eigenfrequencies of some force transducers:	
Rayleigh and Rayleigh-Ritz upper bound methods	115
5B.1. Rayleigh's method	116
5B.2. Rayleigh-Ritz's method	117
5B.3. Preliminary experimental test on the force transducer	117
Chapter 6. Electronic Instrumentation, Connecting Cautions and Signal Processing	119
Jean Tuong VINH	
6.1. Preamplifiers and signal conditioners following the transducers	120
6.2. Cables and wiring considerations	121
6.2.1. Spurious noise signals	121
6.2.2. Grounding	122
6.2.3. Cable noise.	123
6.3. Transducer selection and mountings	123
6.3.1. The choice of transducers	124
6.3.2. Accelerometer-type transducers and their mountings.	125
6.3.3. Fixed reference-type transducer	127
6.4. Transducer calibration	129
6.4.1. Separate calibration.	129
6.4.2. Calibration of the whole transducer set-up	131
6.5. Digital signal processing systems: an overview	133
6.5.1. Presentation of a signal processing system giving transfer function	133
6.6. Other signal processing programs.	141
6.7. Reasoned choice of excitation signals	142
6.7.1. Overview of excitation signals	142
6.8. Bibliography	146
6.9. Appendix 6A. The Shannon theorem and aliasing phenomenon.	147
6.10. Appendix 6B. Time window (or weighting function)	150
6B.1. Kaiser-Bessel window	151
6B.2. Hamming window	152
Chapter 7. The Frequency Hilbert Transform and Detection of Hidden Non-linearities in Frequency Responses	155
Jean Tuong VINH	
7.1. Introduction.	155
7.1.1. The non-causality principle of the physical system response	156
7.1.2. Complementary information provided by the frequency Hilbert transform	156
7.2. Mathematical expression of the Hilbert transform	157

7.2.1. Choice of contour C	157
7.2.2. Evaluation of integral [7.2.]	158
7.2.3. Hilbert transform expressed in real and imaginary parts	159
7.2.4. Physical interpretation of Hilbert transform	160
7.3. Kramer-Kronig's relationships	162
7.4. Causal signal and Fourier transform	163
7.5. Hilbert transform of a truncated transfer function	164
7.5.1. How to write Hilbert transform computer code	164
7.5.2. Hilbert transform of a truncated transfer function	164
7.5.3. Simon's correction	165
7.5.4. Fei's correction	167
7.6. Impulse response of a system. Non-causality due to measurement defects	172
7.6.1. Transfer function of a linear system	172
7.7. Summary of principal result in sections 7.5 and 7.6	174
7.8. Causalized Hilbert transform	175
7.9. Some practical aspects of Hilbert transform computation	176
7.9.1. Hilbert time window	177
7.10. Conclusion	181
7.11. Bibliography	181
7.12. Appendix 7A. Line integral of complex function and Cauchy's integral	182
7A.1. Analyticity of a function $f(z)$ of complex variable z	182
7A.2. Expression of Cauchy's integral of the function $f(z)/(z-\alpha)$	183
7.13. Appendix 7B. Hilbert transform obtained directly by Guillemin's method.	184
Chapter 8. Measurement of Structural Damping	187
Jean Tuong VINH	
8.1. Introduction.	187
8.1.1. Material damping	188
8.1.2. Damping coefficient of material evaluated in harmonic regime	188
8.2. Overview of various methods used to evaluate damping ratios in structural dynamics	190
8.2.1. Damping ratio Z deduced from one isolated resonance curve.	190
8.2.2. The half power bandwidth.	191
8.2.3. Polar representation of transfer function: Nyquist-Argand's plot.	194
8.2.4. Applicability of the circle fit technique to the evaluation of damping ratio.	195

8.3. Measurement of structural damping coefficient by multimodal analysis	197
8.3.1. Overview of modal parameter extraction methods	198
8.4. The Hilbert envelope time domain method	201
8.4.1. The practical interest of the Hilbert transform of time	201
8.5. Detection of hidden non-linearities	203
8.6. How to relate material damping to structural damping?	203
8.6.1. Example: flexural vibration of a clamped-free Bernoulli-Euler's rod	204
8.7. Concluding remarks	207
8.7.1. Exploitation of resources in signal processing and computer codes in structural dynamics	207
8.7.2. Complementary methods to evaluate complex moduli and damping coefficients	207
8.8. Bibliography	208
PART II - REALIZATION OF EXPERIMENTAL SET-UPS AND INTERPRETATION OF MEASUREMENTS	209
Chapter 9. Torsion Test Benches: Instrumentation and Experimental Results	211
Michel NUGUES	
9.1. Introduction.	211
9.2. Industrial torsion test bench	211
9.2.1. Mechanical parts of the apparatus	211
9.2.2. Electronic set-up	213
9.3. Parasitic bending vibration of rod.	215
9.4. Shear moduli of transverse isotropic materials	215
9.4.1. Shear moduli by elementary theory	217
9.4.2. Shear moduli by higher approximation equation of motion	219
9.5. Elastic moduli obtained for various materials.	220
9.6. Experimental set-up to obtain dispersion curves in a large frequency range	222
9.6.1. Rod suspension and instrumentation	222
9.6.2. Electronic set-up	223
9.7. Experimental results obtained on short samples	224
9.7.1. Checking the validity of Saint Venant's theory and Onobiono's theory on isotropic material	225
9.7.2. Remarks on elastic characterization of materials with torsion tests	226
9.8. Experimental wave dispersion curves obtained by torsional vibrations of a rod with rectangular cross-section	227

9.8.1. Dispersion curves of metallic rods with rectangular cross-section	228
9.8.2. Dispersion curves of anisotropic materials	229
9.9. Frequency spectrum for isotropic metallic materials (aluminum and steel alloy)	230
9.10. Impact test on viscoelastic high damping material	232
9.10.1. Solution of the viscoelastic problem	232
9.10.2. Solution of the viscoelastic problem	235
9.10.3. Closed form expression of complex shear modulus of solid propellant using versus frequency	237
9.11. Concluding remarks	238
9.11.1. Metallic materials	238
9.11.2. Composite materials	239
9.11.3. Experimental set-up.	239
9.12. Bibliography	239
9.13. Appendix 9A. Choice of equations of motion.	240
9A.1. Circular cross-section	240
9A.2. Square cross-section	241
9A.3. Rectangular cross-section	241
9A.4. Ratio of Young's modulus to shear modulus.	241
9A.5. Special experimental studies of wave dispersion phenomenon	242
9.14. Appendix 9B. Complementary information concerning formulae used to interpret torsion tests	242
9B.1. Quick overview of Saint Venant's theory applied to the problem of dynamic torsion.	242
9.15. Appendix 9C. Details concerning the $\beta_T(c)$ function in the calculation of rod stiffness C_T	245
9.16. Appendix 9D. Compliments concerning the solution of equations of motion with first order theory	246
9D.1. Displacement field	246
9D.2. Relations between two sets of coefficients	246
9D.3. Equations giving the two sets of coefficients A_a, B_a, C_a, D_a deduced from the four boundary conditions	248
9D.4. Evaluation of coefficients in [9D.6]	248
9D.5. Equations in A_a, B_a, C_a, D_a deduced from the four boundary conditions	249
Chapter 10. Bending Vibration of Rod Instrumentation and Measurements.	255
Dominique LE NIZHERY	
10.1. Introduction	255

10.2. Realization of an elasticimeter	255
10.2.1. Forced vibration of symmetrical free-free rod	256
10.2.2. Pseudo-clamping between two cylinders	257
10.2.3. Free-free rod suspended by yarns.	257
10.2.4. Additional weights at free ends	257
10.2.5. Mechanical system	257
10.2.6. Electronic set-up.	258
10.2.7. Successive operations in sample mounting and measurements	259
10.2.8. Electronic set-up for measurement over a large frequency range	260
10.3. How to conduct bending tests	262
10.3.1. Preliminary remarks	262
10.3.2. Tests on isotropic materials	263
10.3.3. Tests on a composite anisotropic material.	265
10.4. Concluding remarks	267
10.4.1. Apparatus.	267
10.4.2. Samples and useful parameters	267
10.4.3. Transducers	267
10.4.4. Electronic equipment.	268
10.4.5. Young's modulus evaluation	268
10.4.6. Wave dispersion.	268
10.5 Bibliography.	268
10.6. Appendix 10A. Useful formulae to evaluate the Young's modulus by bending vibration of rods	268
10A.1. Bernoulli-Euler's equation.	268
10A.2. Timoshenko-Mindlin's equation	269
10A.3. Boundary conditions and wave number equation	269
10A.4. Important parameters in rod bending vibration.	269
10A.5. Expression of the wave number.	270
10A.6. Young's modulus (Bernoulli's theory)	270
10A.7. Young's modulus (Timoshenko-Mindlin's equation)	270
Chapter 11. Longitudinal Vibrations of Rods: Material Characterization and Experimental Dispersion Curves	271
Yvon CHEVALIER and Jean Tuong VINH	
11.1. Introduction	271
11.2. Mechanical set-up	272
11.3. Electronic set-up	272
11.3.1. Magnetic exciter.	272
11.3.2. Power amplifier	273
11.3.3. Frequency generators.	273

11.3.4. Accelerometer and preamplifier	273
11.3.5. Oscilloscope	274
11.4. Estimation of phase velocity	274
11.4.1. Experiments on metals: dispersion curves for isotropic materials	275
11.4.2. Experiments on composite materials: dispersion curves on transverse isotropic materials.	276
11.4.3. Confrontation theory: experiment for metals	277
11.4.4. Confrontation theory: experiment for composite materials	278
11.4.5. Frequency spectrum for metals	278
11.4.6. Frequency spectrum of some composites materials: $\bar{\omega}_1 = \bar{\omega}_1 (Real \bar{k}_1)$	279
11.5. Short samples and eigenvalue calculations for various materials	280
11.5.1. Flow charts to evaluate reduced eigenvalues	281
11.5.2. Discrepancies between elementary theory and Touratier's theory	281
11.6. Experimental results interpreted by the two theories.	283
11.6.1. Steel ADXE	283
11.6.2. Aluminum AU4G	284
11.6.3. Fiberglass–polyester resin	285
11.6.4. Fiberglass–polyester resin	286
11.6.5. Fiberglass–epoxy resin	287
11.6.6. Fiberglass–epoxy resin	288
11.6.7. Fiberglass–epoxy resin	288
11.6.8. Carbon fiber–epoxy resin (Two rods with different characteristics).	290
11.7. Influence of slenderness ($\delta_L = 2L/h$) on eigenfrequency	291
11.8. Experimental results obtained with short rod	292
11.9. Concluding remarks	292
11.9.1. Material characterization.	292
11.9.2. Experiments in applied elastodynamics to show the influence of wave dispersion on the dynamic behavior of elastic rods	294
11.9.3. Position of Touratier's theory in longitudinal rod vibration	294
11.10. Bibliography.	295
11.11. Appendix 11A. Eigenvalue equation for rod of finite length	296
11.12. Appendix 11B. Additional information concerning solutions of Touratier's equations	300
11B.1. Eigenequation with elementary theory of motion	301

Chapter 12. Realization of Le Rolland-Sorin's Double Pendulum and Some Experimental Results	305
Mostefa ARCHI and Jean-Baptiste CASIMIR	
12.1. Introduction	305
12.2. Principal mechanical parts of the double pendulum system	305
12.2.1. Mechanical frame	306
12.2.2. Jaws for realizing sample clamping	307
12.2.3. Clamping cylinders	308
12.2.4. Platform supporting the two pendulums in the middle of the sample	308
12.2.5. Pendulums	309
12.2.6. Pendulum positioning	311
12.3. Instrumentation	312
12.4. Experimental precautions	315
12.4.1. Platform installation	315
12.4.2. Natural oscillation period of the pendulums	316
12.4.3. Platform attachment to the sample	316
12.4.4. Calibration of displacement transducers	316
12.4.5. Geometry of the sample	316
12.4.6. Stability of the stand	317
12.4.7. Electronic triggering circuit for period pendulum measurements	317
12.4.8. Damping ratio measurements	317
12.5. Details and characteristics of the elasticimeter	317
12.5.1. Characteristics of the double pendulum	317
12.5.2. Elastic modulus calculation programs	317
12.6. Some experimental results	318
12.6.1. Measurements on isotropic metallic materials	318
12.6.2. Non-diagonal compliance coefficient of anisotropic material	320
12.7. Damping ratio estimation by logarithmic decrement method	322
12.8. Concluding remarks	324
12.8.1. Absence of external exciter	325
12.9. Bibliography	325
12.10. Appendix 12A. Equations of motion for the set (pendulums, platform and sample) and Young's modulus calculation deduced from bending tests	326
12A.1. Equations of motion	326
12A.2. Solutions for pendulum oscillations	328
12A.3. Relationship between beating period τ and sample stiffness k	329

12A.4. Young's modulus calculation	330
12.11. Appendix 12B. Evaluation of shear modulus by torsion tests	331
12B.1. Energy expression	331
Chapter 13. Stationary and Progressive Waves	
in Rings and Hollow Cylinders	335
Yvon CHEVALIER and Jean Tuong VINH	
13.1. Introduction	335
13.2. Choosing the samples based on material symmetry	336
13.2.1. Ultrasonic tests	337
13.3. Practical realization of a special elasticimeter for curved beams and rings: in plane bending vibrations	337
13.3.1. Clamping of the ring sample	338
13.3.2. Electromechanical shaker	338
13.3.3. Transducers	339
13.3.4. Wheatstone bridge (or other signal conditioner)	339
13.3.5. Variable frequency generator and frequencymeter	339
13.3.6. Torsional vibration of a hollow cylinder	339
13.4. Ultrasonic benches	342
13.4.1. Direct contact benches with two identical transducers	342
13.5. Experimental results and interpretation.	343
13.5.1. Bending tests and Young's modulus E_z estimation	343
13.5.2. Shear modulus estimation by torsional tests effected on a rod sample	347
13.5.3. Bending tests on ring	350
13.5.4. Torsion tests on a hollow cylinder	351
13.5.5. Ultrasonic tests	353
13.5.6. Utilization of transmitted waves	354
13.5.7. Test procedure	354
13.5.8. Some experimental results	355
13.5.9. Stiffness matrix $\{C\}$ and compliance matrix $\{C\}$ evaluated by ultrasonic methods	356
13.6. List of symbols	358
13.6.1. Latin alphabet	358
13.6.2. Greek alphabet.	358
13.7. Bibliography	359
13.8. Appendix 13A. Evaluation of Young's modulus by using in plane bending motion of the ring	359
13.9. Appendix 13B. Determination of inertia moment of a solid by means of a three-string pendulum	360
13B.1. Principle of the method.	360
13B.2. Calculations	361

13.10. Appendix 13C. Necessary formulae to evaluate Young's modulus of a straight beam	364
Chapter 14. Ultrasonic Benches: Characterization of Materials by Wave Propagation Techniques	367
Patrick GARCEAU	
14.1. Introduction	367
14.2. Ultrasonic transducers	367
14.2.1. Details of transducer technologies	368
14.3. Pulse generator	369
14.3.1. Interest in progressive waves	370
14.3.2. Electronic set-up	371
14.4. Mechanical realization of ultrasonic benches	371
14.4.1. Water immersion bench	373
14.4.2. Direct contact bench	373
14.5. Experimental interpretation of phase velocity and group velocity	375
14.5.1. Influence of viscoelastic dispersion	375
14.5.2. Influence of geometric dispersion	377
14.5.3. Signal processing	379
14.6. Some experimental results on composite materials	380
14.6.1. Unidirectional glass fiber-epoxy resin composite material	380
14.7. Viscoelastic characterization of materials by ultrasonic waves	383
14.7.1. Longitudinal waves	384
14.7.2. Remarks on the viscoelastic properties of materials obtained by ultrasonic methods	386
14.8. Bibliography	388
14.9. Appendix 14A. Oblique incidence and energy propagation direction	389
14.10. Appendix 14B. Water immersion bench, measurement of coefficients of stiffness matrix	392
14B.1. Expression of phase velocity in the sample	393
14B.2. Phase velocity measurement by propagation time (δt) evaluation	394
14B.3. Phase velocity evaluation without time measurements	394
Chapter 15. Wave Dispersion in Rods with a Rectangular Cross-section: Higher Order Theory and Experimentation	397
Maurice TOURATIER	
15.1. Introduction	397

15.2. Summary table of some wave dispersion research	398
15.3. Longitudinal wave dispersion: influence of the material and geometry of the bounded medium.	399
15.3.1. Frequency spectrum	400
15.3.2. Presentation of some frequency spectra regarding a boron fiber-aluminum composite	401
15.4. Bending wave dispersion	403
15.4.1. Upper bound for phase velocities.	403
15.4.2. Dispersion of bending wave: the influence of various characteristics	404
15.4.3. Frequency spectrum for a bending wave	405
15.4.4. Influence of flatness $e = a_1/a_2$	406
15.4.5. Comparison between various theories	407
15.5. First order for torsional motion in a transverse isotropic rod	408
15.5.1. Equations of motion	408
15.5.2. Physical interpretation of displacement components	410
15.5.3. Asymptotic values of phase velocities.	411
15.5.4. Torsional wave dispersion: influence of the material and the geometry of the medium.	412
15.5.5. Frequency spectrum for torsional waves	413
15.5.6. Comparison with other theories.	414
15.6. Interest in theories with higher degrees of approximation.	414
15.6.1. Choice of appropriate theory for application in the characterization of viscoelastic materials	415
15.6.2. Interest in elastodynamic modes higher than fundamental ones.	416
15.7. Experimental set-ups to visualize stationary waves in rods	416
15.7.1. Choice and fabrication of special transducers and exciters	417
15.7.2. Mechanical and electrical operations on ferroelectric transducers.	420
15.7.3. Gluing the isolated transducer and transducer array.	421
15.8. Electronic set-up and observed signals on a multi-channel oscilloscope	421
15.8.1. Electronic equipment.	421
15.8.2. Signals representing various motions in rods.	422
15.9. Presentation of experimental results	424
15.9.1. Frequency spectrum of the two first elastodynamic modes for three types of waves	424
15.9.2. Six first experimental elastodynamic modes of extensional waves.	425

15.9.3. Six first experimental elastodynamic bending modes of a steel rod.	425
15.9.4. Six first elastodynamic modes in torsion of a steel rod.	427
15.10. Concluding remarks	427
15.11. Bibliography.	428
15.12. Appendix 15A. Touratier's theory using Hellinger–Reissner's mixed fields	429
15A.1. Outline of Touratier's mixed field theory	429
15A.2. General equations deduced from the two fields principle.	432
15A.3. Formulation of the boundary condition problem.	432
15A.4. Symmetry considerations concerning the three kinds of motion	433
15A.5. Truncating process for one dimensional theories: extensional waves	437
15A.6. Equations of motion for extensional movement	438
15A.7. Effective front velocity and wave front velocity	439
15A.8. Bending equations of motion	441
15A.9. Equations of motion: torsional vibration	444
15.13. Appendix 15B. Third order Touratier's theory	445
15B.1. Extensional waves with nine evaluated modes	446
15B.2. Geometrical characteristics of displacement components u_j^{mn} and physical interpretation	447
15B.3. Bending mode in the direction \vec{x}_2 – geometrical interpretation.	448
15B.4. Shear motion around longitudinal rod axis	450
List of Authors	453
Index	455